

Recente publicaties

ZEEVOGELLITERATUUR IN 1987

LITERATURE ON SEABIRDS IN 1987

Hieronder volgt een overzicht van literatuur over zee- en kustvogels in 1987. Eerdere overzichten verschenen in Sula 1(1) (1985) en in Sula 2(3) (1986). Alle van belang lijkende artikelen en korte mededelingen zijn in dit overzicht opgenomen. De doorzochte tijdschriften (zie onder) zijn alle aanwezig in de bibliotheek van de NOU. De bibliotheek is echter wegens verhuizing niet voor begin november 1989 gesloten en gaat vermoedelijk niet voor begin maart 1990 weer open. Het nieuwe adres wordt: Plantage Middenlaan 45, Amsterdam (ongeveer 100 meter van de huidige Plantage Kerklaan 36 verwijderd). Zodra de openingsdatum en -tijden bekend zijn zal dit in Sula worden meegedeeld. Bij deze wil ik de bibliothecaris, de heer J. Paul, hartelijk bedanken voor zijn medewerking.

G.O.Keijl, Amsterdam

Geraadpleegde tijdschriften:

Alauda	Emu
Anser	Fauna och Flora
Anz.orn.Ges.Bayern	Graspieper
Ardea	Ibis
Ardeola	Irish Birds
Auk	J.Field Orn.
Aves	Larus
Beitr.Nat.Nieders.	Limosa
Bird Banding	Nos Oiseaux
Bird Study	Notatki Orn.
Bonner Zool.Beitr.	l'Oiseau
British Birds	Orn.Beob.
Can.J.Zool.	Ornis Fennica
Cinclus	Orn.Mitt.
Charadrius	Ornis Scand. (excl. no.2)
Comm.Balt.Comm.Bird Migr.	Ostrich
Condor	Ringing & Migration
Dansk orn.Foren.Tidsskr.	Sterna (only 17(7))
Dutch Birding	

Algemeen General interest

- Andell P & Nilsson L Svensk fågelatlas i Skåne, del 2. Anser 26(1): 9-26
 Andell P Jönsson PE & Nilsson L Svensk fågelatlas i Skåne, del 3. Anser 26(2):97-110
 Andell P & Nilsson L Svensk fågelatlas i Skåne, del 4. Anser 26(3):161-178
 Cairns DK Bredin KA & Birt VL A Tunnel for Hidden Access to

- Blinds at High Latitude Seabird Colonies. *J.Field Orn.* 58(1): 69-72
- Chilton G Sealy SG Species Roles in Mixed-species Feeding Flocks of Seabirds. *J.Field Orn.* 58(4):456-463
- Collins BT & Gaston AJ Estimating the Error Involved in Using Egg Density to Predict Laying Dates. *J.Field Orn.* 58(4): 464-473
- Géroudet P Le 34e recensement des oiseaux d'eau en Suisse romande et secteurs limitrophes, mi-janvier. *Nos Oiseaux* 39(4):163-167
- Gales RP Validation of the stomach-flushing technique for obtaining stomach contents of Penguins. *Ibis* 129(3):335-343
- Gaston AJ Collins BL & Diamond AW The 'Snapshot' Count for Estimating Densities of Flying Seabirds During Boat Transects: A Cautionary Comment. *Auk* 104(2):336-338
- Haldin M & Ulfrens J On the efficiency of censusing waterbirds by boat. *Orn.Fenn.* 64(2):74-75
- Haney JC Ocean Internal Waves as Sources of Small-scale Patchiness in Seabird Distribution on the Blake Plateau. *Auk* 104(1):129-133
- Heubeck M The Shetland Beached Bird Survey, 1979-1986. *Bird Study* 34(2):97-106
- Karl BJ & Clout MN An Improved Radio Transmitter Harness with a Weak Link to Prevent Snagging. *J.Field Orn.* 58(1):73-77
- Laursen K & Frikke J [Winter counts of seabirds off the southwest coast of Denmark] *Dansk Orn.Foren.Tidsskr.* 81(3-4):167-169
- Mead CJ & Clark JA Report on bird-ringling for 1986. *Ringing & Migr.* 8(3):135-200
- Montevecchi WA & Piatt JF Dehydration of seabird prey during transport to the colony: effects on the wet weight energy densities. *Can.J.Zool.* 65(11):2822-2823
- Mudge GP Aspinall SJ & Crooke CH A photographic study of seabird attendance at Moray Firth colonies outside the breeding season. *Bird Study* 34(1):28-36
- Paterson AM A Study of seabirds in Malaga Bay, Spain. *Ardeola* 34(2):167-192
- Runde OJ Bird Ringing Report 1983. *Sterna* 17(7):197-224
- Skov H Danielsen F & Durinck J [Mapping of Seabirds in Danish Waters - preliminary studies 1986-87] *Dansk orn.Foren.Tidsskr.* 81(3-4):174-183
- Summers RW & Underhill LG Factors related to breeding production of Brent Geese *Branta b. bernicla* and waders (*Charadriii*) on the Taimyr Peninsula. *Bird Study* 34(2):161-172
- Winkler R Avifauna der Schweiz, eine kommentierte Artenliste, II. Non-passeriformes. *Orn.Beob.* beiheft 6:1-131

Duikers Gaviidae & Futen Podicipedidae

- Campbell LH & Talbot TR Breeding status of Black-throated Divers in Scotland. *Brit.Birds* 80(1):1-8
- Jehl JR & Yochem PK A Technique for Capturing Eared Grebes (*Podiceps nigricollis*). *J.Field Orn.* 58(2):231-233
- Sperry, ML Common Loon attacks on Waterfowl. *J.Field Orn.* 58(2): 201-205
- Strong PIV, LaValley SA & Burke-II RC A Color Plastic Leg Band for Common Loons. *J.Field Orn.* 58(2):218-221

Stormvogelachtigen Procellariiformes

- Barrett RT & Strann KB Two new breeding records of the Storm Petrel *Hydrobates pelagicus* in Norway. Fauna Norvegica Ser.C, Cinclus 10(2):115-116
- Camphuysen CJ De Noordse Stormvogel aan de Noordhollandse kust: talrijker dan ooit? Graspieper 7(1):6-14
- Hatch SA Copulation and Mate Guarding in the Northern Fulmar. Auk 104(3):450-461
- Hatch SA Adult Survival and Productivity of Northern Fulmars in Alaska. Condor 89(4):685-696
- Lansdown P & Rees G Manx Shearwaters resembling Little Shearwaters. Brit.Birds 80(3):112
- Mougin JL Jouanin C & Roux F Structure et dynamique de la population de Puffins cendrés *Calonectris diomedea borealis* de l'île Selvagem Grande (30°09'N, 15°52'W). L'Oiseau 57(3):201-225
- Mougin JL Jouanin C & Roux F Les années sabbatiques des Puffins cendrés *Calonectris diomedea borealis* de l'île Selvagem Grande (30°09'N, 15°52'W). L'Oiseau 57(4):368-381
- Ranft R & Slater PJB Absence of ultrasonic calls from night-flying Storm Petrels *Hydrobates pelagicus*. Bird Study 34(1):92-93
- Ricklefs RE Response of Adult Leach's Storm Petrels on Increased Food Demand at the Nest. Auk 104(4):750-756
- Teixeira AM The wreck of Leach's Storm Petrels on the Portuguese Coast in the autumn of 1983. Ringing & Migr. 8(1):27-28
- Zino PA Zino F Maul T & Biscoito JM The Laying, incubation and fledging periods of Cory's Shearwater *Calonectris diomedea borealis* on Selvagem Grande in 1984. Ibis 129(3):393-398

Jan van Gent en aalscholvers Pelecaniformes

- Carl RA Age-class Variation in Foraging Techniques by Brown Pelicans. Condor 89(3):525-533
- Chapdelaine G Laporte P & Nettleship DN Population, productivity, and DDT contamination trends of Northern Gannets (*Sula bassanus*) at Bonaventure Island, Quebec, 1967-1984. Can.J.Zool. 65(12):2922-2937
- Debout G Le Grand Cormoran, *Phalacrocorax carbo*, en France: les populations nicheuses littorales. Alauda 55(1):35-54
- Harris MP & Forbes R The effect of date on counts of nests of Shags *Phalacrocorax aristotelis*. Bird Study 34(3):187-190
- Leopold MF & Platteeuw M Talrijk voorkomen van Jan van Genten *Sula bassana* bij Texel in de herfst: reactie op lokale voedselsituatie. Limosa 60(3):105-110
- Macdonald RA The breeding population and distribution of the Cormorant in Ireland. Irish Birds 3(3):405-416
- Montevecchi WA Barrett RT Rikardsen P & Strann KB The population and reproductive status of the Gannet *Sula bassana* in Norway in 1985. Fauna Norv.ser.C, Cinclus 10(2):65-72
- Redactie Aalscholver en Kuifaalscholver. Dutch Birding 9(3):126-129
- Winkler R Zur Großgefiedermauser junger Kormorane *Phalacrocorax carbo sinensis*. Orn.Beob. 84(4):317-323

Waterwild wildfowl

- Boyd H Do June temperatures affect the breeding success of Dark-bellied Brent Geese *Branta b. bernicia*? *Bird Study* 34(2):155-160
- Dhondt AA Cycles of Lemmings and Brent Geese *Branta b. bernicia*: a comment on the hypothesis of Roselaar and Summers. *Bird Study* 34(2):151-154
- Ebbinge BS In hoeverre bepalen lemmingen het broedresultaat van Rotganzen *Branta bernicia*? *Limosa* 60(3):147-148
- Gauthier G Further Evidence of Long-term Pair Bonds in Ducks of the Genus *Bucephala*. *Auk* 104(3):521-522
- Owen M Brent Goose *Branta b. bernicia* breeding and lemmings - a re-examination. *Bird Study* 34(2):147-150
- Pehrsson O Effects on Body Condition in Molting in Mallards. *Condor* 89(2):329-339
- Rutledge RF The breeding distribution of the Common Scoter in Ireland. *Irish Birds* 3(3):417-426
- Tamisier A Le peuplement de canards et de foulques hivernant en Camargue saison 1986-87. Evolution et avenir. *Aves* 24(3):126-135
- Tamisier A Bonnet P Bredin D Dervieux A Rehfisch M Rocamora G & Skimmer J L'Ichkeul (Tunisie), quartier d'hiver exceptionnel d'Anatidés et de foulques. Importance, fonctionnement et originalité. *L'Oiseau* 57(4):296-306
- Walmsley JG Observations of colour-ringed Shelduck (*Tadorna tadorna*) of Camargue origin in the 'Großer Knechtsand' moulting area. *Beitr.Nat.Nieders.* 40(4):294-296

Steltlopers waders

- Meltofte H [The occurrence of staging waders *Charadriii* at the Tipperne reserve, western Denmark, 1928-1982] *Dansk orn. Foren.Tidsskr.* 81(1-2):1-108 (see *Sula* 2(3):106)
- Reynolds JD Mating system and nesting biology of the Red-necked Phalarope *Phalaropus lobatus*:what constrains polyandry? *Ibis* 129(2):225-242
- Schamel D & Tracy DM Latitudinal Trends in Breeding Red Phalaropes. *J.Field Orn.* 58(2):126-134

Jagers Stercorariidae

- Berg ABvan den Mystery photograph 22: South Polar Skua. Dutch *Birding* 9(1):13-14
- Birt VL & Cairns DK Kleptoparasitic interactions of Arctic Skuas *Stercorarius parasiticus* and Black Guillemots *Cephus grylle* in north-eastern Hudson Bay, Canada. *Ibis* 129(2):190-196
- Custer TW & Pitelka FA Nesting by Pomarine Skuas near Barrow, Alaska, 1971. *J.Field Orn.* 58(2):225-230
- Eigenhuis KJ Molt and identification of South Polar Skua. Dutch *Birding* 9(3):124-125
- Elst Dvan der A propos de l'identification du Labbe à longue queue (*Stercorarius longicaudus*) juvénile. *Aves* 24(3):112-119
- Fox AD & Aspinall SJ Pomarine Skuas in Britain and Ireland in autumn 1985. *Brit.Birds* 80(9):404-420
- Onnen J Raubmöwen-Einflug (Sternocorariidae) im Herbst/Winter 1985/

- 1986 in Niedersachsen/Bremen. Beitr.Nat.Nieders. 40(4):297-300
Pietz PJ Feeding and Nesting Ecology of Sympatric South Polar and Brown Skuas. Auk 104(4):617-627

Meeuwen Laridae

- Braune BM Seasonal Aspects of the Diet of Bonaparte's Gulls (*Larus philadelphia*) in the Quoddy Region, New Brunswick, Canada. Auk 104(2):167-172
Buckley NJ Kleptoparasitism of Black-headed Gulls *Larus ridibundus* by Common Gulls *Larus canus* at a refuse dump. Bird Study 34(1):10-11
Burger J Selection for equitability in some aspects of reproductive investment in Herring Gulls *Larus argentatus*. Orn.Scand. 18(1):17-23
Carrera E Trias J Bermejo A Juana Ede & Varela J Etude biométrique des populations ibérique et nord-africaine du Goéland leuco-phée *Larus cachinnans*. L'Oiseau 57(1):32-38
Chardine JW The influence of pair-status on the breeding behaviour of the Kittiwake *Rissa tridactyla* before egg-laying. Ibis 129(4):515-526
Danchin E Contexte social et comportements reproducteurs dans les colonies de Mouette tridactyle *Rissa tridactyla*. Alauda 55(2):93-111
Dongen RM & Rouw PWWde Kleine Kokmeeuw te IJmuiden in augustus 1985. Dutch Birding 9(2):55-59
Dulude AM Baron G & McNeil R Role of male and female Ring-billed Gulls in the care of young and territorial defence. Can.J. Zool. 65(6):1535-1540
Gabrielsen GW Mehlum F & Nagy KA Daily Energy Expenditure and Energy Utilization of Free-Ranging Black-legged Kittiwakes. Condor 89(1):126-132
Garve E Königstedt D & Langleben H Die Feldkennzeichen von *Larus cachinnans*. Orn.Mitt. 39(12):301-308
Hart ADM Patagial tags for Herring Gulls: improved durability. Ringing & Migr. 8(1):19-26
Hoogendoorn W & Mackrill EJ Audouin's Gull in southwestern Palearctic. Dutch Birding 9(3):99-107
Juana Ede Bradley PM Varela JM & Witt HH [On the migratory movements of Audouin's Gull (*Larus audouinii*)] Ardeola 34(1):15-24
Kilpi M Do Herring Gulls (*Larus argentatus*) invest more in offspring defence as the breeding season advances? Orn.Fenn. 64(1):16-20
Kilpi M Annual variation in the efficiency of adult Herring Gull *Larus argentatus* counts. Orn.Fenn. 64(2):76-77
Kopachera JG Variations in the temporal spacing of Franklin's Gull (*Larus pipixcan*) flocks. Can.J.Zool. 65(10):2450-2457
MacKinnon GE & Coulson JC The temporal and geographical distribution of Continental Black-headed Gulls *Larus ridibundus* in the British Isles. Bird Study 34(1):1-9
Madden B The Mediterranean Gull in Ireland, 1956-1985. Irish Birds 3(3):363-377
Meltofte H & Faldborg J [The occurrence of gulls and terns at Blåvandshuk, 1963-1977] Dansk orn.Foren.Tidsskr. 81(3-4):137-166

- Migst P Le Goéland Argenté (*Larus argentatus argenteus* Brehm) en Bretagne: caractéristiques biométriques des individus. *Alauda* 55(1):67-69
- Pfennig HG Die Entwicklung des winterlichen Auftretens der Lachmöwen (*Larus ridibundus*) im westlichen Sauerland. *Charadrius* 23(2):95-100
- Rattiste K & Lilleleht V Population ecology of the Common Gull *Larus canus* in Estonia. *Orn.Fenn.* 64(1):25-26
- Spaans AL Stabilisatie van broedvogelaantallen bij de Zilvermeeuw. *Limosa* 60(2):99-100
- Storer RW The Possible Significance of Large Eyes in the Red-Legged Kittiwake. *Condor* 89(1):192-194
- Visser C & Wal Cavan der Ivoormeeuw op Schiermonnikoog in februari 1987. *Dutch Birding* 9(2):60-62

Sterns Sternidae

- Bailey EE Woolfenden GE & Robertsen WB Abrasion and Loss of Bands from Dry Tortugas Sooty Terns. *J.Field Orn.* 58(4):413-424
- Blokpoel H Tessier GD & Harfenist A Distribution during Post-Breeding Dispersal, Migration and Overwintering of Common Terns Color-Marked on the Great Lakes. *J.Field Orn.* 58(2):206-217
- Brichetti P & Foschi UF The Lesser Crested Tern in the Western Mediterranean and Europe. *Brit.Birds* 80(6):276-279
- Gantlett SJM & Harris A Identification of large terns. *Brit.Birds* 80(6):257-275
- Hario M Kastepöld T Kilpi M Staav R & Stjernberg T Status of Caspian Terns *Sterna caspia* in the Baltic. *Orn.Fenn.* 64(4):154-157
- Kirkham IR & Nettleship DN Status of the Roseate Tern in Canada. *J.Field Orn.* 58(4):505-515
- Kirkham IR & Nisbet ICT Feeding techniques and field identification of Arctic, Common and Roseate Terns. *Brit.Birds* 80(2):41-47
- Meininger PL Swelm NDvan & Swennen C Biometrie, rui en herkomst van Dwergsterns *Sterna albifrons* in het Deltagebied. *Limosa* 60(2):75-83
- Meltofte H & Faldborg J [The occurrence of gulls and terns at Blåvandshuk 1963-1977] *Dansk orn.Foren.Tidsskr.* 81(3-4):137-166
- Muselet D Les effectifs de la Sterne pierregarin (*Sterna hirundo*) et de la Sterne naine (*Sterna albifrons*) en France en 1985. Comparaison des recensements de 1982 et de 1985. *l'Oiseau* 57(3):260-261
- Ovaa AH Forsters stern bij Ritthem in november 1986. *Dutch Birding* 9(4):158-161
- Storey AE Adaptations for marsh nesting in Common and Forster's terns. *Can.J.Zool.* 65(6):1417-1420
- Storey AE Characteristics of successful nest sites for marsh nesting Common terns. *Can.J.Zool.* 65(6):1411-1416
- Thiede W Spätherbst- und Winternachweise der Brandseeschwalbe (*Sterna sandvicensis*) in Nordwest-Europa. *Orn.Mitt.* 39(1):8-12
- Walters J Primary moult in Black Terns and Common Terns. *Ringing & Migr.* 8(2):83-90

Wiggins DA & Norris RD Parental care of the Common Tern *Sterna hirundo*. *Ibis* 129(4):533-540

Alkachtigen Alcidae

- Birkhead TR & Nettleship DN Ecological relationships between Common Murres, *Uria aalge*, and Thick-billed Murres, *Uria lomvia*, at the Gannet Islands, Labrador. I. Morphometrics and timing of breeding. *Can.J.Zool.* 65(7):1621-1629
- Birkhead TR & Nettleship DN Ecological relationships between Common Murres, *Uria aalge*, and Thick-billed Murres, *Uria lomvia*, at the Gannet Islands, Labrador. II. Breeding success and site characteristics. *Can.J.Zool.* 65(7):1630-1637
- Birkhead TR & Nettleship DN Ecological relationships between Common Murres, *Uria aalge*, and Thick-billed Murres, *Uria lomvia*, at the Gannet Islands, Labrador. III. Feeding ecology of the young. *Can.J.Zool.* 65(7):1638-1699
- Cairns DK Diet and foraging ecology of Black Guillemots in north-eastern Hudson Bay. *Can.J.Zool.* 65(5):1257-1263
- Cairns DK The Ecology and Energetics of Chick Provisioning by Black Guillemots. *Condor* 89(3):627-635
- Cairns DK Bredin KA & Montevercchi WA Activity Budgets and Foraging Ranges of Breeding Common Murres. *Auk* 104(2):218-224
- Greenwood JG Winter visits by Black Guillemots *Cephus grylle* to an Irish breeding site. *Bird Study* 34(2):135-136
- Kampp K Meltofte H & Nortensen CE Population size of the Little Auk *Alle alle* in East Greenland. *Dansk orn.Tidsskr.* 81(3-4):129-136
- Nelson DA Factors Influencing Colony Attendance by Pigeon Guillemots on Southeast Farallon Island, California. *Condor* 89(2):340-348
- Nol E & Gaskin DE Distribution and movements of Black Guillemots (*Cephus grylle*) in coastal waters of the southwestern Bay of Fundy, Canada. *Can.J.Zool.* 65(11):2682-2689
- Piatt JF & McLagan RL Common Murre (*Uria aalge*) attendance patterns at Cape St.Mary's, Newfoundland. *Can.J.Zool.* 65(6): 1530-1534
- Rice J Behavioural responses of Common Puffins to kleptoparasitism by Herring Gulls. *Can.J.Zool.* 65(2):339-347
- Sanger GA Winter Diets of Common Murres and Marbled Murrelets in Kachemak Bay, Alaska. *Condor* 89(2):426-430
- Smiddy P Northern Razorbills on the south Irish coast. *Irish Birds* 3(3):451-452
- Verspoor E Birkhead TR & Nettleship DN Incubation and brooding shift duration in the Common Murre *Uria aalge*. *Can.J.Zool.* 65(2):247-252