

Recente publicaties

Zeevogelliteratuur in 1988

Literature on seabirds in 1988

Hieronder volgt een overzicht van op zee- en kustvogels betrekking hebbende literatuur, verschenen in 1988. Alle van belang lijkende artikelen en korte mededelingen zijn opgenomen. Eerdere overzichten verschenen in Sula 1(1) (1985), Sula 2(3) (1986), Sula 3(4) (1987, 1e deel) en Sula 4(4) (1987, 2e deel). De hieronder genoemde tijdschriften zijn aanwezig in de bibliotheek van de NOU en kunnen daar ingezien of geleend worden. Het adres van de bibliotheek is: Plantage Middenlaan 45, Amsterdam. De bibliotheek is geopend op werkdagen van 10.00-16.00 uur.

G.O. Keijl, Amsterdam

Geraadpleegde tijdschriften:

Acrocephalus	Bokmakcrierie
Acta Ornithoecologica	British Birds
Acta Ornithologica	Canadian Journal of Zoology (excl. no. 11)
Alauda	Charadrius
American Birds	Cinclus
Anser	Condor
Anzeiger der Ornithologischen Ge- ellschaft Bayern	Corax (alleen no's 1 en 4)
Ardea	Cyanopica (alleen no. 2)
Ardeola	Dansk Ornithologisk Forening Tids- skrift
Auk	Dutch Birding
Aves (excl. no. 1)	Egretta
Avocetta	Emu
Aythya	Fair Isle Bird Observatory
Beiträge zur Vogelkunde	der Falke
Beiträge zur Naturkunde Nieder- sachsens	Fauna och Flora
Bird Study	Fugle
Bliki	la Garcilla

Geraut	der Ornithologische Beobachter
de Graspieper	Ornithologische Mitteilungen (excl. no's 8 & 10)
Hamburger avifaunistische Beiträge	Ostrich
el Hornero	le Passer
Ibis	Proceedings of the Academy of Natural Sciences of Philadelphia
Irish Birds	Revista Italiana di Ornitologia
Japanese Journal of Ornithology	the Ring
Journal für Ornithologie	Ringing and Migration
Journal of Field Ornithology	Scottish Birds
Larus	Stavanger Museum Årbok
Limosa	Vår Fuglefauina
Lintumies	Vår Vägelvärld
Memorabilia Zoologica	Vögel der Heimat
Mergus	het Vogeljaar
Il Merill	Vogelkündliche Berichte aus Nie- dersachsen
Mitteilungen aus dem Zoologischen Museum in Berlin	Vogelwarte
Nos Oiseaux	die Vogelwelt
Notatki Ornitolodyczne	Western Birds
Notornis	Wilson Bulletin
l'Oiseau et la revue Française d'Or- nithologie	Wildfowl
Ökologie der Vögel	
Oriolus	
Ornis Fennica	
Ornis Scandinavica	

Algemeen General

- Adams NJ & Wilson RP 1988. The use of thallium as a radioactive source in auto-radiographic devices for penguins at sea. *J. Field Orn.* 59(1): 43-45
- Baptiste Y 1988. Zeecktellingen in augustus van 1985, 1986 en 1987 te Blankenberge (West-Vlaanderen). *Mergus* 2(1): 2-9
- Bergan M & Andersen GS 1988. [Seabird populations in the inner Oslofjord area.] *Vår Fuglef.* 11(4): 199-211
- Burger AE & Wilson RP 1988. Capillary-tube depth gauges for diving animals: an assessment of their accuracy and applicability. *J. Field Orn.* 59(4): 345-354
- Costa DP 1988. Methods for studying the energetics of freely diving animals. *Can. J. Zool.* 66(1): 45-52
- Dändliker G & Mühlhauser G 1988. L'exploitation des déchets de chalutage par les oiseaux de mer au large des Orcades et des Shetland (Nord-Est Atlantique). *Nos Oiseaux* 39(6): 257-288
- Devos K, Meire P & Kuijken E 1988. Watervogels in Vlaanderen gedurende het

- winterhalfjaar 1985/1986. *Oriolus* 54(1): 13-39
- Gales RP 1988. The use of otoliths as indicators of Little Penguin *Eudyptula minor* diet. *Ibis* 103(3): 418-426
- Heismann WA, Beyerbach M, Böckelmann W, Büthe A, Knüwer H, Peterat B & Rüssel-Sinn HA 1988. Chlorierte Kohlenwasserstoffe in toto an der Nordseeküste aufgefundenen Seevögel. *Vogelwarte* 34(2): 126-133
- Helle E, Helle P & Väistönen RA 1988. Population trends among archipelago birds in the Kruunut sanctuary, northern Gulf of Bothnia, in 1939-85. *Orn. Fenn.* 65(1): 1-12
- Hémery G, Pasquet E & Thibault JC 1988. [A look at seabird populations in France.] *Alauda* 56(1): 1-7
- Hogg A (ed.) 1988. Scottish Bird Report 1988. Pp. 1-52
- Hulsman K & Smith G 1988. Biology and growth of the Black-naped Tern *Sterna sumatrana*: an hypothesis to explain the relative growth rates of inshore, offshore and pelagic feeders. *Emu* 88(4): 234-242
- Hunt GL Jr., Harrison NM, Hammer WM & Obst BS 1988. Observations of a mixed-species flock of birds foraging on Euphausiids near St. Matthew Island, Bering Sea. *Auk* 105(2): 345-349
- Jacobsen E 1988. Forekomst av ilanddrevne, döde sjöfugl längs Jaerstrendene vinteren 1987/88. *Vår Fuglef.* 11(3): 151-152
- Lambert K 1988. Nächtliche Zugaktivität von Seevögeln im Golf von Guinea. *Beitr. Vogelk.* 34(1): 29-35
- Martín A 1988. Las aves marinas de Canarias. *Garcilla* 73: 8-11
- Mead CJ & Clark JA 1988. Report on bird ringing in Britain and Ireland for 1987. *Ring. & Migr.* 9(3): 169-204
- Maertens L, Meire P & Kuijken E 1988. Vliegtuigtellingen van watervogels voor de Belgische kust; winter 1986/1987. *Oriolus* 54(2): 55-60
- Michelot J-L & Laurent L 1988. Observations estivales d'oiseaux marins en mer Méditerranée occidentale. *l'Oiseau* 58(1): 18-27
- Nilsson I 1988. [International waterfowl counts in Sweden, 1987-88.] *Vår Vägglv.* 47(5): 273-279
- Nolet BA 1988. Broedsucces van enige kustvogels in een Zilvermeeuwenkolonie. *Limosa* 61(2): 79-84
- Pemington MG 1988. The breeding birds of North Ronaldsay, Orkney. *Scot. Birds* 15(2): 83-89
- Runde OJ 1988. Utviklingen i hekkebestanden hos noen sjøfuglarter i Rogaland. *Stav. Mus. Årbok.*
- Ryan PG 1988. Intraspecific variation in plastic ingestion by seabirds and the flux of plastic through seabird populations. *Condor* 90(2): 446-452
- Sheridan P, Cocciasecca B, Latteur C & Capel B 1988. Contamination par le plomb du squelette de quelques oiseaux marins. *Aves num. spéc.* 229-232
- Sheridan P & Pampart L 1988. [Seabirds washed up on the Belgian coast. Samples collected between April 1986 and March 1987 for analysis as to various causes of death.] *Aves* 25(3-4): 153-170

- SOVON 1988. Nieuwe aantalsschattingen van de Nederlandse broedvogels. *Limosa* 61(3-4): 151-162
- Tasker ML, Moore PR & Schofield RA 1988. The seabirds of St. Kilda, 1987. *Scot. Birds* 15(1): 21-29
- Wanless S & Kinnear PK 1988. Recent changes in the numbers of some cliff-nesting seabirds on the Isle of May. *Bird Study* 35(3): 181-190
- Wesolowski T & Winiecki A 1988. [Areas of special importance for waterfowl in Poland.] *Notat. Orn.* 29(1-2): 3-26
- Woakes AJ 1988. Metabolism in diving birds: studies in the laboratory and in the field. *Can. J. Zool.* 66(1): 138-141

Duikers Gaviidae

- Alvo R, Hussell DJT & Berrill M 1988. The breeding success of Common Loons (*Gavia immer*) in relation to alkalinity and other lake characteristics in Ontario. *Can. J. Zool.* 66(3): 746-752
- Eriksson MOG, Arvidsson BL & Johansson I 1988. [Habitat characteristics of Red-throated Diver, *Gavia stellata*, breeding lakes, in Southwest Sweden.] *Vår Vägglv.* 47(3): 122-132
- Kirkham IR & Johnson SR 1988. Interspecific aggression in Loons. *J. Field Orn.* 59(1): 3-6
- Mason CF & Macdonald SM 1988. Pollutant burden of a Great Northern Diver *Gavia immer*. *Bird Study* 35(1): 11-12

Stormvogelachtigen Procellariiformes

- Bourne WRP, Mackrill EJ, Paterson AM & Yésou P 1988. The Yelkouan Shearwater *Puffinus (puffinus?) yelkouan*. *Br. Birds* 81(7): 306-319
- Bretagnolle V 1988. Cycles de présence et rythmes d'activité chez cinq espèces de pétrels antarctiques. *l'Oiseau* 58(1): 44-58
- Despin B & Mougin J-L 1988. Evaluation de la dépense énergétique et de la consommation alimentaire du Puffin cendré *Calonectris diomedea borealis* d'après l'étude de la décroissance pondérale au cours de jeûne. *l'Oiseau* 58(1): 28-43
- Fowler JA & Okill JD 1988. Recaptures of Storm Petrels tape-lured in Shetland. *Ring. & Migr.* 9(1): 49-50
- Grussu M & Poddesu G 1988. [Confirmed breeding of the Storm Petrel, *Hydrobates pelagicus*, in Sardinia.] *Riv. Ital. Orn.* 58(3-4): 125-128
- Haase BJM 1988. A sight-record of a White-bellied Storm Petrel *Fregetta grallaria* in the Western Palearctic. *Ardea* 76(2): 210
- Hémery G & Jouanin C 1988. [Status and origin of a population of Leach's Petrels *Oceanodroma leucorhoa* in the Bay of Biscay.] *Alauda* 56(3): 238-245
- Jackson S 1988. Diets of White-chinned Petrel and Sooty Shearwater in the

- Southern Benguela Region, South Africa. Condor 90(1): 20-28
- Mougin J-L, Jouanin C & Roux F 1988. Le calcul de la durée des périodes d'incubation chez le Puffin cendré *Calonectris diomedea borealis* de l'île Selvagem Grande (30° 09'N, 15° 52'W). Cyanopica 4(2): 155-166
- Mougin J-L, Jouanin C & Roux F 1988. Les différences d'âge et d'expérience entre partenaires chez le Puffin cendré *Calonectris diomedea borealis* de l'île Selvagem Grande (30° 19'N, 15° 92'W). Oiseau 58(2): 113-119
- Mougin J-L, Jouanin C & Roux F 1988. Les migrations du Puffin cendré *Calonectris diomedea*. Oiseau 58(4): 303-319
- Neumann J & Kolbe J 1988. Der Eissturmvogel in der DDR. Falke 35(1): 14-17

Jan van Gent en aalscholvers Sulidae & Phalacrocoracidae

- Barrett RT 1988. The dispersal and migration of the Gannet *Sula bassana* from Norwegian breeding colonies. Ring. & Migr. 9(3): 139-145
- Debout G 1988. La biologie de reproduction du Grand Cormoran en Normandie. Oiseau 58(1): 1-17
- Nettleship DN & Chapdelaine G 1988. Population size and status of the Northern Gannet *Sula bassanus* in North America, 1984. J. Field Orn. 59(2): 120-127
- Schuyter T de 1988. Influx van Kuifaalscholvers (*Phalacrocorax aristotelis*) te Zeebrugge en Oostende in het voorjaar van 1988. Mergus 2(3): 137-141
- Siegel-Causey D 1988. Phylogeny of the Phalacrocoracidae. Condor 90(4): 885-905
- Stokland JN & Amundsen T 1988. Initial size hierarchy in broods of the Shag: relative significance of egg size and hatching asynchrony. Auk 105(2): 308-315
- Temme M 1988. Herbstliche Zugbewegungen von Basstölpeln (*Sula bassana*) vor der Ostfriesischen Insel Norderney. Orn. Mitt. 40(3): 59-67
- Tets GF van, Meredith CW, Fullagar PJ & Davidson PM 1988. Osteological differences between *Sula* and *Morus*, and a description of an extinct new species of *Sula* from Lord Howe and Norfolk Islands, Tasman Sea. Notornis 35(1): 35-58
- Veron PK 1988. Movements of Gannets ringed on Les Etacs and Ortac, Alderney, Channel Islands. Ring. & Migr. 9(1): 37-43

Ganzen en eenden Anatidae

- Aspinall SJ & Dennis SH 1988. Goosanders and Red-breasted Mergansers in the Moray Firth. Scot. Birds 15(2): 65-70
- Bustnes JO & Erikstad KE 1988. The diets of sympatric wintering populations of Common Eider *Somateria mollissima* and King Eider *S. spectabilis* in Northern Norway. Orn. Fenn. 65(4): 163-168
- Einarsson A 1988. Distribution and movement of Barrow's Goldeneye *Bucephala islandica*.

- islandica* young in relation to food. Ibis 130(2): 153-163
- Folkestad A, Larsen BH, Nygård T & Røv N 1988. Estimating numbers of moulting Eiders *Somateria mollissima* with different flock size and flock structure. Cinclus 11(2): 97-99
- Götmark F & Ahlund M 1988. Nest predation and nest site selection among Eiders *Somateria mollissima*: the influence of gulls. Ibis 103(1): 111-123
- Goudie RI & Ankney CD 1988. Patterns of habitat use by sea ducks wintering in southeastern Newfoundland. Orn. Scand. 19(4): 249-256
- Hleg D. Duiktijden van enkele vogels op binnenlandse wateren. Vogeljaar 36(1): 23-25
- Hofer J & Marti C 1988. Beringungsdaten zur Überwinterung des Gänseäfers *Mergus merganser* am Sempachersee: Herkunft, Zugverhalten und Gewicht. Orn. Beob. 85(2): 97-122
- Jakobsen B 1988. [The occurrence of grebes at Blåvandshuk 1963-1977.] DOFT 82(1-2): 1-6
- Nehls G, Bräger S, Meissner J & Thiel M 1988. Zum Bestand der Eiderente (*Somateria mollissima*) an der deutschen Nordseeküste. Corax 13(1): 41-58
- Nygård T, Larsen BH, Folkestad A & Strann K-B 1988. Numbers and distribution of wintering waterfowl in Norway. Wildfowl 39: 164-176
- Nyström KGK & Pehrsson O. Salinity as a constraint affecting food and habitat choice of mussel-feeding diving ducks Anatidae. Ibis 103(1): 94-110
- Ouwencel GL 1988. Ruiende Bergeenden *Tadorna tadorna* in het Haringvliet. Vogeljaar 36(2): 65-67
- Owen M & Mitchell C 1988. Movements and migrations of Wigeon *Anas penelope* wintering in Britain and Ireland. Bird Study 35(1): 47-60
- Pedersen MP 1988. [Spring migration of Common Scoter *Melanitta nigra* across southwest Jutland.] DOFT 82(1-2): 13-18
- Piersma T 1988. Body size, nutrient reserves and diet of Red-necked and Slavonian Grebes *Podiceps grisegena* and *P. auritus* on Lake IJsselmeer, The Netherlands. Bird Study 35(1): 13-24
- Richner H 1988. Temporal and spatial patterns in the abundance of wintering Red-breasted Mergansers *Mergus serrator* in an estuary. Ibis 103(1): 73-78
- Salmon DG 1988. Wildfowl Counts in the U.K. Wildfowl 39: 177-178
- Schuyter T de. Enkele totaal tellingen van pleisterende Eidereenden (*Somateria mollissima*) langs de West-Vlaamse Noordzeekust in de winter 1984-85. Mergus 2(4): 192-194
- Sjöberg K 1988. Food selection, food-seeking patterns and hunting success of captive Goosanders *Mergus merganser* and Red-breasted Mergansers *M. serrator* in relation to the behaviour of prey. Ibis 103(1): 79-93
- Swennen K 1988. Trapping methods used for Eiders in the Netherlands. Ring 12(2): 73-81
- Temme M 1988. Ungewöhnlicher Umkehrzug von Eiderenten (*Somateria mollissima*) vor der Nordsee-Insel Norderney. Orn. Mitt. 40(4): 91-93
- Wrånes E 1988. [Mass death of Eider Ducks *Somateria mollissima*) in southern-

most Norway winter 1981/1982.] Vår Fuglef. 11(2): 71-74

Steltlopers waders

- Brown PP & Harris SW 1988. Foods found in 103 Red-necked Phalaropes. Western Birds 19(2): 79-80
- Brown RGB & Gaskin DE 1988. The pelagic ecology of the Grey and Red-necked Phalaropes *Phalaropus fulicarius* and *P. lobatus* in the Bay of Fundy, eastern Canada. Ibis 103(2): 234-250
- Haney JC & Stone AE 1988. Littoral foraging by Red Phalaropes during spring in the Northern Bering Sea. Condor 90(3): 723-726
- Meltofte H 1988. [Diurnal patterns of the migration of waders Charadrii at Blåvandshuk at the Danish west coast and Revtangen in Southwest Norway.] DOFT 82(1-2): 13-18
- Schamel D & Tracy DM 1988. Are yearlings distinguishable from older Red-necked Phalaropes? J. Field Orn. 59(3): 235-238
- Tracy DM & Schamel D 1988. Male initiation of pair formation in Red Phalaropes. Wils. Bull. 100(1): 144-146

Jagers Stercorariidae

- Camphuijsen CJ & IJzendoorn EJ van 1988. Invasie van Middelste Jagers in Nederland in november 1985. Dutch Birding 10(2): 54-65
- Camphuijsen CJ & IJzendoorn EJ van 1988. Influx of Pomarine Skua in northwestern Europe in autumn 1985. Dutch Birding 10(2): 66-70
- Ewins PJ, Ellis PM, Bird DB & Prior A 1988. The distribution and status of Arctic and Great Skuas in Shetland 1985-86. Scot. Birds 15(1): 9-20
- Fraine R de & Leysen K 1988. Determinatie van een eerstejaars Kleinste Jager *Stercorarius longicaudus*. Oriolus 54(4): 162-165
- Korte Jde & Wattel J 1988. Food and breeding success of the Long-tailed Skua at Scoresby Sund, Northeast Greenland. Ardea 76(1): 27-41
- Parmelee DF 1988. The hybrid Skua: a southern ocean enigma. Wils. Bull. 100(3): 345-356
- Rennie FW 1988. The status and distribution of the Great Skua in the Western Isles. Scot. Birds 15(2): 80-82
- Ryan PG & Fraser MW 1988. The use of Great Skua pellets as indicators of plastic pollution in seabirds. Emu 88(1): 16-19
- Ulfvens J, Hildén O & Hästbacka H 1988. Marked population increase in the Arctic Skua *Stercorarius parasiticus* in the Finnish Quark from 1957-1987. Orn. Fenn. 65(2): 86-88

Meeuwen Laridae

- Arnold H 1988. Der Brutbestand der Lachmöwe. Falke 35(4): 124-128

- Arnold H 1988. Der Brutbestand der Lachmöwe im Jahr 1983 in der DDR, Teil 2. Falke 35(5): 152-155
- Arnold H 1988. Der Brutbestand der Lachmöwe im Jahr 1983 in der DDR, Teil 3. Falke 35(12): 412-416
- Asbjørk S 1988. Ynglebestanden af Rude *Rissa tridactyla* i Danmark 1977-87. DOFT 82(3-4): 133-134
- Baudoin G & Maréchal P le 1988. [The Mediterranean Herring Gull in the Ile-de-France region (northern central France).] Alauda 56(1): 51-66
- Beet R de & Majoor FA 1988. Het aflezen van geringde Kokmeeuwen in het Gooi in 1986/87. Atypha 26(4): 3-41
- Bekaert L 1988. Nieuwe broedplaatsen van de Zwartkopmeeuw *Larus melanoccephalus* in Oost-Vlaanderen in 1987, met een overzicht van alle broedgevallen in Vlaanderen. Oriolus 54(4): 166-169
- Borg J & Zammit RC 1988. A review of the breeding population of the Yellow-legged Gull *Larus cachinnans* in the Maltese Islands. Merill 25: 8-9
- Brandl R & Gorke M 1988. How to live in colonies: Foraging range and patterns of density around a colony of Black-headed Gulls *Larus ridibundus* in relation to the gull's energy budget. Orn. Scand. 19(4): 305-308
- Brandl R & Nelson I 1988. Feeding frequency of Black-headed Gull chicks. Bird Study 35(2): 137-141
- Bruns H 1988. Zur Feldornithologischen Unterscheidung unausgefärbter Herringmöwen (*Larus fuscus*) und Mantelmöwen (*L. marinus*). Orn. Mitt. 40(9): 215-220
- Bruns H 1988. Gelbfüßige Silbermöwe (*Larus cachinnans*). Orn. Mitt. 40(9): 221-226
- Burger J & Gochfeld M 1988. Habitat selection in Mew Gulls: small colonies and site plasticity. Wils. Bull. 100(3): 395-410
- Cezilly F & Quenette PY 1988. [The importance of natural events on the Mediterranean Herring Gull (*Larus cachinnans michahellis*) nests.] Alauda 56(1): 41-50
- Danchin E 1988. [Comparison of the densities in declining and prospering Kittiwake *Rissa tridactyla* colonies; relation to breeding parameters.] Alauda 56(4): 391-400
- Dubois P-J, Fouquet M & Yésou P 1988. La nidification des Laridés entre Loire et Gironde. Alauda 56(1): 22-34
- Dubois P-J, Fouquet M & Yésou P 1988. La nidification des Laridés entre Loire et Gironde (2e partie). Alauda 56(4): 413-428
- Dulude A-M, McNeil R & Baron G 1988. Do Young Ring-billed Gulls *Larus delawarensis* participate in territorial defence? Bird Study 35(2): 153-158
- Hackl E & Burger J 1988. Factors affecting piracy in Herring Gulls at a New Jersey landfill. Wils. Bull. 100(3): 424-430
- Hatch SA & Hatch MA 1988. Colony attendance and population monitoring of Black-legged Kittiwake on the Semidi Islands, Alaska. Condor 90(3): 613-620

- Hein K & Martens S 1988. Meßmethoden zur Geschlechtsbestimmung bei der Lachmöwe (*Larus ridibundus*). Vogelwarte 34(3): 189-200
- Hébert PC & Barclay RMR 1988. Parental investment in Herring Gulls: apportionment and chick survival. Condor 90(2): 332-338
- Herbert PN 1988. Adoption behaviour by gulls: a new hypothesis. Ibis 103(2): 216-220
- Hoogendoorn W 1988. Franklins Meeuw te Nederlands-Belgisch grensgebied in juni-juli 1987. Dutch Birding 10(2): 71-77
- Kilpi M 1988. Offspring-defence behaviour towards a human intruder in three species of gulls: *Larus marinus*, *L. argentatus* and *L. canus*. Orn. Fenn. 65(4): 156-162
- Koopman K 1988. De trek van de Nederlandse Stormmeeuwen *Larus canus*. Limosa 61(3-4): 125-132
- Languy M & Coquette P 1988. Phénologie de la migration et statut régional des Goélands brun (*Larus fuscus*) et marin (*L. marinus*). Aves 25(2): 107-115
- Mainardi M 1988. [Counts at coastal roosts and in feeding sites of gulls wintering in Tuscany (January 1985).] Avocetta 12(1): 13-20
- Majoor FA 1988. Het aflezen van geringde Kokmeeuwen in West-Terschelling. Aythya 26(4): 42-44
- Obeso JR 1988. [Wintering of gulls in Cantabro-Atlantic coasts (Northern Spain).] Ardeola 35(2): 247-256
- Olsson V 1988. [Migration, dispersal and spread of Herring Gull, *Larus argentatus*, and Great Black-backed Gull, *L. marinus*, ringed in the southern part of Östergötland's archipelago.] Vår Vägely. 47(5): 247-256
- Paulussen J 1988. Seizoensgebonden gewichtsvariaties bij de twee geslachten van de Kokmeeuw *Larus ridibundus*. Oriolus 54(3): 116-120
- Porter JM 1988. Prerequisites for recruitment of Kittiwakes *Rissa tridactyla*. Ibis 103(2): 204-215
- Reid WV 1988. Fledging success of experimentally enlarged broods of the Glaucous-winged Gull. Wils. Bull. 100(3): 476-482
- Schmitz L & Degros E 1988. Contribution à l'étude des Goélands cendrés (*Larus canus*) hivernant en Belgique. Aves 25(2): 116-130
- Schrijvershof PG & Schrijvershof R 1988. Ringsnavelmeeuw te Europoort in juli 1986. Dutch Birding 10(1): 20-23
- Schutter G de 1988. L'identification des grands laridés en Belgique. Aves 25(2): 77-106
- Shugart GW, Fitch MA & Fox GA 1988. Female pairing: a reproductive strategy for Herring Gulls. Condor 90(4): 933-935
- Smith RD 1988. Age and sex-related differences in biometrics and moult of Kittiwakes. Ring. & Migr. 9(1): 44-48
- Symcns D, Driessens G & Buys P 1988. Eerste waarneming van een Franklins Meeuw *Larus pipixcan* in België en Nederland. Oriolus 54(4): 170-174
- Verbeek NAM 1988. Differential predation of eggs in clutches of Glaucous-winged Gulls *Larus glaucescens*. Ibis 103(4): 512-518

- Vincent T 1988. [The use of urban food sources by Herring Gulls (*Larus argentatus argenteus*).] *Alauda* 56(1): 35-40
- Viniccombe K 1988. Identification pitfalls and assessment problems. 9. Ring-billed Gull *Larus delawarensis*. *Br. Birds* 81(3): 126-133

Sterns Sternidae

- Beijersbergen R 1988. Dougalls stern hybridiserend met Visdief op Hooge Platen in 1982-85. *Dutch Birding* 10(3): 121-123
- Becker PH & Anlauf A 1988. [Nest site choice and breeding success of marsh nesting Common Terns (*Sterna hirundo*). I. Nest density.] *Ök. der Vögel* 10(1): 27-44
- Becker PH & Anlauf A 1988. [Nest site choice and breeding success of marsh nesting Common Terns (*Sterna hirundo*). 2. Flooding.] *Ök. der Vögel* 10(1): 45-58
- Bruderer D & Schmid H 1988. Die Situation der Flussseeschwalbe *Sterna hirundo* in der Schweiz und im angrenzenden Ausland 1976-1987. *Orn Beob.* 85(2): 159-172
- Brunn H 1988. Feldkennzeichen der juvenilen Brandseeschwalbe (*Sterna sandvicensis*). *Orn. Mitt.* 40(1): 14-15
- Burger J & Gochfeld M 1988. Nest-site selection by Roseate Terns in two tropical colonies on Culebra, Puerto Rico. *Condor* 90(4): 843-851
- Duffy DC. Predator-prey interactions between Common Terns and butterfish. *Orn. Scand.* 19(2): 160-163
- Erwin RM 1988. Correlates of nest-defence behavior of Common Terns. *J. Field Orn.* 59(2): 135-142
- Furness RW 1988. The predation of tern chicks by sheep. *Bird Study* 35(3): 199-202
- Gantlett SJM & Harris A 1988. Identification of large terns. *Br. Birds* 81(5): 211-221
- Massey BW, Keane K & Boardman C 1988. Adverse effects of radio transmitters on the behavior of nesting Least Terns. *Condor* 90(4): 945-947
- Mullarney K 1988. Identification of Roseate Tern in juvenile plumage. *Dutch Birding* 10(3): 109-120
- Mullarney K 1988. Identification of a Roseate x Common Tern hybrid. *Dutch Birding* 10(3): 133-135
- Mullarney K 1988. Identification of adult Roseate Tern. *Dutch Birding* 10(3): 136-137
- Parmelee DF 1988. Unexpected weight gain in resident Antarctic Terns *Sterna vittata* during the austral winter. *Ibis* 103(3): 438-443
- Safina C & Burger J 1988. Prey dynamics and the breeding phenology of Common Terns (*Sterna hirundo*). *Auk* 105(4): 720-726
- Safina C, Burger J, Gochfeld M & Wagner RH 1988. Evidence for prey limitation of Common and Roseate Tern reproduction. *Condor* 90(4): 852-

859

- Schuyter T de & Schutter G de 1988. Le retour de la Sterne naine (*Sterna albifrons*) comme nicheuse en Belgique. Aves num. spéc.: 113-115
- Thiede W 1988. Ein übersehener Erstnachweis der Cayenneseeschwalbe (*Sterna sandvicensis eurygnatha*) aus Europa? Orn. Mitt. 40(1): 18-20
- Vandewalle FJ 1988. Origins and migration routes of some Palaeartic terns wintering in Africa south of the Zambezi and Cunene rivers. Gerfaut 78(2): 131-150
- Walhout J 1988. Dougalls stern met hybride juveniel te Vlissingen in september-oktober 1984. Dutch Birding 10(3): 124-126
- Wanless S 1988. The recolonisation of the Isle of May by Common and Arctic Terns. Scot. Birds 15(1): 1-8

Alken Alcidae

- Asbjørk S 1988. Ynglebestanden af Tejst *Cephus grylle* i Danmark 1978-87. Dansk Orn. Foren. Tids. 82(3-4): 131-133
- Carboneras C 1988. The auks in the western Mediterranean. Ring. & Migr. 9(1): 18-26
- Day RH, DeGange AR, Divoky GJ & Troy DM 1988. Distribution and subspecies of the Dovekie in Alaska. Condor 90(3): 712-714
- Ewins PJ 1988. Fish orientation in the bill of Black Guillemots *Cephus grylle*. Bird Study 35(2): 119-122
- Ewins PJ 1988. The timing of moult in Black Guillemot *Cephus grylle* in Shetland. Ring. & Migr. 9(1): 5-10
- Ewins PJ 1988. An analysis of ringing recoveries of Black Guillemot *Cephus grylle* in Britain and Ireland. Ring. & Migr. 9(2): 95-102
- Frikke J 1988. Katastrofe for Lomvien i Nordatlanten. Fugle 8(2): 19
- Harris MP & Rothery P 1988. Monitoring of Puffin burrows on Dun, St. Kilda, 1977-1987. Bird Study 35(2): 97-100
- Harris MP & Wanless S 1988. Measurements and seasonal changes in weight of Guillemots *Uria aalge* at a breeding colony. Ring. & Migr. 9(1): 32-36
- Harris MP & Wanless S 1988. The breeding biology of Guillemots *Uria aalge* on the Isle of May over a six year period. Ibis 103(2): 172-192
- Hope Jones P 1988. Post-fledging wing and bill development in the Razorbill *Alca torda islandica*. Ring. & Migr. 9(1): 11-17
- Kampp K 1988. Migration and winter ranges of Brünnich's Guillemots *Uria lomvia* breeding or occurring in Greenland. Dansk Orn. Foren. Tids. 82(3-4): 117-130
- Kampp K 1988. Lomvie-problemer i Grönland. Fugle 8(2): 18
- Kress SW & Nettleship DN 1988. Re-establishment of Atlantic Puffins (*Fratercula arctica*) at a former breeding site in the Gulf of Maine. J. Field Orn. 59(2): 161-170
- Liverey BC 1988. Morphometrics of flightlessness in the Alcidae. Auk 105(4):

- 681-698
Mudge GP 1988. An evaluation of current methodology for monitoring changes in the breeding populations of Guillemots *Uria aalge*. Bird Study 35(1): 1-10
- Pasquet E 1988. [A study of the diet of the Common Guillemot *Uria aalge* and Razorbill *Alca torda* wintering in French waters.] Alauda 56(1): 8-21
- Wanless S & Harris MP 1988. The importance of relative laying date on breeding success of the Guillemot *Uria aalge*. Orn. Scand. 19(3): 205-211
- Wanless S, Harris MP & Morris JA 1988. The effect of radio transmitters on the behavior of Common Murres and Razorbills during chick rearing. Condor 90(4): 816-823