

In de Directory of Zoological Taxonomists of the World van 1961 vinden we VAN DOESBURG al genoteerd als een Syrphidenspecialist voor alle regio's ter wereld en naast zijn naam komen alleen COE, HULL en STACKELBERG op dit niveau voor. Naarmate de jaren vorderden werd zijn werkkraft allengs wat minder, maar onverflauwd bleef zijn scherpzinnigheid van geest en zijn vermogen om in korte tijd met grote exactheid systematische verschillen vast te stellen.

Was VAN DOESBURG wat later geboren, dan had de maatschappij hem zeker gelegenheid tot studeren geboden. Nu was hij gedwongen als autodidact zijn weg te zoeken en hij bleek ook hiertoe met glans in staat. Dit bleek vooral in de jaren na 1935 toen hij zich met volle energie aan de entomologie kon wijden. Hij was een „amateur" waarmee de vakmensen ter dege rekening hadden te houden.

Behalve zijn interesse op entomologisch gebied bleek VAN DOESBURG ook zeer muzikaal te zijn. Hij heeft orgellessen gehad van VAN EGMOND en was tijdens de eerste wereldoorlog koördirigent in het leger. Verder was hij een uitstekende schaker (hoofdklasse) en samen met zijn vrouw speelde hij jaren hoofdklasse bridge. Met VAN DOESBURG is dus een begaafd mens heengegaan.

Wij hopen dat zijn vrouw de kracht op zal brengen dit grote verlies te dragen. Hij ruste in vrede.

V. S. VAN DER GOOT, Amsterdam.

P. H. van Doesburg Sr.: Bibliography and list of new names proposed; location of type specimens

by

P. H. VAN DOESBURG Jr.

Rijksmuseum van Natuurlijke Historie, Leiden

Bibliography

1. 1936 (June). Communication concerning Coleoptera (*Xantholinus*, *Nebria*, *Cymindus*, *Mormolyce*) [in Dutch]. *Tijdschr. Ent.* 79: VII—IX (Report 69th winter meeting).
2. 1939 (May). Zeldzame Nederlandsche Coleoptera. *Tijdschr. Ent.* 82: XLV (Report 72th winter meeting).
3. 1941a (May 1). Passalidae. *Tijdschr. Ent.* 84: XV—XVII (Report 74th winter meeting).
4. 1941b (Nov.). A new, flightless, *Ophrygonius* (Zang) from Borneo. *Tijdschr. Ent.* 84: 356—357.
5. 1941c (Nov.). *Aceraius lamellatus* Grav. from Celebes. *Tijdschr. Ent.* 84: 358.
6. 1941d. Passalidae (Col.), in: *Beiträge zur Fauna Perus* 1, Hamburg: 329—335.
7. 1942 (Oct. 12). Sexueel verschil bij een *Leptaulax*-species. *Tijdschr. Ent.* 85: XXXV—XXXVI (Report 75th winter meeting).

8. 1943 (Aug. 15). Nederlandsche Syrphidae. [Mededelingen over Syrphidae 1], *Bembidion velox* L. en *B. bipunctatum* L., *Aceraius oculidens* Zang. (Passalidae). *Tijdschr. Ent.* 86: XXXVIII—XXXIX (Report 76th winter meeting).
9. 1944 (March 1). Nederlandsche Syrphidae. [Meded. Syrphidae II]. *Tijdschr. Ent.* 86: LIV—LV (Report 98th summer meeting).
10. 1945a (Dec.). A new *Aulacocyclus* (Coleoptera, Passalidae) from the island of Celebes. *Zool. Meded.* 25: 39—40.
11. 1945b (Dec. 31). Mededeelingen over Syrphidae (Dipt.) [Meded. IV]. *Ent. Ber., Amst.* 11 (264/266): 287—288.
12. 1946a (May 13). Nederlandsche Syrphiden [Meded. Syrph. III]. *Tijdschr. Ent.* 87: XXIV (Report 99th summer meeting).
13. 1946b (Aug. 22). Syrphidae uit Baarn en omstreken. [Meded. Syrph. V]. *Tijdschr. Ent.* 89: XXX—XXXII. (Report 78th winter meeting).
14. 1947 (Oct. 1). Mededeelingen over Syrphidae (Dipt.) [Meded. VI]. *Tijdschr. Ent.* 88: 353—357.
15. 1948 (May 1). Een nieuwe vlieg voor Nederland. *Ent. Ber., Amst.* 12 (281): 233.
16. 1949a (May 1). Mededelingen over Syrphidae. [Meded. VII]. *Tijdschr. Ent.* 91: V—VII (Report 80th winter meeting).
17. 1949b (Dec. 1). Mededelingen over Syrphidae VIII. *Ent. Ber., Amst.* 12 (294): 441—446, 2 figs.
18. 1949c (Dec. 1). *Alophora hemiptera* F. (Diptera). *Ent. Ber., Amst.* 12 (294): 446.
19. 1951a (June 1). Mededelingen over Syrphidae IX. *Ent. Ber., Amst.* 13 (312): 275—278, 3 figs.
20. 1951b. Syrphidae de Banyuls et environs. 10me communication sur les diptères Syrphides. *Vie et Milieu* 1951, 2 (4): 481—487, 2 figs.
21. 1952 (Dec. 15). Een nieuwe *Brachyopa* voor Nederland en enige in ons land zeldzame Syrphiden. (Mededeling over Syrphidae No. XI). *Tijdschr. Ent.* 95: CV—CVI. (Report 84th winter meeting).
22. 1953a (April 1). Mededelingen over Syrphidae XII. *Ent. Ber., Amst.* 14 (334): 241—245.
23. 1953b (Oct.). On some neotropical Passalidae. *Pan Pac. Ent.* 30 (4): 203—205.
24. 1954 (Dec. 1). Goot, Volkert van der, Zweefvliegtabel. Uitgave van de Insectencommissie der N.J.N. 1954. *Ent. Ber., Amst.* 15 (12): 272. (Book review).
25. 1955a (Jan. 1). Een nieuw Engels werkje over Syrphidae. *Ent. Ber., Amst.* 15: 283—284. [book review].
26. 1955b (Jan. 24). Syrphidae from South Africa. I. *Ann. Transvaal Mus.* 22 (3): 353—366.
27. 1955c (April 16). Two new *Pogonosyrphus* and one new *Milesia* from Belgian Congo (Diptera, Syrphidae). *Rev. Zool. Bot. Afr.* 51 (1—2): 81—84.
28. 1955d (Apr./May). On some Syrphidae (Diptera) from Belgian Congo.

Meded. Kon. Belg. Inst. Natuurwet. 30 (44): 1—6, 1 fig.

29. 1955e (Sept. 9). Report on the syrphid flies, collected by the "Fourth Dutch Karakorum Expedition, 1935" (Mededelingen over Syrphidae XIII). *Beaufortia* 5 (47): 47—51, 7 figs.
30. 1955f (Oct.). LXIX. Diptera Syrphidae - Contributions à l'étude de la faune entomologique du Ruanda-Urundi (Mission P. Basilewsky 1953). *Ann. Mus. Congo Terr. Zool.* 40: 348—356.
31. 1956a (Febr. 16). Syrphidae from South Africa. II. *Ann. Transvaal Mus.* 22 (4): 515—517.
32. 1956b (Nov. 20). Report on the Passalidae (Col.) collected by the third Archbold expedition 1938—1939 to Central New Guinea. *Nova Guinea* (n.s.) 7 (2): 139—146.
33. 1957a (Febr. 1). Over enige Passaliden (Col.) uit Colombia. *Ent. Ber., Amst.* 17: 22—23.
34. 1957b (Oct.). Sur quelques Syrphidae de Madagascar (Diptera). *Nat. Malg.* 9 (1): 103—109.
35. 1958 (March 1). Syrphiden-allerlei. *Ent. Ber., Amst.* 18: 41—46.
36. 1959a (Sept. 1). Een geval van synonymie in het genus *Chilosia* Mg. (Dipt., Syrphidae). *Ent. Ber., Amst.* 19: 181.
37. 1959b (Oct. 1). Goot, Volkert van der, Zweefvliegen-tabel. 1958. Uitgave van de Ned. Jeugdbond voor Natuurstudie. *Ent. Ber., Amst.* 19 (10): 210. (Book review).
38. 1959c (Nov. 1). Passalidae (Col.) en Syrphidae (Dipt.) van Ned. Nieuw-Guinea. *Ent. Ber., Amst.* 19: 231—235.
39. 1960a. XXXI. Diptera Syrphidae — Mission zoologique de l'I.R.S.A.C. en Afrique orientale. (P. Basilewsky et N. Leleup, 1957) *Ann. Mus. Congo Terr. Zool.* 81: 433—436.
40. 1960b (April 1). *Cheilosia caerulescens* (Meigen) (Dipt., Syrphidae). *Ent. Ber., Amst.* 20: 68.
41. 1960c (Aug. 1). Redescription of *Eumerus hungaricus* Szilády. *Ent. Ber., Amst.* 20: 144—145.
42. 1961. XXX. Diptera Syrphidae — Le Parc National du Niokolo-Koba. *Mém. Inst. Fr. d'Afr. Noire* 62 (2): 283.
43. 1963 (Febr.). Preliminary list of Syrphidae known from Suriname and British and French Guiana. *Stud. Faun. Surin. Guyan.* 5 (12): 1—33, 5 figs.
44. 1964 (June 1). Bijdrage tot de kennis van het melanisme by Syrphiden. *Ent. Ber., Amst.* 24: 117—118.
45. 1966a (June 16). On some Syrphidae from New Guinea and Australia. *Ent. Tidskr.* 87 (1—2): 60—68.
46. 1966b (July 1). Three new species of *Eumerus* from South Africa. *Ent. Ber., Amst.* 26: 127—130.
47. 1966c (Aug. 27). Syrphidae from Suriname. Additional records and descriptions. *Stud. Faun. Surin. Guyan.* 9 (35): 61—107, figs. 56—68.
48. 1966d (Oct. 30). Passalidae (Col.) collected in the Philippine, Bismarck and Solomon Islands by the Noona Dan expedition. *Ent. Meddel.* 34 (4): 371—374 (Noona Dan Papers Nr. 30).

49. 1968a (April 1). A catalogue of the Diptera of America north of Mexico. [Book Review]. *Ent. Ber., Amst.* 28 : 62.
50. 1968b (Dec. 20). A contribution to the knowledge of the genus *Sphegino-baccha* De Meijere (Diptera, Syrphidae). *Zool. Meded.* 43 (12): 155—163, 9 figs., 3 pls.
51. 1970a (Aug. 1). Female Syrphid flies without ovarium. *Ent. Ber., Amst.* 30 : 157—158.
52. 1970b (Oct.). Records of Syrphidae (Diptera) from the Lesser Antilles. *Stud. Faun. Curaç. Car. Isls.* 34 (126) : 90—101.

New names proposed

Numbers between brackets refer to list number and page respectively. Abbreviations used: coll. v. D. = private collection of the late Mr. VAN DOESBURG Sr. MA = Zoologisch Museum afd. Entomologie, Amsterdam. MB = Institut Royal des Sciences Naturelles de Belgique, Bruxelles. ML = Rijksmuseum van Natuurlijke Historie, Leiden. MS = Naturhistoriska Riksmuseet, Stockholm. MT = Musée Royal de l'Afrique Centrale, Tervuren. NM = Natal Museum, Pietermaritzburg. TM = Transvaal Museum, Pretoria. IM = Institut de Recherches Scientifiques de la République Malgache, Tananarive.

PASSALIDAE (Coleoptera)

- Ophrygonius rajanus* n. sp. [4: 356]. Type locality: Bukit Raja, 2200 m, Borneo. Holotype in Zoologisches Museum, Hamburg.
- Aulacocyclus laevipennis* n. sp. [10: 39]. Type locality: Soeroepahi, N. Celebes. Holotype, and 3 paratypes in ML; 1 paratype in coll. v. D.
- Passalus dominicanus* n. sp. [23: 204]. Type locality: Santo Domingo. Holotype, and 3 paratypes in the collection of the California Academy of Sciences, San Francisco; 2 paratypes in coll. v. D.
- Cetejus longicornis* n. sp. [32: 140]. Type locality: Ibèlè Camp *), 2250 m, Centr. New Guinea. Holotype, and 3 paratypes in ML; 3 paratypes in coll. v. D.
- Cetejus convexus* n. sp. [32: 141]. Type locality: Mist Camp, 1800 m, Centr. New Guinea. Holotype, and 2 paratypes in ML; 3 paratypes in coll. v. D.
- Labienus toxopeusi* n. sp. [32: 142]. Type locality: Rattan Camp, 1200 m, Centr. New Guinea. Holotype in ML; 1 paratype in coll. v. D.
- Labienus glabriceps* n. sp. [32: 143]. Type locality: Rattan Camp, 1200 m, Centr. New Guinea. Holotype in ML; 1 paratype in coll. v. D.
- Leptaulax glaber* Kirsch *rufidorsum* n. var. [32: 146]. Type locality: Top Camp, 2100 m, Centr. New Guinea. Holotype in ML; 1 paratype in coll. v. D.
- Leptaulax drescheri* n. sp. [32: 146]. Type locality: Mist Camp, 1800 m, Centr. New Guinea. Holotype, and 7 paratypes in ML; 7 paratypes in coll. v. D.

*) For a more exact definition of this, and the following type localities in Central New Guinea see: TOXOPEUS, L. J., 1940, List of collecting stations — *Treubia* 17 (4): 277—279, map on p. 272.

Veturius louwerensi n. sp. [33: 23]. Type locality: Magdalena Valley, Colombia. Holotype in coll. v. D.; 1 paratype in private collection of Mr. C. J. LOUWERENS, Hilversum.

SYRPHIDAE (Diptera)

Cnemodon micans n. sp. [17: 242]. Type locality: Baarn, The Netherlands. ♂ holotype ["Type"], and 3 ♂ paratypes ["Co-type"] in coll. v. D.; 1 ♂ paratype in the collection of Mr. J. E. COLLIN, Newmarket, England, and 1 ♂ paratype in the collection of the late Prof. C. L. FLUKE, Madison, Wis., U.S.A.

Volucella pyrenaica n. sp. [20: 485]. Type locality: Héas, 1900 m, Hautes-Pyrénées, France. ♂ holotype, allotype, and 3 ♂, 2 ♀ paratypes in coll. v. D.; 1 ♂ paratype in coll. FLUKE.

Neoascia obliqua Coe *imperfecta* n. ab. col. [22: 242]. A ♂ and ♀ specimen from Bévercé, Belgium, in coll. v. D.

Cerioides dentipes n. sp. [26: 354]. Type locality: Durban, S. Africa. ♂ holotype in TM.

Cerioides swierstrai n. sp. [26: 356]. Type locality: Barberton, Transvaal, S. Africa. ♂ holotype, allotype, and 1 ♀ paratype in TM; 1 ♂ and 1 ♀ paratypes in coll. v. D.

Eumerus breijeri n. sp. [26: 361]. Type locality: Kraaifontein, S. Africa. ♂ holotype, allotype, and 1 ♂, 2 ♀ paratypes in TM; 1 ♂, 1 ♀ paratypes in coll. v. D.

Eumerus niger n. sp. [26: 362]. Type locality: Port St. Johns, S. Africa. ♂ holotype in TM.

Eumerus vansonii n. sp. [26: 363]. Type locality: Balawayo, S. Rhodesia. ♂ holotype in TM.

Eumerus metatarsalis n. sp. [26: 363]. Type locality: Willowmore, Cape Province, S. Africa. ♂ holotype, and allotype in TM.

Eumerus imitatus n. sp. [26: 364]. Type locality: Willowmore, Cape Province, S. Africa. ♂ holotype, and allotype in TM.

Eumerus assimilis n. sp. [26: 365]. Type locality: Umtali District, S. Rhodesia. ♂ holotype in TM.

Eumerus spinifer n. sp. [26: 366]. Type locality: Willowmore, Cape Prov., S. Africa. ♀ holotype in TM.

Pogonosyrphus overlaeti n. sp. [27: 81]. Type locality: Lulua, Kapanga. ♂ holotype, allotype, and 7 ♂ paratypes in MT; 2 ♂, 1 ♀ paratypes in coll. v. D.; 1 ♂ paratypes in coll. FLUKE.

Pogonosyrphus bequaerti n. sp. [27: 83]. Type locality: Elisabethville, Katanga. ♂ holotype, and allotype in MT.

Milesia afra n. sp. [27: 84]. Type locality: Lulua, Kapanga. ♀ holotype in MT. [*Milasia*, in error].

Megaspis natalensis Macquart *rufifacies* n. var. [28: 3]. Type locality: Eala, Congo (Kinshasa). ♂ holotype, allotype, and 20 ♂, 14 ♀ paratypes in MB; 4 ♂, 4 ♀ paratypes in coll. v. D.; 1 ♂, 1 ♀ paratypes in coll. FLUKE.

- Megaspis natalensis* Macquart *varipes* n. var. [28: 3]. Type locality: Eala, Congo (Kinshasa). ♂ holotype, allotype, and 8 ♂, 1 ♀ paratypes in MB; 2 ♂, 1 ♀ paratypes in coll. v. D.
- Lathyrrophthalmus caudatus* n. sp. [28: 5]. Type locality: Eala, Congo (Kinshasa). ♂ holotype, allotype, and 3 ♂ paratypes in MB; 2 ♂, 1 ♀ paratypes in coll. v. D.
- Pseudoplatychirus* n. g. [29: 48]. Type species: *P. peteri* Doesb. Sr.
- Pseudoplatychirus peteri* n. sp. [29: 48]. Type locality: Aghil Mts., Polu, 5220 m. ♂ holotype, and allotype in MA; 1 ♂, 1 ♀ paratypes in coll. v. D.; 1 ♂, 1 ♀ paratypes in coll. FLUKE.
- Tuberculanostoma solitarium* n. sp. [29: 50]. Type locality: Aghil Mts., Polu, 5220 m. ♀ holotype in MA; 1 ♀ paratype in coll. v. D.; 1 ♀ paratype in coll. FLUKE.
- Eumerus ammophilus* Paramonov *quadrinotatus* n. var. [29: 51]. Type locality: Shukpa Kunchang, 3750 m, Shyok Valley, Karakorum Mts. 1 ♂, 4 ♀ syntypes. The male specimen, in MA, is here designated as the lectotype of the variety. ♀ paralectotype in coll. v. D.
- Paragus basilewskyi* n. sp. [30: 349]. Type locality: Bururi, 1900 m, Urundi. ♂ holotype, and 1 ♂ paratype in MT; 1 ♂ paratype in coll. v. D.
- Melanostoma simplex* n. sp. [30: 350]. Type locality: Bururi, 1800—2000 m, Urundi. ♀ holotype, and 1 ♀ paratype in MT.
- Ceriodides unipunctata* n. sp. [31: 515]. Type locality: Umtali District, S. Rhodesia. ♀ holotype in TM; 1 ♀ paratype in coll. v. D.
- Amphoterus braunsi* n. sp. [31: 517]. Type locality: Barberton, Transvaal, S. Africa. ♂ holotype in TM.
- Syrphus stuckenbergi* n. sp. [34: 105]. Type locality: Manjakatempo, Ankaratra Massif, Madagascar. ♂ holotype in IM; 1 ♂ paratype in coll. v. D.
- Graptomyza robusticornis* n. sp. [34: 107]. Type locality: Manjakatempo, Ankaratra Massif, Madagascar. ♀ holotype in IM; 2 ♀ paratypes in coll. v. D.; 1 ♀ paratype in NM. [*Graptomyza*, in error].
- Microdon johannae* n. sp. [34: 109]. Type locality: Fénérive, Madagascar. ♂ holotype, and allotype in IM; 2 ♂, 1 ♀ paratypes in coll. v. D.; 1 ♀ paratype in NM.
- Allograpta obliqua* (Say) *dejongi* n. var. [35: 44]. Type locality: Curaçao. ♂ holotype, allotype, and 4 paratypes in coll. v. D.
- Baccha atra* n. sp. [38: 232]. Type locality: Dojo, New Guinea. ♀ holotype in coll. v. D.
- Baccha denhoedi* n. sp. [38: 232]. Type locality: Hollandia, New Guinea. ♀ holotype in coll. v. D.
- Baccha flavipes* n. sp. [38: 233]. Type locality: Ifar, New Guinea. ♀ holotype in coll. v. D.
- Microdon papuanus* n. sp. [38: 234]. Type locality: Ifar, New Guinea. ♂ holotype in coll. v. D.
- Graptomyza perforata* n. sp. [39: 435]. Type locality: Ngorongoro, 2400—2500 m, Tanganyika Terr. ♂ holotype in MT; allotype in coll. v. D.
- Eumerus hungaricus* Szilády, redescription, and neotype designation [41: 144].

- Neo-type locality: Castiglione dei Pepoli, Bologna, Italy. ♂ neo-holotype, neo-allotype and 6 neo-paratypes in coll. v. D.; neo-paratypes in coll. of Mr. V. VAN DER GOOT.
- Baccha wilhelmina* n. sp. [43: 11, 27]. Type locality: Paramaribo, Suriname. ♂ holotype, allotype, and 1 ♂, 1 ♀ paratypes in coll. v. D.
- Volucella pallens* Wiedemann *quadripunctata* n. var. [43: 17, 30]. Type locality: Paramaribo, Suriname. ♂ holotype, allotype, and 3 ♂, 4 ♀ paratypes in coll. v. D.
- Lycastyrhyncha quinta* n. sp. [43: 27, 31]. Type locality: Paramaribo, Suriname. ♀ holotype, and 2 ♀ paratypes in coll. v. D.
- Melanostoma fumivenosum* n. sp. [45: 61]. Type locality: Bivack October, 1350 m [Arfak Mts.], New Guinea. ♀ holotype in MS.
- Xanthandrus bergmani* n. sp. [45: 61]. Type locality: Bivack October [Arfak Mts.], New Guinea. ♀ holotype in MS.
- Graptomyza chaetomelas* n. sp. [45: 65]. Type locality: Wailibit, Batanta Isl., New Guinea. ♂ holotype, and allotype in MS; 2 ♂, 1 ♀ paratypes in coll. v. D.
- Eumerus compactus* n. sp. [46: 127]. Type locality: Grahamstown, S. Africa. ♂ holotype in NM; allotype in the collection of Dr. M. Bequart; 1 ♀ paratype in coll. v. D.
- Eumerus tumidipes* n. sp. [46: 128]. Type locality: Keiskama Hoek, Cape Prov., S. Africa. ♂ holotype in NM.
- Eumerus hypopygialis* n. sp. [46: 129]. Type locality: Cathedral Peak, 3100 m, Natal, S. Africa. ♂ holotype, allotype, and 3 ♂ paratypes in NM; 1 ♂, 1 ♀ paratypes in coll. v. D.
- Allograpta aperta* Fluke *notata* n. var. [47: 64]. Type locality: Wilhelmina Mts, Suriname. 2 ♂ syntypes in coll. v. D. One of them is here designated lectotype, and has been labelled so.
- Mesograpta funesta* n. sp. [47: 65]. Type locality: Zanderij, Suriname. ♀ holotype, and 3 ♀ paratypes in coll. v. D.
- Baccha dimidiata* (F.) *rufifacies* n. var. [47: 71]. Type locality: Paramaribo, Suriname. 2 ♂, 8 ♀ syntypes in coll. v. D. The male labelled: Paramaribo, 15.9.1958, P. H. van Doesburg Jr., is here designated as the lectotype of the variety.
- Baccha filii* n. sp. [47: 73]. Type locality: Marienburg, Suriname. ♂ holotype, allotype, and 1 ♀ paratype in coll. v. D.
- Baccha geijskesi* n. sp. [47: 75]. Type locality: Paramaribo, Suriname. ♂ holotype in coll. v. D.
- Microdon geijskesi* n. sp. [47: 80]. Type locality: Paramaribo, Suriname. ♂ holotype, allotype, and 2 ♂, 2 ♀ paratypes in coll. v. D.
- Ubristes puerilis* n. sp. [47: 86]. Type locality: Zanderij, Suriname. ♀ holotype in coll. v. D.
- Ceratophya minutula* n. sp. [47: 89]. Type locality: Zanderij, Suriname. ♂ holotype in coll. v. D.
- Carreramyia* n. g. [47: 93]. Type species: *Microdon megacephalus* Shannon, 1925 [J. Washington Acad. Sci. 15 : 212].

- Acrochordonodes dentipes* (F.) *rufofemorata* n. var. [47: 97]. Type locality: Paramaribo, Suriname. 8 syntypes in coll. v. D. The male specimen, labelled: 'Paramaribo, 27.4.1963, P. H. v. Doesburg jr' is here designated as the lectotype of the variety, and the female labelled 'Houttuin, 22.6.1960, as the allo-lectotype; there are 8 para-lectotypes.
- Spheginobaccha lieftincki* n. sp. [50: 160]. Type locality: Perak, Malaya. ♂ holotype, allotype, and 1 ♂, 2 ♀ paratypes in ML; 1 ♂, 1 ♀ paratypes in coll. v. D.
- Spheginobaccha demeijerei* n. sp. [50: 161]. Type locality: Depok, Java. ♂ holotype, and allotype in coll. v. D.; 1 ♀ paratype in ML.
-

Andrewartha, H. G. An introduction to the study of animal populations. 2nd. ed. [1ste ed. 1961] pp. xiv, 283; bibliography ca 325 titels, index 6 pp. Methuen & Co., London, 1970. Prijs (paperback) £ 2.50.

De schrijver heeft met dit boekje een leerboek willen bieden, geïnspireerd op de colleges dier-oecologie die hij geeft in Australië. De titel geeft al aan, dat slechts een deel van de algemene oecologie behandeld wordt. Met name het begrip ecosysteem en wat daarmee samenhangt wordt niet besproken.

Het boekje bestaat uit twee gedeelten. In het eerste deel (in feite een beknopte versie van een veel uitvoeriger werk van ANDREWARTHA en BIRCH) worden de invloeden besproken van het milieu op de dichtheid van dierlijke populaties en de wijze waarop de diersoorten met hun specifieke ethologie, fysiologie en verspreidingsmechanismen het milieu benutten. Het tweede gedeelte is een concrete leidraad voor een praktische cursus, geïllustreerd met een aantal gedetailleerd beschreven proeven.

Het theoretische deel bestaat voor een belangrijk deel uit indelingen — vaak nogal kunstmatige, waarvan de waarde aanvechtbaar lijkt. De autoritaire wijze waarop ze worden opgediend, werkt soms rondt irritierend.

De auteur heeft een nogal afwijkende opvatting van het sleutelwoord „omgeving”. Obligate en facultatieve praedatoren staan, m.i. zeer onduidelijk, voor monofage en polyfage praedatoren. Hier staat tegenover dat het boekje geïllustreerd is met veel goed gekozen en originele voorbeelden, en dat het praktische gedeelte zeker aantrekkelijk illustratiemateriaal bevat van een aantal elementaire technieken. — W. N. ELLIS.

Bestuursmededelingen. 1. Aanvragen voor subsidie uit het Uyttenboogaart Eliasen Fonds dienen uitsluitend gericht te worden aan de Secretaris van de Uyttenboogaart Eliasen Stichting, Herengracht 548, Amsterdam 1002.

2. Het telefoonnummer van de Bibliotheek is nu: 020—35 46 00 en van de Secretaris, de heer W. HELLINGA, 020—35 82 54.