

Literatuur

- DOCTERS VAN LEEUWEN, W. M., 1946, Gallenboek (met H. ALTA), Amsterdam.
 ———, 1947, Zoöcecidia van het eiland Ameland, Ent. Ber., 12: 181.
 ———, 1948, Zoöcecidia van het eiland Schiermonnikoog, Ent. Ber., 12: 217.
 ———, 1950, Zoöcecidia van het eiland Terschelling, Ent. Ber., 13: 168.
 ———, 1952, Zoöcecidia van het eiland Vlieland, Ent. Ber., 14: 99.
 ———, 1953, Nieuwe Gallen van Nederland, derde bijdrage, Ent. Ber., 14: 257.
 Leersum, October 1952 en Mei 1953.

**Polychrosis vitisana (Jacq. 1788) comb. nov., or new synonymy
 in an important pest of the grape-vine (Lepidoptera Tortricidae)**

by

JIRÍ PAČLT

The viticulture is suffering occasionally from the attack by larvae of the Tortricid called generally *Polychrosis botrana* (Den. & Schiff., 1775). KENNEL in his standard monograph on Tortricidae (1921, Zoologica 21: 54) mentions the following synonyms of that species: *reliquana* Tr. (nec Hb.!), *rosmarinana* Mill., and *vitivorana* Riley.

Now I may note that another description of the moth dates from 1788, when N. J. JACQUIN published Volume 2 of his "Collectanea ad botanicam, chemiam, et historiam naturalem, spectantia, cum figuris" (Vindobonae, ex officina Wappleriana). JACQUIN's diagnosis is accompanied by an excellent coloured plate which shows the larva, pupa, and imago (both in repose and wing-expansion), all these figures being partly in natural size, partly enlarged. Later, the plate ("Tab. 1") brings a figure of the larva feeding on *Vitis vinifera*, and a figure of the cocoon attached on the stem. The article in question is written in Latin and bears the title NICOLAI JOSEPHI JACQUIN "*Phalaena vitisana*" (pp. 97 to 100 of the volume 2). The description of the imago is repeated here (p. 100):

"*Phalaena tortrix, elinguis, tres lineas longa, alis inferioribus utrinque, superioribus subtus uniformiter cinereis, omnibus margine posteriore ciliatis; superioribus superne ex testaceo fusco cinereoque nebuloze fasciatis, inferne eodem colore maculatis; antennis setaceis, alis duplo brevioribus, ex nigro cinereoque annulatis. Colores omnes modo pallidioribus sunt, modo intensiores; nec figura macularum constanter eadem in singulis.*"

Although C. D. SHERBORN (Index Animalium etc., sect. I, Cantabrigiae 1902) quotes JACQUIN's "Coll. Botan., 5 vols. 1786—1796" in the Bibliography (p. XXX), he does not mention *Phalaena vitisana* Jacq. at all. Also, no reference to this name can be found in the well-known catalogues of Lepidoptera, or monographs (STAUDINGER & REBEL, etc.).

Since the specific epithet *botrana* Den. & Schiff. is clearly a nomen nudum and all other synonyms (except *vitisana* Jacq.) are junior in respect to the name proposed by JACQUIN, the species under consideration is to be named *Polychrosis vitisana* (Jacq., 1788), comb. nov.

Bratislava IX (Czechoslovakia), Lamacká cesta 5, May 1953.

Afdelingsvergaderingen. De Afdeling Noord-Holland en Utrecht zal dit winterseizoen nog bijeenkomen op 25 November, 27 Januari en 10 Maart in Hotel Krasnapolsky.

De Afdeling Zuid-Holland vergadert op 18 December en 24 Maart in Den Haag en op 17 Februari in Leiden.

DE AFDELINGS-SECRETARISSEN.