

**Coleoptera in Juni 1915 bij Doorn en Maarsbergen verzameld.**

<i>Bembidion Doris</i> GYLH.	<i>Syntomium aeneum</i> MÜLL.
<i>Hydroporus neglectus</i> SCHAUM.	<i>Phyllodrepa gracilicornis</i> FAIRM.
» <i>melauearius</i> ST.	
<i>Laccophilus variegatus</i> GERM.	<i>Euplectus ambiguus</i> REICHB.
<i>Mniusa incrassata</i> MULS &	<i>Reichenbachia fossulata</i> REICHB.
<i>Myllaena dubia</i> GRAV. [REY.]	
» <i>minuta</i> GRAV.	ab.c. <i>aterrima</i> REITT.
» <i>gracilis</i> MATTH.	
<i>Gymnusa brevicollis</i> PAYK.	<i>Neuraphes angulatus</i> MÜLL.
<i>Dinopsis erosa</i> STEPH.	[& KUNZE.]
<i>Tachyporus transversalis</i> GRAV.	<i>Choleva Sturmi</i> BRIS.
<i>Philonthus nigrita</i> GRAV.	<i>Catops Kirbyi</i> SPENCE.
<i>Actobius signaticornis</i> FAIRM.	<i>Ptenidium nitidum</i> HEER.
<i>Othius melanocephalus</i> GRAV.	<i>Hister succicola</i> THS.
<i>Stilicus Erichsoni</i> FAUV.	<i>Rhizophagus politus</i> HELLW.
	<i>Salpingus (Sphacriestes) ater</i> [PAYK.]
	» <i>aeneus</i> STEPH.

Den Haag.

Dr. EVERTS.

**Overzicht der tot 1898 beschreven Phthiracaridae.**

(Slot. Vervolg van blz. 234).

**Tritia Berl. 1883.**

*Hoplophora* C. L. KOCH 1836, Deu. Cru. Myr. Ara. v. 2, n. 9 (*decumana*).

*Tritia* BERL. 1883, Aca. Myr. Sco. Ita. v. 6, n. 1 (*decumana*).

*Phthiracarus* OUDMS. 1896, in Tijds. Ent. v. 39, p. 54, 62 (errone, vide supra p. 212).

Idem, MICHAEL 1898, in Das Tierr. v. 3. Orib. p. 77, 80 (errone, vide supra, p. 212).

Daar *Hoplophora* gepreoccupeerd is: PERTY 1830, *Orthoptera*, moet *Tritia* gebruikt worden.

**Tritia arctata Riley 1874.**

*Hoplophora arctata* RILEY 1874, 6th Rep. Inj. Ins. Missouri, met 6 figuurtjes. Op wijnwortels, in rot katoenhout, Missouri.