

Lijst van Coleoptera, gevonden bij Bergen-op-Zoom, Domburg en Vlissingen, ter gelegenheid van de Zomervergadering der Ned. Ent. Ver., Juni 1909¹⁾.

1. Bergen-op-Zoom.

<i>Omophron limbatus</i> F.	<i>Hydroporus melanarius</i> St.
<i>Blethisa multipunctata</i> L.	<i>Laccophilus variegatus</i> Germ.
<i>Dyschirius nitidus</i> Schaum.	<i>Copelatus ruficollis</i> Schall.
» <i>salinus</i> Schaum.	<i>Aleochara algarum</i> Fauv.
<i>Bembidium obliquum</i> St.	<i>Calodera aethiops</i> Grav.
» <i>ephippium</i> Marsh.	<i>Atheta vestita</i> Grav.
» <i>concinnum</i> Steph.	» <i>hypnorum</i> Kiesw.
» <i>minimum</i> F.	» <i>puncticeps</i> Ths.
» <i>normannum</i> Dej.	» <i>melanocera</i> Ths.
<i>Tachys bistriatus</i> Dfts.	<i>Hyllaena intermedia</i> Er.
» <i>scutellaris</i> Steph.	<i>Gymnusa brevicollis</i> Payk.
<i>Pogonus luridipennis</i> Germ.	<i>Cionurus pedicularius</i> Grav.
» <i>chalceus</i> Mrsh.	<i>Philonthus nigrita</i> Grav.
<i>Platynus obscurus</i> Herbst.	<i>Cajus xantholoma</i> Grav.
» <i>gracilis</i> Gyllh.	» <i>sericeus</i> Holme
<i>Amara concreviscula</i> Mrsh.	<i>Actobius cinerascens</i> Grav.
<i>Dichirotrichus pubescens</i> Payk.	<i>Cryptobium fracticorne</i> Payk.
» <i>obsoletus</i> Dej.	<i>Lathrobium forulum</i> Steph.
<i>Acupalpus flavicollis</i> St.	» <i>terminatum</i> Grav.
» <i>brunnipes</i> St.	<i>Stenus providus</i> Er.
» <i>dorsalis</i> F.	» <i>biforeolatus</i> Gyllh.
» <i>eriguis</i> Dej. ab. c.	» <i>foreicollis</i> Kr.
» <i>luteatus</i> Dfts.	» <i>nitidiusculus</i> Steph.
<i>Haliphus flavicollis</i> St.	» <i>flavipes</i> Steph.
<i>Coelambus novemlineatus</i> Steph.	<i>Bledius spectabilis</i> Kr.
» <i>parallelogrammus</i> Ahr.	» <i>cribricollis</i> Heer.
<i>Bidessus bicarinatus</i> Latr.	<i>Omalium riparium</i> Ths.
<i>Deronectes elegans</i> Panz.	<i>Cephaenium thoracicum</i> Müll.
	<i>Ptenidium punctatum</i> Gylh.

¹⁾ Alleen de meest belangrijke soorten zijn vermeld.

<i>Diglossa mersa</i> Haliday	<i>Philhydrus grisescens</i> Gylh.
<i>Cajus xantholoma</i> Grav.	<i>Paracymus aeneus</i> Germ.
<i>Stenus pubescens</i> Steph.	<i>Anacaena bipustulata</i> Mrsh.
<i>Oxytelus Perrisii</i> Fauv.	<i>Euoplurus spinosus</i> Stev.
<i>Micralymma marinum</i> Stroem.	<i>Cercyon litoralis</i> Gylh.
<i>Omalium laeviusculum</i> Gylh. » <i>riparium</i> Ths.	<i>Helophorus crenatus</i> Rey. <i>Nacerda melanura</i> L.
<i>Saprinus crassipes</i> Er.	<i>Cryptocephalus rupipes</i> Goeze
<i>Limnovenus oblongus</i> Herbst	<i>Codiosoma spadix</i> Herbst

ED. EVERTS.

BIBLIOTHEEK.

Aankopen.

Morley, C., Ichneumonologia Britannica. The Ichneumons of Great Britain. A descriptive account of the families, genera and species indigenous to the British Islands, together with notes as to classification, localities, habitats, hosts etc. Plymouth, London 1903—1908. T. I—III in 3 vol. met pln. en fig. 8°.

Distant, W. L., Rhopalocera Malayana: a description of the Butterflies of the Malay Peninsula. London 1882—86. Met gekl. pln. 4°.

Kertész, C., Catalogus Dipterorum hucusque descriptorum. T. V. 1909. 8°.

Blanford, W. T., The Fauna of British India including Ceylon and Burma. W. L. Distant, Rhynchota, T. II—IV. 1903 — 1907.

Scudder, S. H., The Butterflies of the Eastern United States and Canada with special reference to New England. Cambridge 1889. T. I—III in 3 vol. met gekl. pln., portr. en krtn. Gr. 8°.

Schenkling, S., Coleopterorum Catalogus. Berlin 1910. 8°.
Afl. 1. Gestro, Rhysodidae.