

Terugvondsten van in het buitenland geringde vogels, 25

door

C. G. B. TEN KATE

3a. CORVUS CORONE CORNIX — BONTE KRAAI¹⁾.

Göteborg, D-37.436, ○ 12-VI-48, Bohuslän, + 7-V-49, N.O. polder. (2)

5. CORVUS MONEDULA — KAUW.

Stockholm, U-46.105, ○ jull. 3-V-51, Småland, + medio-III-52, Sirjansland, Zeeland. (Mus. Leiden)

Copenhagen, 69-4-180, ○ 20-VII-50, Copenhagen, + 17-XI-50, Schouwen, Zeeland. (5)

9. STURNUS VULGARIS — SPREEUW.

Helsinki, A 39.674, ○ pull. 23-V-52, Zuid-Finland, + begin-XII-52, Oppenhuizen, Friesland. (BOSCH-t.K.)

Göteborg, B-35.578, ○ 28-V-50, Halland, + 1-XI-51, Uithuizerwad, Groningen. (2)

Göteborg, B-39.168, ○ 4-VI-50, Halland, + 3-I-51, Goedereede, Zuid-Holland. (2)

Helgoland, 7.193.920, ○ juv. 16-V-52, N. van Elbmond, + ca 31-X-52, Makkinga, Friesland. (BOSCH-t.K.)

Helgoland, 7.182.120, ○ juv. ♂, 10-X-51, Wilhelmshaven, + 19-XI-51, Loosduinen, Zuid-Holland (vrij met Leiden E-6.721) (Mus. Leiden)

London, PS-089, ○ 15-XII-50, Cambridge, + 24-VII-51, Spijk, Groningen. (6)

London, W-8.229, ○ 5-III-51, Yorkshire, + 21-III-52, Woltersum, Groningen. (6)

London, RB-829, ○ ad. 29-XII-49, South-Wales, + 26-VI-52, Leeuwarden, Friesland. (BOSCH-t.K.)

London, SW-367, ○ 9-XI-51, Oxfordshire, + (broedend) 27-V-52, Suawoude, Friesland. (Mus. Leiden)

London, T-6.120, ○ 26-XI-50, Yorkshire, + 5-X-51, Drachten, Friesland. (6)

London, RL-219, ○ 21-I-51, Leicestershire, + 1-VI-52, Beilen, Drente. (Mus. Leiden)

London, WO-211, ○ 16-XII-50, Derby, + 0-III-52, Meppel, Drente. (6)

London, V-4.735, ○ 24-I-50, Dorset, + 15-X-51, Slagharen, Overijssel. (6)

London, PM-729, ○ 31-I-51, Hampshire, + 4-III-52, Zuilichem, Gelderland. (6)

London, PA-596, ○ 30-XII-50, Nottingham, + 0-IV-51, Schagen, Noord-Holland. (6)

London, SR-526, ○ 23-XII-49, Cheshire, + 17-VII-51, Westzaan, Noord-Holland. (6)

London, PL-548, ○ 16-XII-50, Hampshire, + 6-III-52, Hilversum, Noord-Holland. (6)

London, RO-929, ○ 6-XII-51, Northamptonshire, + 27-IV-52, Loosduinen, Zuid-Holland (was 8-VII-51 ○ aldaar met Leiden, D-92.634) (Mus. Leiden)

London, W-6.638, ○ winter 51/52, Yorkshire, + 5-VII-52, Rotterdam, Zuid-Holland. (Mus. Leiden)

London, WO-175, ○ 18-XII-50, London, + 20-III-51, Dordrecht, Zuid-Holland. (6)

London, PL-706, ○ 18-I-51, Bedford, + 25-IV-51, Zeist, Utrecht. (6)

London, W-5.394, ○ 31-I-51, York, + 25-VII-51, Zuid-Beveland, Zeeland. (6)

London, PM-037, ○ 1-I-51, London, + 25-II-52, Den Bosch, Noord-Brabant. (6)

¹⁾ De nummers corresponderen met die in „De Nederlandsche Vogels”.

13. CHLORIS CHLORIS — GROENLING.

Bruxelles, 2B-5.147, ♂ pull. 21-VIII-51, prov. Antwerpen, + ♂ 29-X-51, Baarle-Nassau, *Noord-Brabant*. (Mus. Leiden)
Bruxelles, 18B-142, ♂ ad. 30-X-49, Namen, + 8-VIII-50, Elslo, *Limburg*. (11)

14. CARDUELIS CARDUELIS — PUTTER.

Helgoland, 8.698.487, ♂ 21-VIII-51, Wilhelmshaven, + 16-X-51, Loosduinen, *Zuid-Holland* (weer vrij met Leiden H-2.459) (Mus. Leiden)

26. FRINGILLA COELEBS — VINK.

Bruxelles, 3B-3.779, ♂ ♀ ad. 1-XI-51, Antwerpen, + 29-VI-52, Apeldoorn, *Gelderland*. (Mus. Leiden)

30. PASSER MONTANUS — RINGMUS.

Bruxelles, 19B-3.034, ♂ 12-X-49, bij Luik, + 30-IV-50, Venlo, *Limburg*. (11)
Bruxelles, 17A-9.802, ♂ 4-X-48, prov. Luik, + (broedend) 3-V-50, Schinveld, *Limburg*. (11)

54. ANTHUS SPINOLETTA — OEVERPIEPER.

Stockholm, ZOE-1.602, ♂ 29-IX-51, Ottenby, + 13-X-51, Egmond/Zee, *Noord-Holland*. (9)

60. PARUS MAJOR — KOOLMEES.

Helgoland, 9.403.351, ♂ 17-IX-51, Mecklenburg, + 12 of 13-X-51, Harlingen, *Friesland*. (Bosch-t.K.)

102. TURDUS VISCIVORUS — GROTE LIJSTER.

Bruxelles, DD-5.183, ♂ pull. 26-VI-48, prov. Antwerpen, + ♀ ad., 11-IX-52, Ermelo, *Gelderland*. (Mus. Leiden)

104. TURDUS MUSICUS — KOPERWIEK.

London, PJ-536, ♂ ad. 28-X-51, Fair Isle, + 8-XII-51, Roermond, *Limburg*. (6)

137. CUCULUS CANORUS — KOEKOEK.

Bruxelles, DD-4.364, ♂ pull. 20-VII-47, Antwerpen, + 29-V-50, Zuid-Beveland, *Zeeland*. (11)

146. TYTO ALBA — KERKUIL.

Sempach, 957.747, ♂ pull. 28-VI-47, Ettingen, Bld., + 6-XII-47, Oude Tonge, *Zuid-Holland*. (8)

151. FALCO TINNUNCULUS — TORENVALK.

Radolfzell, E-7.728, ♂ pull. 12-VI-52, Ertsgebergte, + 17-IX-52, Kampen, *Overijssel*. (t.K.)
Bruxelles, 2E-1.095, ♂ pull. 1-VI-49, Antwerpen, + 8-V-50, Baarle-Nassau, *Noord-Brabant*. (11)

164. ACCIPITER NISUS — SPERWER.

Helsinki, C-35.935, ♂ ad. 29-IX-51, Aland, + ca 21-I-52, Lossers, *Overijssel*. (N.H. Mus. Enschede)
Helsinki, C-35.919, ♂ ad. 19-IX-51, Orn. Stat. Signilskär (60° 12' N, 19° 22' O), + 23-I-52, Oss, *Noord-Brabant*. (Mus. Leiden)
Svenska Jägareförbundet, 15.685, ♂ 14-VII-48, Jämtland, + 23-IV-51, Nederweert, *Limburg*. (4)

172. CICONIA CICONIA — OOIEVAAR.

Helgoland 208.047, ♂ pull. 29-VII-31, bij Bremen, + 28-IV-52, Tilburg, *Noord-Brabant* (bijna 21 jaar) (Mus. Leiden)

188. ANSER ANSER — GRAUWE GANS.

Rossitten. B.61.609, ○ ? (w.s. 1936), + 11-X-51, *N.O. polder*. (BOSCH-t.K.)

198. ANAS PLATYRHYNCHOS — WILDE EEND.

Stockholm, TA-1.232, ○ juv. 13-VII-46, *Södermanland*, + 0-XI-50, *Texel*,
Noord-Holland. (Mus. Leiden)

Copenhagen, 39-2897, ○ ♂ ad. 18-XII-49, *Copenhagen*, + 6-IX-50, *Deventer*, *Overijssel*. (5)

Helgoland, 345.203, ○ juv. 18-VI-48, *Elbmond*, + 10-I-51, *Dantumawoude*,
Friesland. (Mus. Leiden)

Helgoland, 351.695, ○ juv. 11-VII-50, *Mellum*, + 22-X-51, *Kampen*, *Overijssel*. (opz. KORIDON)

London, 927.276, ○ ♂ 9-V-52, *Essex*, + 21-VIII-52, *Grouw*, *Friesland*. (BOSCH-t.K.)

London, 927.476, ○ ♂ ad. 15-III-51, *Essex*, + 11-X-51, *Leeuwarden*, *Friesland*. (Mus. Leiden)

London, 931.746, ○ ♀ ad. 11-VIII-52, *Essex*, + 4-IX-52, *Wanneperveen*, *Overijssel*. (Mus. Leiden)

London, 927.026, ○ ♂ ad. 17-IV-50, *Essex*, + 10-VIII-50, *Kampen*, *Overijssel*. (opz. KORIDON)

London, 928.122, ○ ♂ 15-VIII-50, *Gloucestershire*, + 20-X-51, *Kampen*, *Overijssel*. (opz. KORIDON)

London, 927.683, ○ ♂ ad. 25-IX-49, *Gloucester*, + 24-IX-52, *Wieringen*,
Noord-Holland. (Mus. Leiden)

London, 931.611, ○ ♂ ad. 12-XII-51, *Essex*, + 12-VIII-52, *Nederhorst den Berg*, *Noord-Holland*. (Mus. Leiden)

Bruxelles, H-7.110, ○ ad. 8-VIII-51, *Brugge* + 29-IX-52, *Oude Bildtzijsl*, *Friesland*. (BOSCH-t.K.)

Bruxelles, H-7.218, ○ ad. 2-VIII-51, *Brugge*, + 12-VIII-52, *kooi in Friesland*. (BOSCH-t.K.)

Bruxelles, H-8.072, ○ ad. 3-VIII-52, *Brugge*, + 6-X-52, *Friesland*. (BOSCH-t.K.)

Bruxelles, H-8.238, ○ ♀ ad. 6-VIII-52, *Brugge*, + 9-IX-52, *Giethoorn*, *Overijssel*. (Mus. Leiden)

Bruxelles, H-7.578, ○ ad. 22-VIII-51, *Brugge*, + 24-VII-52, *Blokszyl*, *Overijssel*. (Mus. Leiden)

Bruxelles, H-7.360, ○ juv. 13-VII-52, *West-Vlaanderen*, + 2-X-52, *Zwaagdijk*, *Noord-Holland*. (Mus. Leiden)

Bruxelles, K-7.188, ○ ♀ ad. 5-III-51, *Brugge*, + 20-XII-51, *Texel*, *Noord-Holland*. (Mus. Leiden)

Bruxelles, H-7-288, ○ ad. 2-VIII-51, *Brugge*, + ca 30-X-51, *Langer Aar*, *Zuid-Holland*. (Mus. Leiden)

Bruxelles, H-8.018, ○ ♂ ad. 3-VIII-52, *Brugge*, + 18-IX-52, *Ameide*, *Zuid-Holland*. (Mus. Leiden)

Bruxelles, H-8.016, ○ ad. 3-VIII-52, *Brugge*, + 13 of 15-IX-52, *Zuid-Holland*. (Mus. Leiden)

Bruxelles, H-8.048, ○ ad. 3-VIII-52, *Brugge*, + 13-IX-52, *Lekkerkerk*, *Zuid-Holland*. (Mus. Leiden)

Bruxelles, H-8.703, ○ ad. 3-VIII-52, *Brugge*, + 9-IX-52, *Oostkapelle*, *Zeeland*. (LEBRET)

Bruxelles, K-6.754, ○ ♂ ad. in rui, 24-VI-51, *Beneden-Schelde*, + 3-X-51, *Rilland-Bath*, *Zeeland*. (Mus. Leiden)

Bruxelles, K-6.765, ○ ♂ ad. in rui, 8-VII-51, *Beneden-Schelde*, + 6-X-51, *Walsoorden*, *Zeeland*. (Mus. Leiden)

Bruxelles, H-8.030, ○ ♀ ad. 3-VIII-52, *Brugge*, + 5-IX-52, *Anna Jacobapolder*, *Zeeland*. (Mus. Leiden)

Bruxelles, H-7.376, ○ ♀ ad. 3-VIII-52, *Brugge*, + 15-IX-52, *Anna Jacobapolder*, *Zeeland*. (Mus. Leiden)

Bruxelles, H-6.767, ○ ♂ ad. 31-VII-51, *Brugge*, + 16-VIII-52, *Duiveland*, *Zeeland*. (Mus. Leiden)

- Bruxelles*, H-6.317, ♂ juv. 2-VI-52, prov. Antwerpen, + ♂ 6-IX-52, St. Philipsland, Zeeland. (Mus. Leiden)
Bruxelles, H-8.034, ♂ ad. 3-VIII-52, Brugge, + 9-X-52, Renesse, Zeeland. (Mus. Leiden)

200. ANAS CRECCA — WINTERTALING.

- Copenhagen*, 597.093, ♀ ad. 15-X-51, Copenhagen, + X/XI-52, Friesland. (BOSCH-t.K.)
Copenhagen, 597.078, ♂ juv. 7-X-51, Copenhagen, + 1/10-IX-52, Doornspijk, Gelderland. (Mus. Leiden)
London, 910.291, ♀ ad. 12-I-51, Essex, + 29-XII-51, Terschelling, Friesland. (Mus. Leiden)
London, 909.805, ♀ ad. 28-XI-50, Essex, + 10-IX-52, Terschelling, Friesland. (Mus. Leiden)
London, 912.323, ♀ ad., 9-XII-51, Northamptonshire, + 15-I-52, Beulakkerweide, Overijssel. (Mus. Leiden)
London, 910.609, ♂ ad. 18-II-52, Essex, + 22-IX-52, Vollenhove, Overijssel. (Mus. Leiden)
London, 912.580, ♀ ad. 16-I-52, Northamptonshire, + 23-VIII-52, Kampen, Overijssel. (opz. KORIDON)
London, 908.834, ♀ ad. 25-VIII-50, Northamptonshire, + 21-VIII-52, Kampen, Overijssel. (opz. KORIDON)
London, 905.616, ♂, 7-I-51, South-Wales, + 1/10-IX-52, Doornspijk, Gelderland. (Mus. Leiden)
London, 911.125, ♂ ad. 13-II-52, Essex, + 18-IX-52, Kampen, Overijssel. (opz. KORIDON)
London, 912.531, ♀ ad. 9-I-52, Northamptonshire, + 26-IX-52, Neede, Gelderland. (Mus. Leiden)
London, 907.000, ♂ ad. 3-II-49, Northamptonshire, + 20-XI-51, Texel, Noord-Holland. (Mus. Leiden)
London, 911.391, ♂, 15-II-51, Northamptonshire, + 21-VIII-52, Texel, Noord-Holland. (Mus. Leiden)
London, 911.152, ♂ ad. 8-IV-52, Essex, + 6-X-52, Texel, Noord-Holland. (Mus. Leiden)
London, 908.759, ♂ ad. 6-III-50, Northamptonshire, + 14-XI-51, Schermerpolder, Noord-Holland. (Mus. Leiden)
London, 905.743, ♂ ad. 24-I-51, South Wales, + 10-XI-51, Heinenoord, Zuid-Holland. (Mus. Leiden)
London, 910.581, ♂ juv. 6-II-51, Essex, + begin-IX-51, Reeuwijk, Zuid-Holland. (Mus. Leiden)
London, 910.080, ♂, 15-XII-50, Essex, + 25-I-52, Den Brielle, Zuid-Holland. (Mus. Leiden)
London, 908.011, ♀ ad. 1-XII-49, Northamptonshire, + 7-XI-50, Rotterdam, Zuid-Holland. (Mus. Leiden)
London, 909.173, ♀, 6-II-50, Northamptonshire, + 28-VIII-52, Anna Jacobapolder, Zeeland. (Mus. Leiden)
Bruxelles, 2E-8.351, ♂ 6-III-52, Brugge, + 14-X-52, Friesland. (BOSCH-t.K.)
Bruxelles, 2E-6.005, ♂ 2-VI-51, prov. Antwerpen, + 25-VIII-51, Biesbos, Noord-Brabant. (Mus. Leiden)

202. ANAS PENELOPE — SMIENT.

- London*, 907.210, ♂ ad. 28-II-49, Northamptonshire, + 18-XII-51, Terschelling, Friesland. (Mus. Leiden)
London, 907.307, ♂ 1e winter, 6-III-49, Northamptonshire, + 28-I-52, Terschelling, Friesland. (Mus. Leiden)
London, 907.239, ♂ 4-III-49, Northamptonshire, + 25-I-52, Munnekezijl, Friesland. (6)
London, 911.105, ♂, 4-II-52, Essex, + 17-XI-52, Makkum, Friesland. (BOSCH-t.K.)

203. ANAS ACUTA — PIJLSTAART.

Helsinki, vleugelmerk 4.057, ♂ 3 weken, 29-VI-49, Korsnäs (62° 41' N, 21° 5' O), + 7-I-52, Kollumerpomp, *Friesland*. (Mus. Leiden)

London, 906.698, ♂ 12-X-49, Gloucester, + 0-X-51, Kampen, *Overijssel*. (6)

208. AYTHYA FULIGULA — KUIFFEEND.

London, 345.299, ♂ ♂, 21-XII-50, *London*, + 14-XII-51, Langweer, *Friesland*. (BOSCH-t.K. en 6)

210. BUCEPHALA CLANGULA — BRILDUIKER.

Svenska Jägarförbundet, 18.600, ♂ in rui, 18-VI-49, Jämtland, + 22-XII-50, Terschelling, *Friesland*. (4)

220. PHALACROCORAX CARBO — AALSCHOLVER.

Copenhagen, 29-0.795, ♂ 17-VI-46, Horsens Fjord, + 0-IV-50, Broek in Waterland, *Noord-Holland*. (5)

222. SULA BASSANA — JAN VAN GENT.

London, 506.499, ♂ pull. 24-VII-48, Bass Rock, + 12-I-52, Terschelling, *Friesland*. (Mus. Leiden en 6)

London, 501.557, ♂ pull. 11-VII-49, Bass Rock, + 29-IX-52, Zoutelande, *Zeeland*. (Mus. Leiden)

237. COLYMBUS STELLATUS — ROODKEELDUIKER.

Göteborg, D-1.928, ♂ 10-VII-28, Jämtland, + 23-II-52, Biesbos, *Noord-Brabant*. (23½ jaar) (2)

246. HAEMATOPUS OSTRALEGUS — SCHOLEKSTER.

Göteborg, C-26.253, ♂ 22-VI-33, Skåne, + 15-V-42, Waddenzee, *Groningen*. (2)

251. PLUVIALIS APRICARIA — GOUDPLUVIER.

Oslo, 31.284, ♂ juv. 1-VII-43, Dovre, + 20/30-XI-51, Sexbierum, *Friesland*. (Mus. Leiden)

Bologna, PI-17.332, ♂ ad. 16-III-46, Pisa, + 7-XII-51, Munnekezijl, *Friesland*. (Mus. Leiden)

255. VANELLUS VANELLUS — KIEVIT.

Göteborg, C-48.737, ♂ 21-VI-45, Öland, + 1-IV-52, Coevorden, *Drente*. (2)

Bruxelles, D-8.175, ♂ pull. 3-V-49, W. Vlaanderen, + 0-VII-50, Middelburg, *Zeeland*. (11)

256. ARENARIA INTERPRES — STEENLOPER.

Stavanger, 716.332, ♂ 8-IX-51, Orn. Stat. Jaeren, + 17-I-52, Hindeloopen, *Friesland*. (BOSCH-t.K.)

260. CALIDRIS CANITUS — KANOETSTRANDLOPER.

Stavanger, 9.643, ♂ ad. 16-IX-47, Orn. Stat. Jaeren, + 20-XII-51, Terschelling, *Friesland*. (Mus. Leiden en 1)

261. CALIDRIS ALPINA — BONTE STRANDLOPER.

Stavanger, 814.500, ♂ 3-IX-51, Orn. Stat. Revtingen, + 14-XII-51, St. Jacob, *Friesland*. (BOSCH-t.K. en 1)

Stockholm, ZOB-8.406, ♂ ad. 28-VI-50, Öland, + 1/7-IV-52, Afsluitdijk, *Friesland*. (Mus. Leiden)

270. TRINGA TOTANUS — TURELUUR.

Reykjavik, 53.343, ♂ pull. 23-VI-47, N. IJsland, + 0-XII-51, Terschelling, *Friesland*. (Mus. Leiden)

Stavanger, 87.974, ♂ 15-VIII-48, Orn. Stat. Jaeren, + 15-IX-51, Philippine, *Zeeland*. (1)

276. RECURVIROSTRA AVOSETTA — KLUUT.

Copenhagen, 594.004, ♂ 28-V-50, ZW. Seeland, + 11-XI-50, Ulrum, *Groningen*. (5)

279. NUMENIUS ARQUATA — WULP.

Göteborg, D-23.837, ♂ 29-VI-44, Öland, + 0-0-47, Ameland, *Friesland*. (2)

283. CAPELLA GALLINAGO — WATERSNIP.

Bruxelles, 3D-1.159, ♂ ad. 8-IX-50, W. Vlaanderen, + 13-X-51, Steenberg, *Noord-Brabant*. (Mus. Leiden)

293. STERNA HIRUNDO — VISDIEFJE.

Helsinki, B-19.433, ♂ pull. 6-VII-52, Hamina (60° 27' N, 27° 15' O), + 29-VIII-52, Warns, *Friesland*. (Mus. Leiden)

Oslo, 066.991, ♂ pull. 28-VI-52, Oslo, + 27-VIII-52, Molkwerum, *Friesland*. (BOSCH-t.K.)

Oslo, 067.604, ♂ pull. 15-VII-52, Oslo, + 20-VIII-52, Kampen, *Overijssel*. (Mus. Leiden)

Stavanger, 815.057, ♂ pull. 7-VI-52, Sandefjord (ZO-Noorw.), + 4-VIII-52, Koudum, *Friesland*. (BOSCH-t.K.)

Göteborg, B-39.945, ♂ 15-VII-51, Göteborg, + 25-IX-51, Genemuiden, *Overijssel*. (2)

Copenhagen, 79-4.122, ♂ 25-VI-49, Karrebaekfjord, + 2-VIII-49, Urk, *N.O. polder*. (5)

Helgoland, 7.176.555, ♂ juv. 16-VI-51, Fährinsel, Oostzee, + 5-X-51, Workum, *Friesland*. (BOSCH-t.K.)

London, S-9.648, ♂ juv. 5-VII-51, Norfolk, + 19-VIII-51, Mirdum, *Friesland*. (6)

298. LARUS RIDIBUNDUS — KOKMEEUW.

Helsinki, C-39.311, ♂ pull. 15-VI-52, Helsinki, + 14-IX-52, Nieuwersluis, *Utrecht*. (Mus. Leiden)

Oslo, 81.843, ♂ juv. 17-VI-51, Oslofjord, + 11-II-52, Kampen, *Overijssel*. (opz. KORIDON)

Stavanger, 054.117, ♂ pull. 15-VI-51, Orn. Stat. Jaeren, + 0-IX-51, Holwerd, *Friesland*. (BOSCH-t.K.)

Stockholm, U-13.378, ♂ juv. 17-VI-51, Västmanland, + medio-VIII-52, Kampen, *Overijssel*. (opz. KORIDON)

Stockholm, U-45.223, ♂ pull. 18-VI-50, Stockholm, + 15-II-52, Rotterdam, *Zuid-Holland*. (Mus. Leiden)

Stockholm, U-36.132, ♂ pull. 12-VI-49, Stockholm, + 28-II-52, Leiden, *Zuid-Holland*. (Mus. Leiden)

Göteborg, C-10.345, ♂ 18-VI-28, Skåne, + 8-XII-49, Langer Aar, *Zuid-Holland*. (21½ jaar) (2)

Helgoland, 575.894, ♂ juv. 9-VII-52, Rathenow, + 29-IX-52, Lemmer, *Friesland*. (BOSCH-t.K.)

Helgoland, 5.029.776, ♂ juv. 9-VI-51, Holstein, + 3-XII-51, Harderwijk, *Gelderland*. (Mus. Leiden)

Helgoland, 5.029.275, ♂ pull. 2-VI-51, Holstein, + 13-VIII-51, Enkhuizen, *Noord-Holland*. (Mus. Leiden)

Helgoland, E-118.872, ♂ ? (ring afgegeven 1935), + 11-X-51, Rotterdam, *Zuid-Holland*. (Mus. Leiden)

Helgoland, 5.030.608, ♂ pull. 9-VI-51, Holstein, + 1-IV-52, Katwijk, *Zuid-Holland*. (Mus. Leiden)

Sempach, 956.304, ♂ ad. 29-I-42, Basel, + 23-XII-47, *Utrecht*. (8)

Praha, E-99.805, ♂ pull. 4-VI-50, 50° 33' N, 15° 3' O, + 25-XI-52, Harich, *Friesland*. (BOSCH-t.K.)

Praha, E-105.637, ♂ pull. 3-VI-51, 50° 16' N, 16° 08' O, + begin-X-52, Oudega, *Small., Friesland*. (BOSCH-t.K.)

- Praha*, E-110.730, ♂ pull. 21-VI-51, 49° 15' N, 14° 05' O, + 18-VIII-51, Nijland, *Friesland*. (BOSCH-t.K.)
Praha, E-102.445, ♂ pull. 3-VI-51, 50° 08' N, 15° 21' O, + eind-V-52, Kampen, *Overijssel*. (PIEDERIE-t.K.)
Praha, E-140.111, ♂ pull. 6-VI-52, 49° 52' N, 18° 19' O, + 2-XI-52, Kampen, *Overijssel*. (t.K.)
Praha, E-100.277, ♂ 4-VI-50, 90 km ZW van Praag, + 18-X-50, Kampen, *Overijssel*. (opz. KORIDON)
Praha, E-59.775, ♂ pull. 2-VI-45, 50° 07' N, 15° 50' O, + 1-I-49, Velp, *Gelderland*. (Zoöl. Mus. A'dam)
Praha, E-90.758, ♂ 22-V-50, 100 km Z van Praag, + 10-X-50, Nunspeet, *Geiderland*. (opz. KORIDON)
Praha, E-81.051, ♂ pull. 27-V-49, 49° 21' N, 17° 22' O, + 2-I-51, Amsterdam, *N. Holland*. (Zoöl. Mus. A'dam)
Praha, E-106.519, ♂ pull. 22-VI-50, 49° 20' N, 13° 43' O, + 22-XII-51, Hontenisse, *Zeeland*. (Mus. Leiden)

300. LARUS CANUS — KLEINE ZEEMEERUW.

- Stavanger*, 505.508, ♂ pull. 2-VII-52, Bergen, + 4-XI-52, Amsterdam, *Noord-Holland*. (J. WALTERS)
Stockholm, UO-367, ♂ pull. 3-VI-48, Ottenby, + 11-XII-51, Bodegraven, *Zuid-Holland*. (9)
Göteborg, D-37.915, ♂ 30-VI-48, Skåne, + 18-VII-49, Delfzijl, *Groningen*. (2)
Göteborg, D-41.216, ♂ 28-IV-48, Närke, + 2-I-50, Helsum (?), *Friesland*. (2)
Göteborg, D-41.380, ♂ 9-VII-48, Halland, + 14-VIII-51, Terschelling, *Friesland*. (2)
Göteborg, D-16.824, ♂ 20-VI-48, Dalsland, + 23-VII-51, Amsterdam, *Noord-Holland*. (2)
Göteborg, D-28.302, ♂ 20-VI-37, Halland, + 5-IX-49, Rotterdam, *Zuid-Holland*. (2)
Göteborg, D-37.715, ♂ 1-VII-47, Gotland, + 4-I-51, Scheveningen, *Zuid-Holland*. (2)
Copenhagen, 490.696, ♂ pull. 30-VI-51, tussen Seeland en Funen, + 0-IV-52, Eestrum, *Friesland*. (BOSCH-t.K.)
Copenhagen, 533.560, ♂ pul. 5-VI-51, W. Jutland, + 7-VIII-51, Koudum, *Friesland*. (Mus. Leiden)
Rossitten, E-140.603, ♂ ad. 2-VI-39, Eiland Poel, Oostzee, + 0-I-52, Winsum, *Friesland*. (BOSCH-t.K.)
Helgoland, 5.028.529, ♂ juv. 5-VII-51, Holstein, + 13-II-52, Winschoten, *Groningen*. (Mus. Leiden)
Helgoland, 591.534, ♂ juv. 14-VII-37, Holstein, + 4-II-52, Leeuwarden, *Friesland*. (Mus. Leiden)
Helgoland, 433.237, ♂ juv. 17-VI-51, Wismar-Bucht, Oostzee, + medio-IX-52, Leeuwarden, *Friesland*. (BOSCH-t.K.)
Helgoland, 5.034.692, ♂ juv. 22-VII-51, eiland Poel, Oostzee, + 25-VIII-51, *N.O. polder*. (Mus. Leiden)
Helgoland, 5.035.689, ♂ juv. 15-VII-51, eiland Poel, Oostzee, + 9-IX-52, Sijbekarspel, *Noord-Holland*. (J. WALTERS)

301. LARUS ARGENTATUS — ZILVERMEERUW.

- Helgoland*, 352.351, ♂ juv. 23-VII-50, Langeoog, + 10-VII-51, Delfzijl, *Groningen*. (Mus. Leiden)
Helgoland, 352.435, ♂ juv. 3-VIII-50, Langeoog, + 16-VII-51, Delfzijl, *Groningen*. (Mus. Leiden)
Helgoland, 351.819, ♂ juv. 28-VII-51, Mellum, en 29-VII-51 naar Keulen gevoerd, + 9-X-51, *N.O. polder*. (opz. KORIDON)

302. LARUS FUSCUS — KLEINE MANTELMEERUW.

- Stavanger*, 32.523, ♂ juv. 29-VI-47, Rogaland, + begin-XII-49, St. Jacobi, *Friesland*. (3)

303. LARUS MARINUS — MANTELMEEUW.

Stavanger, 32.776, ♂ juv. 23-VI-49, Sogn og Fjordane, + 12-III-50, Wieringen, Noord-Holland. (3)

Stavanger, 33.277, ♂ juv. 16-VI-49, Rogaland, + 16-X-49, Enkhuizen, Noord-Holland. (3)

Stavanger, 34.001, ♂ juv. 26-VI-50, Rogaland, + 3-X-50, Amsterdam, Noord-Holland. (3)

Göteborg, E-3.206, ♂ pull. 27-VI-50, Bohuslän, + 12-V-52, Vlissingen, Zeeland. (Mus. Leiden)

306. RISSA TRIDACTYLA — DRIETEENMEEUW.

Moskwa, E.143.476, ♂ 17-VII-48, 250 km O van Moermansk, + 22-II-52, Vlieland, Friesland. (Zoöl. Mus. A'dam)

327. GALLINULA CHLOROPUS — WATERHOEN.

Copenhagen, 49-3.672, ♂ ad. 6-IX-50, Copenhagen, + 0-XI-50, Noordhorn, Groningen. (5)

London, AN-6.731, ♂ 9-XI-49, Essex, + 17-IX-51, Spijk, Groningen. (6)

328. FULICA ATRA — MEERKOET.

Copenhagen, 49-4971, ♂ ad. 20-VIII-49, Seeland, + 14-I-50, Kolhorn, Noord-Holland. (5)

Literatuur.

1. BERNHOFT-OSA, A.: Ringmerkingsresultater fra Revtingen på Jaeren i 1951. Stavanger Museums Årbok, 1951, p. 1—8.
2. FONTAINE, V.: Göteborgs Naturhistoriska Museums Ringmärkningar av Flyttfåglar under 1949—1951. Göteborgs Musei Årstryck 1951—1952, p. 45—92.
3. HOLGERSEN, H.: Bird-Banding in Norway 1950. Stavanger Museum, Opuscula, Series, Zoologica, nr. 3, 35 blz.
4. HÖGLUND, N.: Förbundets Viltmärkningar, Redogörelse för 1949, 1950 och 1951. Svenska Jägareförbundet, Meddelande 18, 1952, p. 93—126.
5. JOHANSEN, H.: Fortsatte Resultater af Ringmærkningerne i 1931—49 og 1931—50, Nr. 18—19. Vidensk. Medd. fra Dansk Naturh. Foren., 114, p. 309—339.
6. LANDSBOROUGH THOMSON, A. and E. P. LEACH: Report on Bird-ringing for 1951. British Birds, 45, p. 265—277 and p. 341—357.
7. SCHIFFERLI, A.: Bericht der Schweiz. Vogelwarte Sempach. Ornith. Beobachter, a. 1945—1946, 44, p. 69—83.
b. 1947—1948, 46, p. 161—186.
c. 1949—1950, 48, p. 181—211.
8. ———: Schwankungen des Schleiereulenbestandes, *Tyto alba* (Scop.). Ornith. Beobachter, 46, p. 61—75.
9. SVÄRDSON, G.: Verksamheten vid Ottenby fågelstation 1951. Vår Fågelvärld, 11, p. 153—176.
10. VÄLIKANGAS, I. und H. HUUSKONEN: Die Vogelberingung in Finnland in den Jahren 1948 und 1949. Memoranda Societatis pro Fauna et Flora Fennica, 27, 1950—1951, p. 54—60.
11. VERHEIJEN, R.: Resultats du baguage des Oiseaux en Belgique, Exercice 1950. Le Gerfaut, 41, p. 230—247.

Afgesloten medio Jan. 1953.