

A D D E N D A E

SPECIEBUS NOVIS HEPATICARUM JAVANICARUM HERBARIJ JUNGHUHNIANI,

QUAE PROPONUNTUR SUPRA PAG. 415 ET SEQ.

JUNGERMANNIA Linn. (Char. em.)

1. *J. Boschiana*.

J. amphigastriata; caule rhizomatico crasso ramoso, ramis adscendentibus; foliis subimbricatis crassiusculis concavis ovatis, apice obtusis acutisque rarius emarginatis; amphigastriis ovatis integris; trunco fructifero abbreviato; foliis involucris ovatis indivisis apice dentatis, perianthio ovato-oblongo plicato, ore dentato.

LEPIDOZIA N. ab E. L. et G.

1. *L. gonyotricha*.

L. caule prostrato bipinnatim ramoso; foliis tripartitis laciniis capillaribus obtusis articulatis, e basi geniculata patentibus erectis strictis, ramorum im-

bricatis; amphigastriis subbipartitis; involucri foliis ovatis longe ciliatis, perianthio cylindrico arcuato, versus apicem attenuato plicato, ore ciliato.

LEJEUNIA Gottsche et Ldbg.

1^a. L. *Dozyana*.

L. caule repente subramoso; foliis imbricatis late obovato-spathulatis parce spinuloso-denticulatis, lobulo convexo apice truncato dentato; amphigastriis nullis; fructu in ramulo laterali, perianthio obovato compresso marginibus alatis, ventre bialato, alis apice dentatis.

5. L. *decursiva*.

L. caule repente pinnato, pinnis inaequalibus; foliis adproximatis semiverticalibus patulis rotundo-oblongis integerrimis, basi ventrali longe decurrentibus; lobulo tumido ovato, apice obtuso in folii marginem transeunte; amphigastriis distantibus patulis rotundo-ovatis bifidis laciniis obtusis; fructu ad basin ramorum subsessili, involucri foliis conformibus, perianthio oblongo, dorso uni-ventre bicarinato.

C. M. VAN DER SANDE LACOSTE.

m. April 1855.



