

3.1 Totaalstaten

	Z-Holland + IJm.			N-Holland Noord			Waddengebied			TOTAAL
	Z ←	→ N	t.p.	Z ←	→ N	t.p.	Z ←	→ N	t.p.	
<i>Gavia stellata</i>	16	4	7	-	19	17	17	22	6	108
<i>Gavia arctica</i>	2	1	-	1	25	3	-	1	2	35
" <i>g.stellata/g.arctica</i> "	86	219	2	114	997	34	20	120	4	1596
<i>Gavia immer</i>	-	-	-	1	-	-	-	-	-	1
" <i>g.immer/g.adamsii</i> "	1	-	-	-	1	-	-	-	-	2
<i>T. ruficollis</i>	-	2	1	-	-	-	-	-	-	3
<i>Podiceps cristatus</i>	158	152	91	362	376	106	10	6	1	1262
<i>P.griseigena</i>	4	6	3	39	80	1	-	4	-	137
<i>P.auritus</i>	-	-	1	2	8	1	-	-	3	15
<i>P.nigricollis</i>	-	-	1	-	6	1	-	-	-	8
" <i>p.auritus/p.nigri.</i> "	-	1	1	1	10	2	-	-	-	15
<i>Fulmarus glacialis</i>	30	36	-	42	124	8	38	27	1	306
" <i>c.diomeda/p.gravis</i> "	-	1	-	-	-	-	-	-	-	1
<i>Puffinus griseus</i>	-	1	-	-	-	-	-	-	-	1
<i>P.puffinus</i>	1	-	-	-	-	-	5	-	-	6
<i>Oceanodroma leucorhoa</i>	-	-	-	1	-	-	-	-	-	1
" <i>o.leucorh./h.pelagi.</i> "	-	-	-	-	-	1	-	-	-	1
<i>Sula bassana tot.</i>	39	66	1	78	198	9	40	98	8	537
first year	-	6	-	2	2	-	3	8	3	24
2,3 and 4 year	11	38	-	13	75	6	18	38	4	203
adult	28	22	1	60	119	1	19	51	1	302
<i>Phalacrocorax carbo</i>	62	92	1	29	49	-	1	-	1	235
<i>P. aristotelis</i>	1	2	-	-	-	-	-	-	-	3
<i>Botaurus stellaris</i>	-	-	-	1	-	-	-	-	-	1
<i>Ardea cinerea</i>	15	46	2	4	5	-	-	1	-	73
<i>Ardea purpurea</i>	-	1	-	-	-	-	-	-	-	1
<i>Phoenicopterus spec.</i>	-	3	-	-	-	-	-	-	-	3
<i>Grus grus</i>	-	1	-	-	-	-	-	-	-	1
<i>Cygnus olor</i>	20	32	2	16	20	1	2	-	-	93
<i>Anser fabalis</i>	-	4	-	-	-	-	-	-	-	4
<i>A. brachyrhynchus</i>	1	22	-	-	-	-	-	-	-	23
<i>A.albifrons</i>	-	1	-	-	1	-	-	-	-	2
<i>A.anser</i>	10	159	-	1	51	-	-	2	-	223
<i>A. caerulescens</i>	-	-	-	-	1	-	-	-	-	1
<i>Branta leucopsis</i>	-	19	-	2	-	-	-	-	-	21
<i>Branta bernicla</i>	62	618	-	62	4730	-	-	384	-	5856
<i>Tadorna ferruginea</i>	-	-	-	-	1	-	-	-	-	1
<i>Tadorna tadorna</i>	191	767	11	216	1077	7	6	34	-	2309
<i>Anas penelope</i>	1	362	15	15	635	10	4	4	-	1046
<i>A. strepera</i>	6	47	-	10	73	-	2	8	-	146
<i>A. crecca</i>	61	617	22	59	2320	21	13	73	-	3186
<i>A. platyrhynchos</i>	100	256	16	192	405	27	3	13	2	1014
<i>A. acuta</i>	5	55	-	8	163	-	-	1	-	232
<i>A. querquedula</i>	-	2	-	4	36	-	-	1	-	43
<i>A. clypeata</i>	53	539	-	57	611	6	6	20	-	1292
<i>Netta rufina</i>	-	1	-	-	3	1	-	-	-	5
<i>Aythya ferina</i>	-	96	2	14	36	-	-	4	-	152
<i>A.fuligula</i>	38	159	5	49	261	-	3	8	4	527
<i>A. marila</i>	5	130	14	12	793	8	3	-	-	965
<i>Somateria mollissima</i>	42	282	373	62	1381	75	188	314	171	2888
<i>Clangula hyemalis</i>	-	-	-	-	3	-	-	-	-	3
<i>Melanitta nigra</i>	2514	11619	465	73195	61396	12171	2868	5393	208	169829
<i>M.fusca</i>	12	494	12	267	4361	61	30	148	-	5385

3.1. totaalstaten (vervolg)

	Z-Holland + IJm.			N-Holland Noord			Waddengebied			TOTAAL
	Z ←	→ N	t.p.	Z ←	→ N	t.p.	Z ←	→ N	t.p.	
Bucephala clangula	21	19	2	11	66	-	1	6	1	127
Mergus albellus	-	2	-	-	-	-	-	-	-	2
M.serrator	236	491	88	159	2302	9	12	78	2	3377
M.merganser	2	20	-	1	11	-	-	1	-	35
"duck species"	69	703	-	-	-	-	-	-	-	772
"geese species"	-	195	-	-	38	-	-	4	-	237
Haematopus ostralegus	3685	3261	283	1768	2578	212	292	60	32	12171
Recurv. avosetta	6	660	3	3	74	-	-	-	-	746
Charadrius dubius	2	-	-	-	-	-	-	-	-	2
Ch. hiaticula	30	119	5	2	48	15	2	16	-	237
Ch. alexandrinus	-	10	-	-	-	-	-	-	2	12
Pluvialis apricaria	4	93	-	-	11	-	10	-	-	118
Pl. squatarola	42	830	-	17	293	-	3	17	-	1202
Vanellus vanellus	277	176	2	439	68	-	13	-	88	1063
Calidris canutus	10	1077	18	2	204	4	2	58	-	1375
C. alba	108	162	196	29	268	8	49	124	87	1031
C.minuta	-	8	-	-	1	-	2	-	-	11
C. ferruginea	-	-	-	-	3	-	-	-	-	3
C.alpina	91	1483	13	48	6678	26	1	6	-	8346
Philomachus pugnax	-	22	-	-	-	-	-	-	-	22
Limosa limosa	14	145	-	21	129	2	3	4	-	318
L.lapponica	52	6382	1	39	3681	22	19	131	68	10394
Numenius phaeopus	3	224	-	9	118	3	-	1	-	358
N.arquata	78	685	-	47	592	11	5	6	-	1424
Tringa erythropus	2	4	-	-	-	-	-	-	-	6
T.totanus	17	557	6	23	279	6	2	-	1	891
T. nebularia	-	11	-	-	-	-	-	3	1	15
T. ochropus	-	1	-	-	-	-	-	-	-	1
Actitis hypoleucos	2	6	46	1	2	1	-	-	-	58
Arenaria interpres	19	85	128	35	82	96	1	6	49	501
Sterc. pomarinus	-	1	-	-	6	1	-	-	-	8
St. parasiticus	1	9	-	3	47	1	-	6	-	67
St. skua	-	1	-	-	1	1	-	1	1	5
"stercorarius spec."	-	1	1	-	-	-	-	-	1	3
Larus melanocephalus	-	-	2	1	-	2	-	-	-	5
Larus minutus tot.	171	2543	17	141	3394	45	15	138	3	6467
first year	14	99	4	10	185	1	-	4	-	317
adult	157	2444	12	131	3197	44	15	134	3	6137
L.hyperboreus	-	-	1	1	3	-	1	-	-	6
Rissa tridactyla tot.	30	42	28	14	34	1	14	9	1	173
first year	14	17	10	3	11	-	2	5	-	62
adult	16	25	18	10	23	1	12	4	1	110
Gelochelidon nilotica	-	-	1	-	-	-	-	-	-	1
Sterna caspia	-	-	-	2	-	-	-	-	-	2
S. sandvicensis	1916	4948	68	811	2907	22	1857	1185	5	13719
S.dougallii	-	-	1	-	-	-	-	-	-	1
S.hirundo+S.parad. tot.	1152	9315	137	1530	21286	159	516	1340	58	35493
S. hirundo	482	3736	106	158	1146	7	105	119	-	5859
S. paradisaea	12	381	2	11	764	4	8	15	42	1239
S. albifrons	6	355	1	14	477	-	8	90	-	951
Chlidonias niger	2	356	-	12	150	-	-	1	-	521
Uria aalge	1	-	1	-	1	1	-	-	-	4
Alca torda	-	-	-	-	2	-	1	-	-	3
"u.aalge/alca torda"	1	3	2	-	10	-	1	2	1	20
Cephus grylle	-	-	-	1	1	-	-	-	-	2

3.1.totaalstaten (vervolg)

	Z-Holland + IJm.			N-Holland Noord			Waddengebied			TOTAAL
	Z ←	→ N	t.p.	Z ←	→ N	t.p.	Z ←	→ N	t.p.	
Circus aeruginosus	3	13	1	1	3	-	-	3	-	24
C.cyaneus	-	1	-	-	-	-	-	-	-	1
Accipiter nisus	-	-	-	-	-	1	-	-	-	1
Buteo buteo	-	1	-	-	1	-	-	-	-	2
Falco tinnunculus	1	3	-	-	1	-	-	-	-	5
F. columbarius	-	3	-	-	-	-	-	-	-	3
F.subbuteo	1	7	1	1	-	-	-	-	-	10
F.peregrinus	-	-	-	-	-	1	-	-	-	1
Asio otus	-	2	5	-	-	4	-	-	-	11
A. flammeus	1	-	1	-	-	2	1	-	1	6