

LEES-IDEA

- Schawaller, W., 1986 - Fossile Käfer aus miozänen Sedimenten des Randecker Maars in Südwest-Deutschland (Insecta: Coleoptera) - Stuttg. Beiträge zur Naturkunde, B. Geol. u. Paläont., nr. 126, 9 pp., 32 figs. Stuttgart
- Gregor, H.-J., 1986 - Zur Flora des Randecker Maars (Miozän, Baden-Württemberg) - ibid., nr. 122, 29 pp., 6 pls. Stuttgart
- Riezebos, P.A. & Rappol, M., 1987 - Gravel- to sand-sized vivianite components in a Saalian till layer near Borne (The Netherlands) - Geol.Mijnbouw, 66 (1), 21-34, 5 figs, 3 tabs, 2 pls. Dordrecht
- Wintle, A.G., 1987 - Thermoluminescence dating of loess at Récourt, Belgium - ibid., 66 (1), 35-42, 3 figs. Dordrecht
- Ballantyne, C.K. & Whittington, G., 1987 - Niveo-aeolian sand deposits on An Teallach, Wester Ross, Scotland - Trans.roy.Soc.Edinburgh, Earth Sciences, 78 (1), 51-63, 14 figs. Edinburgh
- Peacock, J.D., 1987 - A reassessment of a probable Loch Lomond Stade marine molluscan fauna at Gravel Park, Greenock - Scott.J.Geol., 23 (1), 93-103, 3 figs. Glasgow
- Weidich, K.F. & Schwerd, K., 1987 - Über den Feuerstätter Flysch im Allgäu - N.Jb. Geol.Paläont. Abh. 174 (2), 193-212, 6 figs. Stuttgart
- Weidmann, M., 1986 - Quelques observations nouvelles sur la molasse du Jura - Bull.Géologie Lausanne (Bull.Soc.neuchâteloise Sci.nat.), 109, 153-159, 1 fig.
- Villemin, T. & Bergerat, F., 1987 - L'évolution structurale du fossé rhénan au cours du Cénozoïque: un bilan de la déformation et des effets thermiques de l'extension - Bull.Soc.géol.Fr. (8) 3 (2), 245-255, 5 figs. Paris
- Riveline, J. & Cavelier, C., 1987 - Les charophytes du passage Éocène moyen-Éocène supérieur en Europe occidentale. Implications stratigraphiques. - ibid., (8) 3 (2), 307-315, 3 tabs, 3 figs. Paris
- Dubar, M., 1987 - Données nouvelles sur la transgression holocène dans la région de Nice (France) - ibid., (8) 3 (1), 195-198, 4 figs. Paris
- Saunders, J.B., Jung, P. & Bijou-Duval, B., 1986 - Neogene Paleontology in the Northern Dominican Republic. 1. Field Surveys, Lithology, Environment, and Age - Bull.Am.Paleont., 39 (323), 79 pp., 9 pls., 39 figs. Ithaca
- Moore, B.J. & Addicott, W.O., 1987 - The Miocene Pillarian and Newportian (Molluscan) Stages of Washington and Oregon and Their Usefulness in Correlations From Alaska to California - Bull. U.S. geol.Surv., 1664, A 1-A 13, 4 pls.
- Schwan, J., 1987 - Sedimentologic characteristics of a fluvial to aeolian succession in Weichselian Talsand in the Emsland (F.R.G.) - Sedimentary Geology, 52 (3/4), 273-298, 13 figs. Amsterdam
- Díaz Estévez, M.G., Rodríguez, A.P. & Cadenas, C.B., 1987 - Limite Mioceno-Plioceno en la provincia de Jaén (España) - Bol.R.Soc.Española Hist.nat. (Geol.), 32 (1-4), 125-137, 3 figs, 1 pl. Madrid
- Calzada, S. & Vía, L., 1987 - Sobre el gasterópodo Melanoides ibericus - ibid., 32 (1-4), 103-111, 2 figs, 1 pl. Madrid

- Cuenca Anaya, A.M., 1987 - Actualización de la sistemática de ALMERA y BOFILL 1894 para los moluscos pliocénicos del bajo Llobregat y llano de Barcelona 9.^a parte Suborden OLIGODONTINA (IV). Superfamilia CARDIACEA (p.p.). Orden SEPTIBRANCHIDA - *ibid.*, 82 (1-4), 45-64, Madrid
- Mayoral, E., 1986 - *Ophiomorpha isabeli*; nov. icnosp. (Pliocene marino) en el sector suroccidental del Valle del Guadalquivir (Palos de la Frontera, Huelva, España) - *Estudios geol.*, 42 (6), 461-470, 9 figs. Madrid
- Makowska, A., 1986 - Morza plejstocénskie w Polsce - osady, wiek i paleogeografia (Pleistocene seas in Poland - sediments, age and palaeogeography) - *Prace Inst. Geol.*, 120, 74 pp., 31 figs. Warszawa
- Spencer, R.S. & Campbell, L.D., 1987 - The Fauna and Paleocology of the Late Pleistocene Marine Sediments of Southeastern Virginia - *Bull. Am. Paleont.*, 92 (327), 124 pp., 15 pls. Ithaca
- McNamara, K.J., 1987 - Taxonomy, evolution, and functional morphology of southern Australian hemiasterid echinoids - *Palaeontology*, 30 (2), 319-352, pls. 44-48 London
- Lienau, H.-W., 1984 - Die marinen Deckschichten (Mittelozeän-Unteroligozän) der Helmstedter Braunkohlen (Niedersachsen, BRD) - *Documenta naturae*, 22, 120 pp., 23 figs., 17 tabs., 12 pls. München
- McKenzie, K.G. (ed.), 1987 - Shallow Tethys 2, Proceedings of the International Symposium on Shallow Tethys 2, Wagga Wagga/ 15-17 September 1986, 544 pp., A.A. Balkema (R'dam, Boston). Hierin opgenomen o.a.
- Piccoli, G., Sartori, S. & Franchino, A. - Benthic molluscs of shallow Tethys and their destiny, pp. 333-373, 8 figs., 3 tabs.
 - Franco, F. - Phyletic relationships in some Tertiary and Quarternary Corbiculidae (Mollusca, Bivalvia), pp. 375-377, 1 fig.
 - Braga, G. - Tertiary migration of some Tertiary Bryozoa, pp. 379-385, 2 figs.
 - Kotaka, T. - Recent development in the problems of the origin and migration of Japanese Cenozoic molluscs, pp. 391-397, 10 figs.
 - Masuda, K. - On origin and migration of Cenozoic pectinids in the northern Pacific, pp. 399-403, 3 figs.
 - Robba, E. - The final occlusion of Tethys: Its bearing on Mediterranean benthic molluscs, pp. 405-426, 5 figs, 6 tabs, appendix
 - McKenzie, K.G. - Tethys and her progeny, pp. 501-523, 4 figs, 5 tabs.
- Holyoak, D.T. & Preece, R.C., 1986 - An undescribed *Sphaerium* (Bivalvia: Sphaeriidae) from the Norwich Crag (early Pleistocene) of East Anglia - *J. Conchology* 32 (3), 195-197.
- Holyoak, D.T. & Preece, R.C., 1986 - A reassessment of some British Pleistocene land snails - *ibid.*, 32 (3), 199-200.
- Cameron, T.D.J., Stoker, M.S. & Long, D., 1987 - The history of Quarternary sedimentation in the UK sector of the North Sea Basin - *J. Geol. Soc.*, 144 (1), 43-58.

- Edwards, R.A. & Freshney, E.C., 1987 - Lithostratigraphical classification of the Hampshire Basin Palaeogene deposits (Reading Formation to Headon Formation) - *Tert.Res.*, 8 (2), 43-73.
- Miller, G.H., Jull, A.J.T., Linick, T., Sutherland, D., Sejrup, H.P., Brigham, J.K., Bowen, D.Q., & Mangerud, J., 1987 - Racemization-derived late Devensian temperature reduction in Scotland - *Nature*, London, 326 (6113), 593-595.
- Stoker, M.S., Long, D. & Fyfe, J.A., 1986 - A revised Quarternary stratigraphy for the central North Sea - *British Geological Society Report* 17 (2), 35 pp.
- Hentschel, G., 1987 - Neufunde seltener Minerale aus quartären Vulkanvorkommen der Eifel - *Mainzer geowiss.Mitt.*, 16, 91-96, 5 figs.
- Roth, C. & Mein, P., 1987 - *Martes collongensis* n.sp. aus der miozänen Fundstelle Vieux-Collonges (Dépt.Rhône, Frankreich) - *ibid.*, 16, 157-164, 3 figs, tab.
- Sánchez, B., & Schleich, H.H., 1986 - Ertnachweis der Gattung *Bombina* (Amphibia: Anura) im Untermiozän Deutschlands - *Mitt.Bayer.Staatsslg.Paläont.hist.Geol.*, 26, 41-44, 1 fig. München
- Wintle, A.G., & Catt, J.A., 1986 - Thermoluminescence dating of Dimlington Stadial deposits in eastern England - *Boreas*, 14 (3), 231-234.
- Mayhew, D.F. & Stuart, A.J., 1986 - Stratigraphy and taxonomic revision of the fossil vole remains (Rodentia, Microtinae) from the Lower Pleistocene deposits of eastern England - *Phil.Trans.roy.Soc.London. B* 312 (1157), 431-485.
- Aubry, M.-P., Hailwood, E.A. & Townsend, H.A., 1986 - Magnetic and calcareous nannofossil stratigraphy of the Lower Palaeogene formations of the Hampshire and London Basins - *J.Geol.Soc.*, 143 (5), 729-735.
- Aubry, M.-P., 1986 - Palaeogene calcareous nannoplankton biostratigraphy of northwestern Europe - *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 55 (2-4), 267-334, Amsterdam
- Rose, J., 1986 - The Dimlington Stadial/Dimlington Chronozone: a proposal for naming the main glacial episode of the late Devensian in Britain - *Boreas*, 14 (3), 225-230
- Balson, P.S. & Humphreys, B., 1986 - The nature and origin of fissures in the East Anglian Coralline and Red Craggs - *J.Quart.Sci.*, 1 (1), 13-19.
- Moffat, A.J. & Catt, J.A., 1986 - A re-examination of the evidence for a Plio-Pleistocene marine transgression on the Chiltern Hills. III. Deposits. - *Earth Surface Processes & Landforms*, 11 (3), 233-247.
- Holyoak, D.T. & Preece, R.C., 1985 - Late Pleistocene interglacial deposits at Tattershall, Lincolnshire - *Phil.Trans.roy.Soc.London, B* 311 (1149), 193-236.
- McCabe, A.M., Haynes, J.R. & MacMillan, N.F., 1986 - Late Pleistocene tidewater glaciers and glaciomarine sequences from north County Mayo, Republic of Ireland - *J.Quart.Sci.*, 1 (1), 73-84.

- Spitzlberger, G., 1986 - Die miozänen Blattfloren von Massendorf und Berg bei Mainburg (Niederbayern) - Mitt.Bayer.Staatsslg.Paläont.hist.Geol., 26, 59-38, 6 figs, 6 pls., 1 tab. München
- Jung, W., 1986 - Ein Beitrag zur paläobotanischen Charakterisierung der "Jüngeren Serie" der Oberen Süßwasser-Molasse Südbayerns - *ibid.*, 26, 89-92, 1 tab.
- Barthelt, D., 1986 - Ablagerungsmodell und Faziesentwicklung der subalpinen Unteren Brackwasser-Molasse Oberbayerns - *ibid.*, 26, 121-136, 4 figs, 2 pls.
- Berger, G., 1986 - Neu entdeckte tertiäre fossilführende Karstfüllungen auf der Alb - *ibid.*, 26, 163-188, 29 figs.
- Catzigras, F., Saubade, A.M., Arnaud, M., Cahuzac, B., 1985 - Interpretation de la répartition biostratigraphique et paléogéographique des Amussium (Pectinidae) en Aquitaine et en Provence, à l'Oligocène-Miocène - Bull.Inst. Géol.Bassin d'Aquitaine, 38, 127-139, Bordeaux
- Ducassee, O., Lefeuvre, C. & Rouselle, L., 1985 - Contribution à l'étude paléontologique d'une crise paléogène: populations d'ostracodes à la limite Eocène-Oligocène dans le Médoc (Gironde) - *ibid.* 38, 141-175, 14 figs, 2 tabs.
- Saubade, A.-M., & Zaouali, J., 1986 - Malacofaune subfossile de la Bahiret El Biban (Tunisie méridionale) - *ibid.* 40, 23-33, 4 figs.
- Jensen, H.A., 1985 - Catalogue of late- and post-glacial macrofossils of Spermatophyta from Denmark, Schleswig, Scania, Halland, and Blekinge, dated 13,000 B.P. to 1536 A.D. - Danm.Geol.Unders., A 6, 95 pp., 3 tabs, 2 figs. København
- Heilmann-Clausen, C., 1985 - Dinoflagellate stratigraphy of the uppermost Danian to Ypresian in the Viborg 1 borehole, central Jylland, Denmark - *ibid.*, A 7, 69 pp., 15 pls., 13 figs.
- Froidefond, J.-M., 1985 - Méthode de géomorphologie cotière. Application à l'étude de l'évolution du littoral aquitain - Mém.Inst.Géol.Bassin d'Aquitaine, 18, 273 pp.
- Vunderlich, J., 1986 - Fossilfundstelle Messel, Nr.49: Die ersten Spinnen aus dem Mittel-Eozän der Grube Messel - Senckenbergiana lethaea, 67 (1/4), 171-176, 5 figs. Frankfurt/Main
- Lutz, H., 1986 - Fossilfundstelle Messel, Nr.50: Eine neue Unterfamilie der Formicidae (Insecta: Hymenoptera) aus dem mittel-eozänen Ölschiefer der "Grube Messel" bei Darmstadt (Deutschland, 3-Hessen) - *ibid.* 67 (1/4), 177-218, 11 figs, 1 tabl.
- Schwarzhaas, W., 1986 - Die Otolithen des Unter-Pliozän von Le Puget, S-Frankreich - *ibid.*, 67 (1/4), 219-273, 4 figs, 2 tabs, 6 pls.