


ARTIKELN IN TIJDSCHRIFTEN
(JOURNAL PAPERS: CONTINENTAL MALACOLOGY)

R.A. Bank

Malacological papers published in journals. Sorted in the following order of succession: Faunistics/Ecology – Fossil Assemblages – Bivalvia – Gastropoda (alphabetically rubricated at the family level) – Miscellaneous – Publications in the Bulletin of Zoological Nomenclature (new cases – comments on previous cases – Opinions). Within each item, papers are ordered alphabetically on the name of the first author.




FAUNISTICS/ECOLOGY

- Bank, R.A., K. Groh & Th.E.J. Ripken (2002): Catalogue and bibliography of the non-marine Mollusca of Macaronesia. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 89-235, pl. 14-26.
- 
- Craspedopoma hespericum* - Backhuys, 1974, Azores: pl. 2 fig. 6
- Barsiene, J., R. Bucinskiene & K. Joksas (2002): Cytogenetic damage and heavy metal bioaccumulation in molluscs inhabiting different sites of the Neris River. – *Ekologija*, 2002 (2): 52-57. Vilnius.
 - Bertrand, A. (2002): Notes sur les mollusques terrestres de Saint-Martin (Petites Antilles). – *Documents Malacologiques*, 3: 35-37. Bousсенac.
 - Boyce, R. & R. Hill (2002): Conchological Society Field Meeting to North Worcestershire, 15-16 June 2002. – *The Conchologists' Newsletter*, 163: 280-283. London.
 - Chevallier, H. (2002): Faunule malacologique des Peyrugues (Orniac, Lot). – *Documents Malacologiques*, 3: 39-41. Bousсенac.
 - Gargominy, O. (2002): Prospections naturalistes sur sites Natura 2000: allers et recours entre systématique et conservation. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 531-541, pl. 48.
 - Geissen, H.-P. (2001): Erste Nachweise von *Oxyloma sarsii* und Wiederfund von *Anisus spirorbis* am Mittelrhein (Gastropoda: Succineidae et Planorbidae). – *Mainzer Naturwissenschaftliches Archiv*, 39: 131-134. Mainz.
 - Gerlach, J. & O. Griffiths (2002): The land snails of the Aldabra Islands, western Indian Ocean. – *Journal of Conchology*, 37 (6): 667-679. London.
 - Girardi, H. (2002): Notes sur la présence de mollusques dulçaquicoles en Camargue (Bouches-du-Rhône, France) (Mollusca: Gastropoda et Bivalvia). – *Documents Malacologiques*, 3: 3-8. Bousсенac.
 - Glöer, P. (2002): Die Molluskenfauna der Elbe bei Hamburg und angrenzender Gewässer vor 100 Jahren und heute. Ein vorläufiger Bericht. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 479-517.
 - Haferkorn, J. (2001): Zur Schneckenfauna (Mollusca: Gastropoda) isolierter Auenwaldfragmente der Elster-Luppe-Aue in Sachsen-Anhalt. – *Hercynia*, N.F. 35 (1): 137-143. Halle - Wittenberg.
 - Kittel, K. (2002): Ein Beitrag zur Kenntnis der Molluskenfauna der Insel Brac (Dalmatien, Kroatien). – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 429-448, pl. 40-42.
 - Long, D. (2002): Field meeting in Gloucestershire, 28 July 2001. – *The Conchologists' Newsletter*, 160: 134-136. London.
 - Meier-Brook, C. (2002): What makes an aquatic ecosystem susceptible to mollusc invasions? – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 405-417.
 - Mienis, H.K. & G. Hadas (2002): Archaeomalacological finds in the vicinity of 'En Gedi. 1. Molluscs found during an excavation in the 'Old Roses''. – *Triton*, 6: 30-31.
 - Mienis, H.K. & G. Hadas (2002): Archaeomalacological finds in the vicinity of 'En Gedi. 2. Landsnails recovered from an ancient Leopard trap. – *Triton*, 6: 32.
 - Minato, H. & M. Kawana (2002): The land snail fauna of Kinkazan Islet, Miyagi Prefecture, northern Honshu, Japan with distribution records of *Reinia variegata* (Clausiliidae). – *The Chiribotan*, 32 (3-4): 75-81. Tokyo. [Japanese]
 - Müller, E.-D. (2002): Exkursion der Tabulae Malacologica Monacensis in den Bayerischen Wald zum Schwaimberg bei Grafenau und in die Buchberger Leite bei Freyung. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 525-530, pl. 47.
 - Pilate, D. & C. Greke (2002): Die Mollusken des Slitere-Nationalparks und angrenzender Gebiete (Nordwest-Lettland). – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 30): 283-293. Dresden.
 - Prié, V. (2002): Contribution à la connaissance malacologique des Causses méridionaux et des gorges de la Vis (Gard et Hérault - France). – *Documents Malacologiques*, 3: 25-33. Bousсенac.
 - Rehage, H.-O. & H. Terlutter (2002): Beitrag zur Kenntnis der Molluskenfauna des NSG 'Heiliges Meer', und seiner Umgebung (Krs. Steinfurt). – *Natur und Heimat*, 62 (2): 49-56. Münster.
 - Reischütz, P.L. (2002): Die in Österreich eingeschleppten Molluskenarten - eine Übersicht. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 419-428.
 - Renker, C. (2002): Die Bradybaenidae, Helicodontidae, Hygromiidae und Helicidae (Mollusca: Gastropoda) des Landkreises Göttingen (Süd-Niedersachsen). – *Braunschweiger Naturkundliche Schriften*, 6 (3): 557-576. Braunschweig.
 - Santos, O. (1999): Ensayo de lista sistemática de los caracoles terrestres en el Uruguay. – *Comunicaciones de la Sociedad Malacologica del Uruguay*, 8 (76-77): 137-144. Montevideo.
 - Schmid, G. (2002): Der Bambus-Tick oder *Paralaoma servilis*, die Gerippte Punkt-schnecke, in SW-Deutschland. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 377-403, pl. 39.
 - Sesen, R. & H. Schütt (2002): Land snails from the Turkish province Osmaniye in southern Anatolia. – *Zoology in the Middle East*, 27: 77-85. Heidelberg.
 - Szybiak, K. (2001): Malacocenosis of older forest by the river Smolnica in Notec forest. – *Badania Fizjograficzne nad Polska Zachodnia, Seria C, Zoologia*, 48: 21-27. Poznan. [Polish]

- Verdcourt, B. (2002): Records of non-African tropical land snails. Part I. – The Conchologists' Newsletter, 163: 258-268. London.
- Weidinger, W. (2002): Reisen in das Morgenland. Malakologische Beobachtungen in Lykien 1837 / 2001. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 1-20, pl.1-6.
- Wlosik-Bieniczak, E. (2001): Malacofauna of the river Bogdanka in Poznan in 1994-1998. – *Badania Fizjograficzne nad Polska Zachodnia*, Seria C, *Zoologia*, 48: 7-19. Poznan. [Polish]

FOSSIL ASSEMBLAGES

- Binder, H. (2002): Die Land- und Süßwassergastropoden aus dem Karpatium des Korneuburger Beckens (Niederösterreich; Untermyozän). – Beiträge zur Paläontologie, Band 27 [Das Karpat des Korneuburger Beckens, Teil 2]: 161-203. Wien.
- Ghetti, P., P. Anadon, A. Bertini, D. Esu, E. Gliozzi, L. Rook & I. Soulié-Marsche (2002): The Early Messinian Velona basin (Siena, central Italy): paleoenvironmental and paleobiogeographical reconstructions. – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 187 (1-2): 1-33. Amsterdam.
- Hamilton-Bruce, R.J., B.J. Smith & K.L. Gowlett-Holmes (2002): Descriptions of a new genus and two new species of viviparid snails (Mollusca: Gastropoda: Viviparidae) from the Early Cretaceous (middle-late Albian) Grimam Creek Formation of Lightning Ridge, northern New South Wales. – *Records of the South Australian Museum*, 35 (2): 193-203.
- Medzihradzsky, Z., M. Gasparik & L. Fuköh (2002): Re-evaluation of stratotype locality of *Vallonia costata* Biozone (Fuköh, L. 1990). – *Folia Historico-Naturalia Musei Matraensis*, 26: 37-46. Gyöngyös. [Hungarian]
- Moine, O., D.-D. Rousseau, D. Jolly & M. Vianey-Liaud (2002): Nouvelle fonction de transfert basée sur les mollusques terrestres et utilisant la méthode du Rang Climatique Mutuel. – *Haliotis*, 31: 13-19.
- Nordsieck, H. (2002): The Rillyini species from the Paleocene of the Paris basin (Gastropoda: Pulmonata: Clausiliidae). – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 343-361.
- Preece, R.C. & T. Meijer (2002): A review of the Pleistocene occurrence of the extinct land snail *Zonitoides sepultus* in Europe, including the first records from Britain and France. – *Journal of Conchology*, 37 (6): 627-633. London.
- Symonds, M.F. (2002): The Neritidae of the Barton Group (Middle Eocene) of the Hampshire Basin. – *Tertiary Research*, 21 (1-4): 1-10. Leiden.



Zonitoides sepultus - Preece & Meijer, 2002, *J. of Conch.*, 37: fig. 1

BIVALVIA

- Bialock-Herod, H.N., J.J. Herod & J.D. Williams (2002): Evaluation of conservation status, distribution, and reproductive characteristics of an endemic Gulf Coast freshwater mussel, *Lampsilis australis* (Bivalvia: Unionidae). – *Biodiversity and Conservation*, 11: 1877-1887.
- Bogan, A.E. & C.M. Bogan (2002): The development and evolution of Isaac Lea's publications on the Unionoidea. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 363-375.
- Bogatov, V.V., E.M. Saenko & Ya.I. Starobogatov (2002): On taxonomic position of the genus *Kunashiria* (Bivalvia, Unioniformes). – *Zoologicheskoe Zhurnal*, 81 (5): 521-528. Moskva. [Russian]
- Bößneck, U. (2002): Lebendnachweise von *Microcondylaea bonellii* (A. Férussac 1827) und *Pisidium tenuilineatum* Stelfox 1918 aus Istrien (Kroatien) (Bivalvia: Unionidae et Sphaeriidae). – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 32): 313-317. Dresden.
- Buhay, J.E., J.M. Serb, C.R. Dean, Q. Parham & C. Lydeard (2002): Conservation genetics of two endangered unionid bivalve species, *Epioblasma florentina walkeri* and *E. capsaeformis* (Unionidae: Lampsilini). – *Journal of Molluscan Studies*, 68 (4): 385-391. London.
- Dance, S.P. & J.G.J. Kuiper (2002): B.B. Woodward and the "Pisidium affair". – *Journal of Conchology*, 37 (6): 635-650. London.
- Greke, C. & M. Kalhins (2002): Zur Kenntnis der Gattung *Pisidium* C. Pfeiffer in Lettland (Bivalvia: Sphaeriidae). – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 33): 319-323. Dresden.
- Hoeh, W.R., D.T. Stewart & S.I. Guttman (2002): High fidelity of mitochondrial genome transmission under the doubly uniparental mode of inheritance in freshwater mussels (Bivalvia: Unionoidea). – *Evolution*, 56 (11): 2252-2261.

- Huang Y., H. Liu, X. Wu & S. Ouyang (2002): Testing the relationships of Chinese freshwater Unionidae (Bivalvia) based on analysis of partial mitochondrial 16S rRNA sequences. – *Journal of Molluscan Studies*, 68 (4): 359-363. London.
- Korniuschin, A.V. & M. Glaubrecht (2002): Phylogenetic analysis based on the morphology of viviparous freshwater clams of the family Sphaeriidae (Mollusca, Bivalvia, Veneroidea). – *Zoologica Scripta*, 31 (5): 415-459. Oslo.
- Korniuschin, A.V., L.N. Janovich & R.K. Melnichenko (2002): Artenliste der Süßwassermuscheln der Ukraine. Mit Bemerkungen über taxonomischen Status, Verbreitung und Gefährdungskategorien einiger Arten und Formen. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 463-478, pl. 43-46.
- Korniuschin, A.V. & J. Gerber (2002): Anatomical description of *Pisidium johnsoni* E.A. Smith, 1882 (Bivalvia: Sphaeriidae) from Madagascar. – *The Veliger*, 45 (4): 358-360. Santa Barbara.
- Mienis, H.K. (2002): British and Irish samples of American freshwater molluscs in the collection of the Hebrew University of Jerusalem. 1. *Musculium transversum* (Say, 1829). – *The Conchologists' Newsletter*, 160: 147-148. London.
- Mildner, P. (2002): Bemerkungen zur Faunistik der Sphaeriidae (Mollusca: Bivalvia) Kärntens. – *Carinthia II*, 112 (2): 437-448. Klagenfurt.
- Orlova, M.I. & G.K. Shcherbina (2002): On distribution of *Dreissena bugensis* (Dreissenidae, Bivalvia) in reservoirs of the upper Volga River basin. – *Zoologicheskoe Zhurnal*, 81 (5): 515-520. Moskva. [Russian]
- Piechocki, A. (2002): The fauna of pill-clams (*Pisidium* C. Pfeiffer) (Bivalvia, Sphaeriidae) at various depths in Lake Ostrowie (N.W. Poland). – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica*. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 449-461.
- Varga, A. & P. Juhasz (2002): *Sphaerium (Cyrenastrum) solidum* (Normand, 1844) a species new to the fauna of Hungary (Bivalvia, Sphaeriidae). – *Folia Historico-Naturalia Musei Matraensis*, 26: 121-124. Gyöngyös.



Sphaerium solidum - Adam, 1960, *Faune de Belgique*, 1: fig. 160

GASTROPODA

AMPULLARIIDAE

- Martin, S. M. (1999): Características de los desoves de *Pomacea scalaris* (D'Orbigny, 1835) y *Asolene (A) platae* (Maton, 1809) Hylton Scott, 1957 (Mollusca, Gastropoda, Ampullariidae). – Comunicaciones de la Sociedad Malacologica del Uruguay, 8 (76-77): 149-153. Montevideo.

ARIONIDAE


- Leonard, W.P. & K. Ovaska (2002): Reproduction of the Malone jumping-slug, *Hemphillia malonei* Pilsbry, 1917 (Mollusca: Gastropoda: Arionidae): laboratory observations. – *Nemouria*, 45: 1-14. Delaware.
- Ovaska, K., L. Chichester, H. Reise, W.P. Leonard & J. Baugh (2002): Anatomy of the dromedary jumping-slug, *Hemphillia dromedaris* Branson, 1972 (Gastropoda: Stylommatophora: Arionidae), with new distributional records. – *The Nautilus*, 116 (3): 89-94.
- Reise, H., M. Benke & J.M.C. Hutchinson (2002): A sinistral specimen of the terrestrial slug *Arion lusitanicus* (Gastropoda: Pulmonata: Arionidae). – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 25): 247-252. Dresden.

CAMAENIDAE

- Chang, K.M. (2001): Anatomy of *Conioglobus arisanus taktiriensis* (Kuroda) and its albino type from Taiwan (Pulmonata: Camaenidae). – *Bulletin of Malacology*, 25: 27-32. Taiwan.

CHONDRINIDAE

- Beckmann, K.-H. (2002): Elemente einer Revision der endemischen Rupestrellen Siziliens. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft)*: 49-78, pl. 9-13.
- Gerber, J. (2002): Two more northern outposts of the Southern Alpine land snail *Chondrina megacheilos* (Cristofori & Jan 1832) (Gastropoda: Pupilloidea: Chondrinidae). – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft)*: 33-40, pl. 7, 8a.
- Gittenberger, E. (2002): Two more sibling *Chondrina* species, endemic for France (Gastropoda, Pulmonata, Chondrinidae). – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft)*: 41-47, pl. 8b.



Chondrina kobelti - Gittenberger, 1973, Zool. Verh., 127: fig. 89

CLAUSILIIDAE

- Chang, K.M. (2001): Anatomy and systematics of two species of clausiliid snails from China (Pulmonata: Clausiliidae). – *Bulletin of Malacology*, 25: 17-26. Taiwan.
- Dedov, I. & E. Neubert (2002): Contribution to the knowledge of the clausiliid snails of the Shar Mountains (Republic of Macedonia) with description of new taxa (Pulmonata: Clausiliidae). – *Archiv für Molluskenkunde*, 131 (1-2): 201-209. Frankfurt am Main.
- Gittenberger, E. (2002): Two limestone 'islands' in central northern Greece, six new clausiliid taxa, three kinds of microarmature (Gastropoda, Pulmonata, Clausiliidae). – *Basteria*, 66 (4-6): 129-138. Leiden.
- Neubert, E. (2002): The non-Alopiine Clausiliidae of Africa, with a note on *Clausilia giraudi* Bourguignat (Mollusca, Stylommatophora: Clausiliidae). – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft)*: 253-275, pl. 27-29.
- Nordsieck, H. (2002): Revision of the Garnieriinae (Gastropoda: Stylommatophora: Clausiliidae), with descriptions of new taxa. – *Stuttgarter Beiträge zur Naturkunde, Serie A (Biologie)*, 640: 1-23. Stuttgart.
- Nordsieck, H. (2002): *Albinaria* taxa (Gastropoda: Pulmonata: Clausiliidae) on Folegandros island (Cyclades, Greece), subspecies or species? – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft)*: 291-299.
- Nordsieck, H. (2002): The Rillyni species from the Paleocene of the Paris basin (Gastropoda: Pulmonata: Clausiliidae). – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft)*: 343-361.
- Schütt, H. (2002): Eine neue Clausilie der türkischen Gattung *Strumosa* O. Boettger

1877 (Gastropoda: Stylommatophora: Clausiliidae). – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 22): 213-217. Dresden.

CYCLOPHORIDAE

- Lee, Y.-C. & W.-L. Wu (2001): The cyclophorids fauna of Taiwan. – *Bulletin of Malacology*, 25: 45-78. Taiwan.
- Winter, A.J. de (2002): Notes on land operculates from Cameroon (Gastropoda: Cyclophoridae and Maizaniidae), including the description of two new species. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft)*: 237-251.

DIPLOMMATINIDAE

- Maassen, W.J.M. (2002): Remarks on the Diplomatinae from Sumatra, Indonesia, with descriptions of eleven new species (Gastropoda, Prosobranchia). – *Basteria*, 66 (4-6): 163-182. Leiden.

ENIDAE

- Kunz, F. & A. Kobel-Lamparski (2002): Phänologie und Populationsstruktur der Landlungenschnecke *Zebrina detrita* (Gastropoda: Stylommatophora: Enidae). – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 26): 253-262. Dresden.

HELICIDAE


- Bertrand, A. (2002): *Chilostoma desmoulinii* (Farines 1834) en France (Gastropoda: Pulmonata: Helicidae). – *Documents Malacologiques*, 3: 19-20. Bousсенac.
- Bertrand, A. (2002): *Chilostoma acrotricha* (P. Fischer 1877) en France (Gastropoda: Pulmonata: Helicidae). – *Documents Malacologiques*, 3: 23-24. Bousсенac.
- Bojat, N.C. & M. Haase (2002): Sperm storage in the simultaneously hermaphroditic land snail *Arianta arbustorum*. – *Journal of Zoology*, 258 (4): 497-503. London.
- Forni, G. & C.F. Sacchi (2002): Ecologia di un invasore. L'Elicidi mediterraneo *Theba pisana* a Port Elizabeth (Sudafrica): aspetti minimalistici. – *Studi Trentini di Scienze Naturali, Acta Biologica*, 78 (2) [2001]: 29-36. Trento.
- Mienis, H.K. (2002): *Eobania vermiculata* in Iran. – *Triton*, 6: 27.
- Santos, O. (1999): *Otala punctata* (Müller, 1774) si, *Otala lactea* (Müller, 1774) no. – *Comunicaciones de la Sociedad Malacologica del Uruguay*, 8 (76-77): 135-136. Montevideo.
- Subai, P. (2002): Revision der Ariantinae. 2. Die *Helicigona*-Untergattung *Liburnica* (Gastropoda: Pulmonata: Helicidae). – *Archiv für Molluskenkunde*, 131 (1-2): 1-65. Frankfurt am Main.
- Sverlova, N. (2002): Einschleppung und Polymorphismus der *Cepaea*-Arten am Beispiel von Lwow in der Westukraine

(Gastropoda: Pulmonata: Helicidae). – Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden, 20 (2, 28): 267-274. Dresden.

- Vial, E. & A. Bertrand (2002): *Chilostoma crombrezi* (Locard 1882) en France (Gastropoda: Pulmonata: Helicidae). – Documents Malacologiques, 3: 21-22. Bousсенac.

HYDROBIIIDAE

- Arconada, B. & M.A. Ramos (2002): *Spathogyna*, a new genus for *Valvata* (?*Tropidina*) fezi Altimira, 1960 from eastern Spain: another case of pseudohermaphroditism in the Hydrobiidae (Gastropoda). – Journal of Molluscan Studies, 68 (4): 319-327. London.
- Bernasconi, R. (2002): Deuxième complément à la connaissance du genre *Bythinella* (Mollusca: Caenogastropoda: Hydrobiidae) en France. – Documents Malacologiques, 3: 9-12. Bousсенac.
- Bernasconi, R. (2002): Troisième complément à la connaissance du genre *Bythinella* (Mollusca: Caenogastropoda: Hydrobiidae) en France. – Documents Malacologiques, 3: 55-56. Bousсенac.
- Bodon, M., G. Manganelli & F. Giusti (2002): *Heraultiella* new name for *Heraultia* Bodon, Manganelli & Giusti, 2001 (Gastropoda: Hydrobiidae). – Journal of Conchology, 37 (6): 681. London.
- Boeters, H.D. (2002): Ein Beitrag zu *Bythiospeum* im Einzugsgebiet der Isar in Oberbayern. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 21-31.



Bythiospeum acicula - Boeters, 2002, Collectanea Malacologica: fig. 4

- Feldmann, R. & P. Schlücking (2002): Reliktorkommen und regionale Arealgrenze der Quellschnecke *Bythinella dunkeri* im Ruhr- und Möhnetal (NRW). – Natur und Heimat, 62 (1): 19-27. Münstert.
- Geissert, F. & A. Bertrand (2002): *Bythiospeum rhenanum* (Lais 1935) en France (Mollusca: Caenogastropoda: Hydrobiidae). – Documents Malacologiques, 3: 13-14. Bousсенac.
- Girardi, H. (2002): Description de deux nouvelles espèces de bythinelles (Mollusca: Caenogastropoda: Hydrobiidae) des excursions de Castelbouc et de Montbrun (France, Lozère). – Documents Malacologiques, 3: 43-54. Bousсенac.

- Girardi, H. (2002): *Bythiospeum diaphanum michaelensis* ssp. nov. du Vaucluse (Prosobranchia: Hydrobiidae: Belgrandiinae). – Documents Malacologiques, 3: 57-64. Bousсенac.
- Negrea, A. & A. Grossu (2001): On *Heleobia dobrogica* (Grossu and Negrea, 1989) (Gastropoda: Hydrobiidae) populations from the subterranean waters of the Mangalia karstic zone (Dobrogea, Romania). Critical note. – Travaux du Muséum national d'Histoire naturelle 'Grigore Antipa', 43: 7-10. Bucaresti.
- Wilke, T., M. Pfenninger & G.M. Davis (2002): Anatomical variation in cryptic mudsnail species: statistical discrimination and evolutionary significance. – Proceedings of the Academy of Natural Sciences of Philadelphia, 152: 45-66. Philadelphia.

HYGROMIIDAE

- Alonso, M.R., M. Ibáñez & C.E. Pontelira (2002): *Canariella (Canariella) falkneri* new species (Gastropoda Pulmonata: Hygromiidae) from La Gomera (Canary Islands). – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 79-87.
- Bertrand, A. (2002): *Trichia ataxiaca* (Fagot 1884) en France (Gastropoda: Pulmonata: Hygromiidae). – Documents Malacologiques, 3: 15-16. Bousсенac.
- Bertrand, A. (2002): *Montserratina martorelli* (Bourguignat 1870) en France (Gastropoda: Pulmonata: Hygromiidae). – Documents Malacologiques, 3: 17-18. Bousсенac.
- Gittenberger, E. & R. Carr (2002): A second locality for *Helicella (H.) valdeona* (Hygromiidae). – Journal of Conchology, 37 (6): 663-665. London.
- Mienis, H.K. (2002): An albinistic specimen of *Xerotricha conspurcata*. – Triton, 6: 29.
- Pfenninger, M. & D. Posada (2002): Phylogeographic history of the land snail *Candidula unifasciata* (Helicellinae, Stylommatophora): fragmentation, corridor migration, and secondary contact. – Evolution, 56 (9): 1776-1788.

HYPSELOSTOMATIDAE

- Chen, D.-N. & W.-H. Zhang (2002): Zoogeographical analysis of the *Boysidia* (Ancy, 1881) in China, description of a new species (Pulmonata: Stylommatophora: Pupillidae). – Acta Zootaxonomica Sinica, 27 (4): 690-698. Beijing. [Chinese]

LIMACIDAE

- Kano, Y., H. Fukuda, H. Yoshizaki et al. (2001): Distribution and seasonal maturation of the alien slug *Lehmanna valentiana* (Gastropoda: Pulmonata: Limacidae) in Yamaguchi Prefecture, Japan. – The Yuriyagai, 8 (1): 1-13. Tokuji, Yamaguchi.
- Kano, Y. (2001): A review of the species of the family Limacidae (Gastropoda: Pulmonata) from Yamaguchi Prefecture,

Japan. – The Yuriyagai, 8 (1): 33-36. Tokuji, Yamaguchi.

- Leal-Zanchet, A.M. (2002): Ultrastructure of the supporting cells and secretory cells of the alimentary canal of the slugs, *Lehmanna marginata* and *Boettgerilla pallens* (Pulmonata: Stylommatophora: Limacoidea). – Malacologia, 44 (2): 223-239.

LYMNAEIDAE

- Beran, L. (2002): First record of *Stagnicola fuscus* (Mollusca: Gastropoda) from the Czech Republic. – Acta Societatis Zoologicae Bohemicae, 66 (1): 1-2. Praha.
- Garbar, A.V. & A.V. Kornushin (2002): Karyotypes of two European species of the genus *Lymnaea* with disputable taxonomic status (Gastropoda: Pulmonata: Lymnaeidae). – Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden, 20 (2, 24): 235-246. Dresden.
- Zelaya, D.G. (1999): Hallazgo de *Pseudosuccinea columella* (Mollusca: Lymnaeidae) en la Ciudad de Buenos Aires. – Comunicaciones de la Sociedad Malacologica del Uruguay, 8 (76-77): 145-146. Montevideo.

MAIZANIIDAE

- Emberton, K.C. (2002): *Ankoravaratra*, a new genus of land snails endemic to northern Madagascar (Cyclophoroidea: Maizaniidae?). – The Veliger, 45 (4): 278-289. Santa Barbara.
- Winter, A.J. de (2002): Notes on land operculates from Cameroon (Gastropoda: Cyclophoriidae and Maizaniidae), including the description of two new species. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 237-251.



Melanopsis aaronsohni - Heller & Sivas, 2002, J. of Conch., 37: fig. 3E

MELANOPSIDAE

- Falniowski, A., J. Heller, M. Szarowska & K. Mazan-Mamczarz (2002): Allozymic taxonomy within the genus *Melanopsis* (Gastropoda: Cerithacea) in Israel: a case in which slight differences are congruent. – Malacologia, 44 (2): 307-324.
- Heller, J., N. Sivan & F. Ben-Ami (2002): Systematics of *Melanopsis* from the Coas-

tal Plain of Israel (Gastropoda: Cerithioidea). – *Journal of Conchology*, 37 (6): 589-606. London.

- Heller, J. & N. Sivan (2002): *Melanopsis* from the Pliocene site of Érq El-Ahmar, Jordan Valley (Gastropoda: Cerithioidea). – *Journal of Conchology*, 37 (6): 607-625. London.
- Mazan-Mamczarz, K., J. Heller & M. Szarowska (2002): Differences in the radula of the genus *Melanopsis* in the Jordan valley, Israel (Gastropoda: Cerithioidea: Melanopsidae). – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 23): 219-233. Dresden.

NERITIDAE

- Symonds, M.F. (2002): The Neritidae of the Barton Group (Middle Eocene) of the Hampshire Basin. – *Tertiary Research*, 21 (1-4): 1-10. Leiden.

OREOHELICIDAE

- G.V. Oliver & W.R. Bosworth III (2002): Oreohelices of Utah, II. Extant status of the Brian Head mountainsnail, *Oreohelix parawanensis* Gegg, 1941 (Stylommatophora: Oreohelicidae). – *Western North American Naturalist*, 62 (4): 451-457.

OXYCHILIDAE

- Manganelli, G., S. Cianfanelli & F. Giusti (2002): The endemic *Oxychilus* species of Lampedusa (Pelagian Islands, Italy): *O. diductus* (Westerlund, 1886) (Pulmonata, Zonitidae). – *Journal of Conchology*, 37 (6): 651-662. London.
- Mienis, H.K. (2002): Israel has its own garlic snail: *Oxychilus camelinus*. – *Triton*, 6: 28.

PACHYCHILIDAE

- Köhler, F. & M. Glaubrecht (2002): Annotated catalogue of the nominal taxa of Southeast Asian freshwater gastropods, family Pachychilidae Tröschel, 1857 (Mollusca, Caenogastropoda, Cerithioidea), with an evaluation of the types. – *Mitteilungen aus dem Museum für Naturkunde in Berlin, Zoologische Reihe*, 78 (1): 121-156. Berlin.
- Köhler, F. & M. Glaubrecht (2002): A new species of *Brotia* H. Adams, 1866 (Caenogastropoda: Cerithioidea: Pachychilidae). – *Journal of Molluscan Studies*, 68 (4): 353-357. London.
- Köhler, F. & M. Glaubrecht (2003): Morphology, reproductive biology and molecular genetics of ovoviviparous freshwater gastropods (Cerithioidea, Pachychilidae) from the Philippines, with description of a new genus *Jagora*. – *Zoologica Scripta*, 32 (1): 35-59. Oslo.

PLANORBIDAE

- Marui, H. (2002): A new locality of the endangered freshwater snail *Camptoceras hirasei* (Gastropoda: Pulmonata: Planorbidae) in Wakayama Prefecture, Japan. – *The Yuriyagai*, 8 (2): 83-85. Tokuyi, Yamaguchi.



Anisus leucostomus - Adam, 1960, Faune de Belgique, 1: fig. 46

- Rauers, H. (2002): Ein Nachweis der Gelippten Tellerschnecke (*Anisus spirorbis* (L.)) bei Warendorf. – *Natur und Heimat*, 62 (2): 43-48. Münster.
- Rumi, A., J.A. Bechara, M.I. Hamann & M. Ostrowski de Nunez (2002): Ecology of potential hosts of Schistosomiasis in urban environments of Chaco, Argentina. – *Malacologia*, 44 (2): 273-288.

POMATIOPSIDAE


- Seto, E.Y.W., W. Wu, D. Qiu, H. Liu, X. Gu, H. Chen, R.C. Spear & G.M. Davis (2002): Impact of soil chemistry on the distribution of *Oncomelania hupensis* (Gastropoda: Pomatiopsidae) in China. – *Malacologia*, 44 (2): 259-272.
- Shi, C.-H., T. Wilke, G.M. Davis, M.-Y. Xia & C.-P. Qiu (2002): Population genetics, micro-phylogeography, ecology, and susceptibility to Schistosome infection of Chinese *Oncomelania hupensis hupensis* (Gastropoda: Rissooidea: Pomatiopsidae) in the Miao River system. – *Malacologia*, 44 (2): 333-347.

PUNCTIDAE

- Schmid, A. (2002): Der Bambus-Tick oder *Paralaoma servilis*, die Gerippte Punktschnecke, in SW-Deutschland. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 377-403, pl. 39.*

PUPINIDAE

- Maassen, W.J.M. (2002): Remarks on the Pupinidae of Sumatra (Indonesia) with description of two new species (Gastropoda, Prosobranchia: Pupinidae). – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft): 277-290, pl. 30.*



Pupina turgidula - Maassen, 2002, *Collectanea Malacologica*: fig. 6

RHYTIDIDAE

- Stringer, I.A.N., M.J. McLean, G.C. Arnold, S.M. Bassett & R. Montefiore (2002): Growth and development of the rare land snail *Paryphanta busbyi watti* (Eupulmonata: Rhytididae). – *Molluscan Research*, 22 (3): 203-220.

SIPHONARIIDAE

- Pal, P. & A.H. Hodgson (2002): An ultrastructural study of oogenesis in a planktonic and a direct-developing species of *Siphonaria* (Gastropoda: Pulmonata). – *Journal of Molluscan Studies*, 68 (4): 337-344. London.

STREPTAXIDAE

- Barbosa, A.F., N.C. Salgado & A.C. dos Santos Coelho (2002): Taxonomic status and redescription of *Helix tusula* Férussac, 1827 as Brazilian Streptaxidae species (Mollusca, Gastropoda, Pulmonata). – *Boletim do Museu Nacional, Nova Série*, 482: 1-10. Rio de Janeiro.
- Bruggen, A.C. van (2002): *Streptostele acicula* (Morelet) on Farquhar Is., western Indian Ocean (Gastropoda, Pulmonata, Streptaxidae). – *Basteria*, 66 (4-6): 128. Leiden.
- Emberton, K.C. (2002): *Parvedentulina* and edentate *Gulella* of Madagascar (Gastropoda: Stylommatophora: Streptaxidae). – *Archiv für Molluskenkunde*, 131 (1-2): 67-165. Frankfurt am Main.

SUBULINIDAE

- Janssen, R. & V. Witte (2002): *Allopeas myrmekophilos* n. sp., the first snail reported as living in army ant colonies (Gastropoda: Pulmonata: Subulinidae). – *Archiv für Molluskenkunde*, 131 (1-2): 211-215. Frankfurt am Main.

THIARIDAE

- Appleton, C.C. & D.S. Nadasan (2002): First report of *Tarebia granifera* (Lamarck, 1816) (Gastropoda: Thiaridae) from Africa. – *Journal of Molluscan Studies*, 68 (4): 399-402. London.

UROCOPTIDAE

- Gittenberger, E. & P. Mordan (2002): The urocoptid closing device, rare and remarkable (Gastropoda, Pulmonata, Urocoptidae). – *Basteria*, 66 (4-6): 123-127. Leiden.

VERONICELLIDAE

- Thomé, J.W., S.R. Gomes & R.S. da Silva (2002): Redescription of the genus and species *Heterovaginina limayana* (Lesson, 1830) (Gastropoda: Soleolifera: Veronicellidae). – *The Nautilus*, 116 (3): 79-88.

VERTIGINIDAE

- Fowles, A.P. (2002): *Vertigo angustior* Jeffreys, 1830 and *Vertigo mouliniana* (Dupuy, 1849), new to Greece, on the Aegean island of Thasos. – *Journal of Conchology*, 37 (6): 683-684. London.

VIVIPARIDAE

- Chiu, Y.-W., H.-C. Chen, S.-C. Lee & C.A. Chen (2002): Morphometric analysis of shell and operculum variations in the vivi-

parid snail, *Cipangopaludina chinensis* (Mollusca: Gastropoda), in Taiwan. – *Zoological Studies*, 41 (3): 321-331. Taipei.

- Hamilton-Bruce, R.J., B.J. Smith & K.L. Gowlett-Holmes (2002): Descriptions of a new genus and two new species of viviparid snails (Mollusca: Gastropoda: Viviparidae) from the Early Cretaceous (middle-late Albian) Grimam Creek Formation of Lightning Ridge, northern New South Wales. – *Records of the South Australian Museum*, 35 (2): 193-203.

MISCELLANEA

- Alexandrowicz, S.W. (2002): Ancient death assemblage of molluscs from the Garda Lake (Lago di Garda, Northern Italy). – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 29): 275-281. Dresden.
- Barsanti, G. (2002): Di alcuni orientamenti teorici di Marianna Paulucci. – *Lavori della Società Italiana di Malacologia*, 25: 5-12.
- Bennett, T.P. (2002): The 1817 Florida expedition of the Academy of Natural Sciences. – *Proceedings of the Academy of Natural Sciences of Philadelphia*, 152: 1-21. Philadelphia.
- Catalani, J. (2002): Stephen Jay Gould - Champion for evolution. – *American Paleontologist*, 10 (5): 11-13.
- Cianfanelli, S. & G. Manganelli (2002): A bibliography of Marianna Paulucci (1835-1919). – *Archives of Natural History*, 29 (3): 303-315. London.
- Dodson, P. (2002): Bully for Steve. Stephen Jay Gould (1941-2002). – *American Paleontologist*, 10 (5): 6-10.
- Durant, J. (2002): In memory of Stephen Jay Gould. – *Public Understanding of Science*, 11 (4): 389-392. Bristol.
- Dussart, G. (2002): Drag coefficients: a comparison of ten species of freshwater gastropod molluscs. – *Haliotis*, 31: 63-70.
- Gargominy, O. (2002): Epilogue - Le terroir de la passion. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft)*: 545-547.
- Guerrero, R. & L. Margulis (2001): The Linnean Task: the documentation and preservation of the world's biological diversity. – In: B.S. Rushton, P. Hackney & C.R. Tyrie (eds.), *Biological collections and biodiversity. Linnean Society Occasional Publications*, 3: 287-298. London.
- Lindberg, D.R. (2002): The century's finest. [S.J. Gould]. – *The Veliger*, 45 (4): 356-358. Santa Barbara.
- Lipparini, G. & B. Maiolini (2002): La collezione malacologica del Museo Tridentino di Scienze Naturali. – *Studi Trentini di Scienze Naturali, Acta Biologica*, 78 (2) [2001]: 37-46. Trento.
- Lydeard, C., W.E. Holznagel, R. Ueshima & A. Kurabayashi (2002): Systematic implications of extreme loss of reduction of mitochondrial LSU rRNA helical-loop structures in gastropods. – *Malacologia*, 44 (2): 349-352.
- Manganelli, G. & S. Cianfanelli (2002): Marianna Paulucci naturalista. – *Lavori della Società Italiana di Malacologia*, 25: 3-4.
- Manganelli, G., S. Cianfanelli & E. Talenti (2002): Il contributo di Marianna Paulucci alla conoscenza della malacofauna italiana. – *Lavori della Società Italiana di Malacologia*, 25: 13-30.
- Moine, O., D.-D. Rousseau, D. Jolly & M. Vianey-Liaud (2002): Nouvelle fonction de transfert basée sur les mollusques terrestres et utilisant la méthode du Rang Climatique Mutuel. – *Haliotis*, 31: 13-19.
- Moore, R. (2002): The sad status of evolution education in American schools. – *The Linnean*, 18 (3): 26-34. London.
- Norris, A. (2002): The molluscan collections held at the Leeds Museum Resource Centre. – *The Conchologists' Newsletter*, 160: 124-128. London.
- Proschwitz, T. von (2002): Tierknochen als Kalkquelle für landlebende Mollusken. – In: M. Falkner, K. Groh & M.C.D. Speight (eds.), *Collectanea Malacologica. Festschrift für Gerhard Falkner. Hackenheim/München (ConchBooks/Friedrich-Held-Gesellschaft)*: 519-524.
- Rudzite, M. & J. H. Jungbluth (2002): Die Sammlungen zur Molluskenfauna Lettlands und die Beiträge von Curt Krausp, Hans-Jürgen Leep und Hans Schlesch zur Erforschung der lettischen Molluskenfauna. – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 31): 195-311. Dresden.
- Schniebs, K. (2002): Die Typen und Typoide der Molluskensammlung der Staatlichen Naturhistorischen Sammlungen Dresden, Museum für Tierkunde (I). Die Typen der von Anton (1838) beschriebenen rezenten Mollusken: 6. Muricidae, Ampullariidae, Pomatiidae, Bulimulidae. – *Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, 20 (2, 27): 263-266. Dresden.
- Subai, P. & Z. Fehér (2002): Pintér Laszlo Emo (1942.III.6., Sopron - 2002.V.18., Bécs). – *Folia Historico-Naturalia Musei Matracensis*, 26: 7-14. Gyöngyös. [Hungarian]
- Wake, D.B. (2002): On the scientific legacy of Stephen Jay Gould. – *Evolution*, 56 (11): 2346.
- Wakeham-Dawson, A., S. Morris & P. Tubbs (2002): Type specimens: dead or alive? – *Bulletin of Zoological Nomenclature*, 59 (4): 282-284. London.
- Whiteley, T.E. & G.J. Kloc (2002): The holy holotype. – *American Paleontologist*, 10 (5): 3-5.