

TIJDSCHRIFTARTIKELEN JOURNAL PAPERS

W. Faber

Artikelen over mariene weekdieren in andere tijdschriften. Buikpotigen en zweekleppigen per familie in alfabetische volgorde. [] redactionele opmerkingen.

Papers about marine molluscs in other magazines. Gastropods and bivalves per family in alphabetical order. [] editorial notes.

POLYPLACOPHORA (Class)

- * CLARK, R.N., 2002. — *Stenosemus sharpii* (Pilsbry, 1896) rediscovery of a forgotten Chiton from the Aleutian Islands. — *Nemouria* 46: 1-6.
- * ZALVIDE, P.C., F.J. GARCIA & Y. URORRI, 2002. — Consideraciones taxanómicas y zoogeográficas del género *Callochiton* Gray, 1843 en la península ibérica. [with English abstract] — *Arch. Molluskenkunde* 131(1-2): 185-199.
- * KROH, A., 2002. — Die Polyplacophoren des Badenium (Mittel-Miozän) von Gainfarn, Niederösterreich. — *Ber. Inst. Geol. Paläont. K.-F. Univ. Graz*, vol. 5: 1-11.

GASTROPODA

GENERAL / ALGEMEEN

- * LAM, K.K.Y., 2002. — Escape responses of intertidal gastropods on a subtropical rocky shore in Hong Kong. — *J. Moll. Studies* 68(4): 297-306.
- * OLIVERIO, M. & R. CHEMELLO (Eds), 2002. — 3rd International Workshop of Malacology: Systematics, Phylogeny and Biology of the Neogastropoda. — *Boll. Malacologico XXXVIII* (suppl. 4): 1-194.

REGIONAL / REGIONAAL

- * PAULMIER, G., 2003. Quelques coquillages de la Province Caraïbe rares ou absents aux Antilles françaises. [also in English] — *Xenophora No. 101*: 9-13.
- * SEGERS, W., 2002. — On some shallow-water marine molluscs of the Azores. — *Gloria Maris* 41(4-5): 84-104.
- * MIENIS, H.K., 2003. — Native marine molluscs replaced by Lessepsian migrants. — *Tentacle* No. 11: 15-16.
- * KILBURN, R.N., 2002. — Biogeography of Indian Marine Molluscs. — *Phuket Marine Biol. Center Spec. Publ.* 26: 5-17.
- * HYLLEBERG, J. & R.N. KILBURN, 2002. — Annotated inventory of molluscs from the Gulf of Mannar and vicinity. — *Phuket Marine Biol. Center Spec. Publ.* 26: 10-79.
- * KABASAKAL, H. & E., 2003. — On a collection of prosobranch gastropods from the northeastern coast of the Aegean Sea. — *Club Conchylia Informationen* 34(4-6): 13-21.
- * MALAQUIAS, M.A., E. MARTÍNEZ & D. ABREU, 2002. — Cephalaspidea s.l. of the Madeira Archipelago and Selvagens Islands, northeast Atlantic, Portugal. — *Am. Malac. Bull.* 17(1-2): 65-83.

ARCHITECTONICIDAE

- * SMRIGLIO, C. & P. MARIOTTINI, 2002. — On the occurrence of *Spirolaxis lamellifer*

(Rehder, 1935) in the Mediterranean Sea.
— *Basteria* 66(4-6): 183-187.

ASSIMINEIDAE

- * FORSYTH, R.G., 2003. — Northern range extension for *Assiminea translucens* (Carpenter, 1864). — *The Festivus* 35(2): 17-18.

BUCCINIDAE

- * SYSOEV, A.V. & YU. I. KANTOR, 2002. — On some species of prosobranchiate gastropods from Russian waters described by C.W.S. Aurivillius in 1885. — *Ruthenica* 12(2): 113-118.

BURSIDAE

- * GOFAS, S. & A. BEU, 2002. — Tonoidean gastropods of the North Atlantic Seamounts and the Azores. — *Am. Malac. Bull.* 17(1-2): 91-108.

CAECIDAE

- * ABSALÃO, R.S. & M. PIZZINI, 2002. — Critical analysis of subgeneric taxa of the subfamily Caecinae. — *Arch. Molluskenkunde* 131(1-2): 167-183.

CALYPTRAEIDAE

- * SKOGlund, C. & C.M. HERTZ, 2003. — *Cuciculum castellum* Berry, 1963, a valid species. — *The Festivus* 35(2): 13-16.

CAPULIDAE

- * See under Buccinidae.

CASSIDAE

- * MIENIS, H.K., 2003. — *Phalium bisulcatum*: does it occur in the Red Sea? — *Triton* 7: 7-8.

CAVOLINIDAE

- * JANSEN, A.W. & K. GÖRS, 2002. — Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 12. On the identity of *Hyalea perovalis* Von Koenen, 1882 from the Early Miocene of the North Sea Basin. — *Basteria* 66(4-6): 143-148.

CONIDAE


- * TOUTOU, D., 2003. — Quinze jours pour dénicher les cônes des Seychelles. [also in English] — *Xenophora No. 101*: 16-17.
- * THACH, N.N., 2002. — The Cone Shells of Vietnam. — *Of Sea and Shore* 25(2): 121-130, 133-134.
- * YOSHIBA, S., 2002. — Predatory Behaviour of *Conus (Gastridium) tulipa* with Comparison to Other Species. — *Venus* 61(3): 4): 179-191.

CYPRAEIDAE

- * LIMPALAËR, L., 2003. — Retour à Madagascar. Part. 1: L'affaire *androyensis*. [also in English] — *Xenophora No. 101*: 18-20.
- * GROVES, L.T. & A. WEIL, 2002. — Authors in Cypraeidae Rafinesque, 1815. — *La Conchiglia* 34(suppl. of 305): 1-64.
- * SMRIGLIO, C., G. BINI & M. BERGONZONI, 2003. — *Staphyaea borzattii* Bini, 1982: a Cypraeid scarcely known. — *La Conchiglia* 34(305): 19-22.

EPITONIIDAE

- * GARCIA, E.F., 2003. — New records of Indo-Pacific Epitonidae with the description of nineteen new species. — *Novapex extra No. 1*: 1-22.



Epitonium (Parviscalpa) juanitae Garcia, 2003
Holotype, 24.6 x 11.7 mm. Novapex extra 1: 1-22.

ERATOIDAE

- * FEHSE, D. & B. LANDAU, 2002. — Contributions to eratoïd systematics, 1. Early Pliocene Eratoidea from the western Mediterranean. — *Cainozoic Res.* 1(1-2): 13-33.
- * FEHSE, D. & B. LANDAU, 2002. — Late Miocene Eratoidea from Sceaux d'Anjou (Loire Basin, France). — *Cainozoic Res.* 1(1-2): 91-110.

FASCIOLARIIDAE

- * SNYDER, M.A., 2002. — *Conradconfusus*, a replacement for *Buccinofusus* Conrad, 1868, non 1866. — *Cainozoic Res.* 1(1-2): 129-132.

HALIOTIDAE

- * EAGLE, M.K., 2002. — Review of fossil Haliotidae from New Zealand (...). — *Rec. Auckland Mus.*, vol. 39: 21-43.
- * OWEN, B. & D. POTTER, 2002. — A Photo

Study of the Eastern Pacific Hybrid Abalones. — Of Sea and Shore 25(2): 103-106.

* OWEN, B. & S. BROWNING, 2002. — A Possible New Species of *Haliotis* from Northern Asia, a preliminary report and photo study. — Of Sea and Shore 25(2): 108-110.

* HEIMAN, E.L., 2003. — Shells of East Sinai, an illustrated list: Haliotidae. — Triton 7: 24-25.

HYATINIDAE

* See under Slugs: García et al.

LAUBIERINIDAE

* See under Bursidae.

LITTORINIDAE

* JOHANNESSEN, K., 2003. — Evolution in *Littorina*: ecology matters. — J. of Sea Res. 49(2): 107-117.

* LEIFSDÓTTIR, Ó.E. & L.A. SIMONARSON, 2002. — The mesogastropod *Littorina littorea* (Linné, 1758) in Iceland: palaeobiogeography and migration. — Cainozoic Res. 1(1-2): 3-12.

* INNES-CAMPBELL, J., M. STUCKEY & M.S. JOHNSON, 2003. — Allozymic investigation of phylogeny of *Littoraria*. — J. Moll. Stud. 69(1): 19-26.

LOTTIIDAE

* SIMISON, W.B. & D.R. LINDBERG, 2003. — On the identity of *Lottia strigatella* (Carpenter, 1864). — The Veliger 46(1): 1-19.

* KOSUGE, T. & T. SASAKI, 2002. — Habitat and geographic distribution of an unidentified species of *Patelloidea profunda* group new to Japan. [in Japanese] — Chiribotan 33(1-4): 47-52.

MARGINELLIDAE

* LA PERTA, R., B. LANDAU & R. MARQUET, 2002. *Granulina* from the Pliocene of Málaga (southern Spain). — Cainozoic Res. 1(1-2): 111-120.

MURICIDAE

* HEWITT, S., 2003. — The curious history of *Dermomurex alabastrum* (A. Adams, 1864) and a new geographical locality for the species: Nevis, West Indies. — The Festivus 35(1): 3-8.

* MARKO, P.B., R. PALMER & G.J. VERMEIJ, 2003. — Resurrection of *Nucella ostrina* (Gould, 1852), Lectotype designation for *N. emarginata* (Deshayes, 1839), and Molecular Genetic Evidence of Pleistocene Speciation. — The Veliger 46(1): 77-85.

* HEIMAN, E.L., 2003. — Shells of East Sinai: Muricidae. — Triton 7: 22-23.

NACELLIDAE

* MIENIS, H.K., 2002. — Is the Lessepsian migrant *Cellana rota* replacing native limpets along the Mediterranean coast of Israel? — The Conchologists' Newsletter 10(163): 275-276.

NASSARIIDAE

* MOGOLLÓN AVILA, V. & J. KOSTELAC ROCA, 2003. — Records of five *Nassarius*

species in Perú. — The Festivus 35(4): 33-37.

NERITIDAE

* JAITLEY A.K. & J. SZABÓ, 2002. — *Bhujnerita*, a new gastropod genus from the Kachchh Jurassic (western India). — Fragmenta Palaeontologica Hungarica vol. 20: 49-52.

* LAN, T.C. & C.Y. CHEN, 2002. — A further study on *Nerita squamulata* as a new local form from the Pescadores Islands, Taiwan. — Bull. of Malac., Taiwan 26: 11-16.

* HEIMAN, E.L., 2003. — Shells of East Sinai, an illustrated list: Neritidae. — Triton 7: 20-21.

PATELLIDAE

* See under Nacellidae.

* DAMEN, P. & W.J.A.G. DICTUS, 2002. — Newly discovered muscle in the larva of *Patella coerulea* suggests the presence of a larval extensor. — Contr. to Zool. 71(1-3): 37-45.

PERSONIDAE

* See under Bursidae.

PYRAMIDELLIDAE

* MIENIS, H.K., 2003. — Is *Oscilla jacosa* an ectoparasite of *Trochus erythreus*? — Triton 7: 1.

RANELLIDAE

* See under Bursidae.

RETUSIDAE

* BOGI, C. & B.S. GALIL, 2003. — Finding of *Retusa desgenettii* (Adouin, 1826) along the Israeli coast. — La Conchiglia 34(305): 11-13.

ROSTELLARIIDAE

* See under Strombidae (1).

* DEKKER, H., 2002. — A note on the distribution of two species of *Tibia* in Yemen. — Vita Malacologica No. 1: 33-37.

* KRONENBERG, G.C. & A.W. BURGER, 2002. — On the subdivision of Recent *Tibia*-like gastropods, with the recognition of the family Rostellariidae Gabb, 1868, and a note on the type species of *Tibia* Röding, 1798. — Vita Malacologica No. 1: 39-48.

SERAPHIDAE

* See under Strombidae (1).

STROMBIDAE

* RAVEN, H., 2002. — Notes on molluscs from NW Borneo. 1. Stromboidea (Gastropoda, Strombidae, Rostellariidae, Seraphidae). — Vita Malacologica No. 1: 3-32.

* KRONENBERG, G.C. & G.J. VERMEIJ, 2002. — *Terestrombus* and *Tridentarius*, new genera of Indo-Pacific Strombidae, with comments on included taxa and on shell characters in Strombidae. — Vita Malacologica No. 1: 49-54.

TRIFORIDAE

* GOFAS, S., 2002. — An endemic radiation of *Trituba* on the North Atlantic seamounts.

— Am. Malac. Bull. 17(1-2): 45-63.

TROCHIDAE

* MIENIS, H.K., 2002. — On the identity of *Calliostoma vicentae* Rutland. — The Conchologists' Newsletter No. 160: 137-138.

* See under Pyramidellidae.

* MIENIS, H.K., 2003. — Reinstatement of the name *Trochus ferreirai* Bozzetti. — Triton 7: 2.

TURRIDAE

* See under Buccinidae.

* MEDINSKAYA, A.I., 2002. — Structure of the venom gland – muscular bull complex in the family Turridae. — Ruthenica 12(2): 125-133.

* MEDINSKAYA, A.I., 2002. — Foregut anatomy of the Turridae. — Ruthenica 12(2): 135-159.

VOLUTIDAE


* DARDANO, M., 2002. — Some notes on the genus *Fulgoraria*. — Of Sea and Shore 25(2): 100-102.

BIVALVIA

ARCIDAE

* PEHARD, M., C.A. RICHARDSON, V. ONOFRI, A. BRATOŠ & M. CRNÈVIĆ, 2002. — Age and growth of the bivalve *Arcana noae* L. in the Croatian Adriatic Sea. — J. Moll. Studies 68(4): 307-310.

* ÇEVİKER, D. & S. ALBAYRAK, 2003. — New Record of an Exotic Bivalve from the Southeastern Coast of Turkey: *Scapharca inflata* (Reeve, 1844). — La Conchiglia 34(305): 56, 60.



Scapharca inflata (Reeve, 1844) from the SE coast of Turkey. — La Conchiglia 34(305): 56.

CARDIIDAE

* WATTERS, C.T.H., 2002. — The status and identity of *Papyridea soleniformis* (Bruguière, 1789). — The Nautilus 116(4): 118-128.

* POORTEN, J.J. TER, 2003. — The Cardiidae of Morbihan and Loire-Atlantique, France. An overview of the encountered species with remarks about morphology, ecology and distribution. [ook in het Nederlands] — Gloria Maris 41(6): 112-140.

CONDYLOCARDIIDAE

* MIDDLEFART, P., 2002. — Revision of the Australian Cuninae sensu lato. — Zootaxa 112: 3-124.

CORBULIDAE

* MATSUBARA, T., 2002. — Taxonomical Review of Corbulids from the Miocene

Tanabe Group in Wakayama Prefecture, Southwest Japan. — *Venus* 61(3-4): 169-177.

CUCULLAEIDAE

* MIENIS, H.K., 2003. — On the presence of *Cucullaea labiata* in the Red Sea. — *Triton* 7: 5.

CUSPIDARIIDAE

* See under Thraciidae.

DONACIDAE

* LAUDIEN, J., 2002. — Population dynamics and ecology of the surf clam *Donax serra* inhabiting beaches of the Benguela upwelling system. — *Berichte zur Polar- und Meeresforschung* 432: 1-99.

* See under Mesodesmatidae.

LIMIDAE

* See under Nuculanidae.

LUCINIDAE

* MIENIS, H.K., 2003. — First record of *Lucinoma borealis* from the Mediterranean coast of Israel. — *Triton* 7: 6.

MESODESMATIDAE

* TAKADA, Y., T. KOSUGE, S. NISHIHAMA & M. KATOH, 2002. — Vertical Distributions of *Atactodea striata* and *Latona foba* on a Subtropical Sandy Beach in Ishigaki Island, Japan. — *Venus* 61(3-4): 203-213.

MONTACUTIDAE

* See under Thraciidae.

* KOSUGE, Y. & H. KUBO, 2002. — Records of the sipunculid-associated bivalve *Fronselle philippinensis* from the Ryukyu Islands, southwestern Japan. [in Japanese with English abstract] — *Chiribotan* 33(1-4): 41-46.

MYIDAE

* ITANI, G. & M. KATOH, 2002. — *Cryptomya (Venatomya) truncata*: Association with Thalassinidean Shrimp Burrows and Morphometric Variation in Japanese Waters. — *Venus* 61(3-4): 193-202.

MYOCHAMIDAE

* See under Thraciidae.

MYTILIDAE

* WALKER, R.L., T. REDICAR, A. POWER & M. SWEENEY, 2003. — Observations on Growth and Garnetogenesis of the Atlantic Papermussel, *Amygdalum papyrum* (Conrad, 1846), from Coastal Georgea. — *The Veliger* 46(1): 86-89.

* ÇEVİKER, D., 2003. — A New Finding of *Sepitifer forskali* Dunker, 1855 from the Northeastern Mediterranean Sea, Turkey, with Discussion on the Occurrence of *Sepitifer bilocularis* (Linné, 1758) in the Red Sea and the Mediterranean Sea. — *La Conchiglia* 34(305): 14-16, 59.

* WESSELINGH, F.P., M. VERVOENEN & F.A.D. NIEULANDE, 2002. — On the identity of *Mytilus edulis* forma *giganteus* Wood, 1874 (Pliocene, North Sea Basin),

with implications for the generic assignment of other European Cainocoic mytilid bivalves. — *Cainozoic Res.* 1(1-2): 121-127.

* WOOD, A.R., A.R. BEAUMONT, D.O.F. SKIBINSKI & G. TURNER, 2003. — Analysis of a nuclear-DNA marker for species identification of adults and larvae in the *Mytilus edulis* complex. — *J. Moll. Stud.* 69(1): 61-66.

NEOLEPTONIDAE

* ZELAYA, D.G. & C. ITUARTE, 2002. — The Identity of *Waldo parasiticus* (Dall, 1876) (...). — *The Nautilus* 116(4): 109-117.

NOETIIDAE

* MIENIS, H.K., 2003. — First records of the ark shell *Arcopsis ornata* (Viader) from the Red Sea. — *Triton* 7: 3-4.

NUCULANIDAE

* HOEKSEMA, D.F. & A.C. JANSE, 2002. — *Microgloma pusilla* (Jeffreys, 1879) and *Notolimea clandestina* Salas, 1994 (Limidae), new for the southern North Sea Basin. — *Basteria* 66(4-6): 193-196.

PECTINIDAE

* BILLIAU, R., 2002. — Reuzenstrand van verse (levende) wijde mantels *Aequipecten opercularis* (L., 1758) te De Panne op 8 en 9 november 1999. — *De Strandvlo* 22(3-4): 99-102.

PERIPLOMATIDAE

* See under Thraciidae.

* MAZZIOTTI, C. & M. Tisselli, 2003. — Report pf *Cochlodesma (Bontaeaa) praetenua* (Pulteney, 1799) for the Northwestern Adriatic Sea. — *La Conchiglia* 34(305): 17-18.

SPHENIOPSIDAE

* See under Thraciidae.

TELLINIDAE

* RUSMERE-VILLAUME, M.L., 2003. — Extension of range of *Elliptotellina pulchella* (H. Adams, 1870) (Syn. *Gari granulifera* Lamy, 1938). — *Triton* 7: 18-19.

THRACIIDAE

* MARSHALL, B.A., 2002. — Some Recent Thraciidae, Periplomatidae, Myochamidae, Cuspidariidae and Spheniopsidae (Anomalodesmata) from the New Zealand region and referral of *Thracia reinga* Crozier, 1966 and *Scintillona benthicola* Dell, 1956 to *Tellinya* Brown, 1827 (Montacutidae). — *Moll. Research* 22(3): 221-288.

VESICOMYIDAE

* OKUTANI, T., S. KOJIMA & N. IWASAKI, 2002. — New and Known Vesicomyid Bivalves Recently Collected from the Western and Central Nankai Trough off Shikoku and Honshu, by Deep Sea Research Systems of Japan Marine Science and Technology Center. — *Venus* 61(3-4): 129-140.

SCAPHOPODA (Class)

* YOCHELSON, E.L., 2002. — Restudy and reassessment of *Dentalium antiquum* Goldfuss, 1841 (Middle Devon). [mit deutscher Zusammenfassung] — *Paläontologische Zeitschrift* 76(2): 297-304.

* SINGER, B.S., 2003. — A revision of the *Dentalium reevei* complex from the Red Sea. — *Triton* 7: 9-17.

SLUGS / NAAKTSLAKKEN

* CALADO, G. & V. URGORAI, 2002. — A new species of *Calma* Alder & Hancock, 1855 (Nudibranchia) with a review of the genus. — *J. Moll. Studies* 68(4): 311-317.

* VALDÉS, Á. & C. MUNIAN, 2002. — Revision and taxonomic reassessment of Magellanic species assigned to *Anisodoris* Bergh, 1898 (Nudibranchia: Doridoidea). — *J. Moll. Studies* 68(4): 345-351.

* VALDÉS, Á., 2002. — A phylogenetic analysis and systematic revision of the cryptobranch dorids (Nudibranchia, Anthobranchia). — *Zool. J. Linnean Soc.* 136(4): 535-636.


* VALDÉS, Á., 2002. — How many species of *Hexabranchus* (Opisthobranchia; Dorididae) are there? — *Moll. Research* 22(3): 289-301.

* EVERSEN, J. & T.B. BAKKEN, 2002. — Heterobranchia from northern Norway, with notes on ecology and distribution. [med norske sammendrag] — *Fauna Norvegica* Vol. 22: 15-22.

* MARTÍNEZ, E. & J. ORTEA, 2002. — On the synonymy between *Aplysia winneba* Eales, 1957 and *Aplysia fasciata* Poiret, 1789 (Anaspidea). [con resumen español] — *Iberus* 20(2): 11-21.

* VALDÉS, Á. & J. TEMPLADO, 2002. — Indo-Pacific dorid nudibranchs collected in Libanon (eastern Mediterranean). [con resumen español] — *Iberus* 20(2): 23-30.

* GARCÍA, F.J., J.S. TRONCOSO & M. DOMÍNGUEZ, 2002. — New data on the benthic Opisthobranch Molluscs from the Archipelago of Fernando de Noronha (Brazil), with description of a new species of *Aegires* Lovén, 1944. [con resumen español] — *Iberus* 20(2): 45-56.



Aegires absalaoi Garcia, Troncoso & Dominguez, 2002. Scale bar 1 mm. - *Iberus* 20(2): 51.

* FAUCCI, A. & M.G. HADFIELD, 2003. — Nudibranchs in the Pacific: corals, cryptic species and host-associated speciation. — *Tentacle No.* 11: 14

* HERMOSILLO-GONZÁLEZ, A., 2003. — New distributional records of opisthobranch molluscs for Bahía de Banderos, México. — *The Festivus* 35(3): 21-28.

* CAMACHO-GARCÍA, Y.E. & Á. VALDÉS,

2003. – Caryophyllidia-bearing Dorid Nudibranchs from Costa Rica. — Proc. Calif. Ac. Sci. 54(4): 65-79.

CEPHALOPODA (Class)

- * CADÉE, G.C., 2002. – Mass stranding of cuttlebones of *Sepia orbignyana* Féussac, 1826, on Texel, the Netherlands, in July 2002 (Cephalopoda, Decapoda, Sepiidae). — Basteria 66(4-6): 113-120.
- * BIZIKOV, V.A., 2002. – Reanalysis of functional design of *Nautilus* locomotory and respiratory systems. — Am. Malac. Bull. 17(1-2): 17-30.
- * KUBODERA, T. & T. OKUTANI, 2002. – A New Species of Bobtail Squid, *Euprymna megaspadicea* from Okinawa, Japan. — Venus 61(3-4): 159-168.

FOSSILS

CEPHALOPODA

- * WATERHOUSE, J.B., 2002. – The early and middle Triassic ammonoid succession of the Himalayas in western and central Nepal. Part 6. Systematic studies of the Mukut (mostly Anisian) ammonoids from Manang. [mit deutscher Zusammenfassung] — Palaeontographic Abt. A 266(4-6): 121-198.
- * LEBRUN, P., 2003. – Ammonites. — Minéraux & Fossiles 29(313): 5-32.
- * CHRISTENSEN, W.K., 2002. – *Fusiteuthis polonica*, a rare and unusual belemnite from the Maastrichtian. — Acta Palaeont. Polonica 47(4): 679-783.
- * BOGOLOVSKAYA, M.F. & M.S. BOIKA, 2002. – The Evolution and Distribution of the Early Permian Genus *Uraloceras*. — Paleont. Journ. 36(6): 598-605.
- * GULYAEV, D.B., 2002. – The First Find of Heteromorph Ammonites in the Lower Callovian of European Russia. — Paleont. Journ. 36(6): 606-608.



Parapatoceras tuberculatum (Baugier & Sauze, 1843). Left: ventral view, center: left view, right: dorsal view. — Paleont. J. 36(6): 607.

- * ARKADIEV, V.V., 2002. – A New Genus *Leiophylloceras* (Phylloceritida) from the Berrisian of the Mountainous Crimea. — Paleont. Journ. 36(6): 609-614.
- * MIKHAILOVA, I.A. & D.P. NAIDIN, 2002. – On the Taxonomic Position and Distribution of the Genus *Borissiakoceras* Arkhangelsky, 1916. — Paleont. Journ. 36(6): 615-625.

* GNOLI, M. & P. SERVENTI, 2002. – Some nautiloid cephalopods from the Ordovician of southern Sardinia. — Boll. Soc. Paleont. Italiana 41(2-3): 109-119.

- * VENTURI, F. & C. NANNARONE, 2002. – Ammoniti del Sinemuriano inferiore del Monte Cetona (Prov. Di Siena). — Boll. Soc. Paleont. Italiana 41(2-3): 131-162.
- * MATSUMOTO, T., 2002. – Turrilitid ammonoid Carthaginites from Hokkaido. — Palaeont. Res. 6(4): 357-361.
- * KLUG, Chr., 2002. – Quantitative stratigraphy and taxonomy of Late Emsian and Eifelian ammonoids of the eastern Anti-Atlas (Morocco). — CFS 238: 1-109.
- * KEUPP, H., 2003. – Aptychen: Kiefer, Deckel oder beides. — Fossilien 20(2): 104-110.
- * FRERICHS, U., 2003. – Anaptychen und Aptychen aus der Unterkreide von Hannover. — Fossilien 20(2): 115-118.

OTHER FOSSILS

- * BASSIOUNI, M.A.A., 2002. – Mid-Cretaceous (Aptian-Early Turonian) Ostracoda from Sinai, Egypt. — Neue Paläont. Abhandl. 5: 1-123.
- * MARTINEZ, S. & C.J. DEL RIO, 2002. – Late Miocene molluscs from the southwestern Atlantic Ocean (Argentina and Uruguay): a palaeobiogeographic analysis. — Palaeo 188(3-4): 167-187.
- * FISCHER, J.-C., F. ROSATI & S. RAFFI, 2002. – Gastropodes sinémuriens du 'Monte Cucco' (Apennins d'Ombrie-Marche Italie centrale. [with English abstract] — Geobios 35(4): 441-456.
- * HEIDELBERGER, D. & O. & R.W. AMLER, 2002. – Devonian Gastropoda from the Dornap "Massenkalk"-complex (Bergisches Land, Germany). [mit deutscher Kurzfassung] — Paläontologische Zeitschrift 76(2): 317-129.
- * SZABÓ, J., 2002. – A new euomphalomorph gastropod genus in the faunula, listed by Vadász (1915) from Alsórákos (Per"ani Mts, Romania; ? Early Jurassic. — Fragmenta Palaeontologica Hungarica vol. 20: 61-67.
- * BABIN, C., 2002. – Les mollusques bivalves primitifs: l'enquête paléontologique. [with English abstract] — Haliotis 31: 3-12.
- * GUZHOV, A.V., 2002. – On the Revision of Some Jurassic Gastropods from Central Russia: 2. Genus *Cosmocerithium*. — Paleont. Journ. 36(6): 591-597.
- * SQUIRES, R.L. & L.R. SAUL, 2003. – New late Cretaceous epitoniid and zygopleurid gastropods from the Pacific slope of North America. — The Veliger 46(1): 20-49.
- * AMANO, K., 2003. – Predatory Gastropod Drill Holes in Upper Miocene Cold Seep Bivalves, Hokkaido, Japan. — The Veliger 46(1): 90-96.
- * PAN HUA-ZHANG & A.G. COOK, 2003. – Early Devonian gastropods from Zhushilenghaihan region, western inner Mongolia, China. — J. of Paleont. 77(1): 31-43.

* SQUIRES, R.L. & L.R. SAUL, 2003. – New late Cretaceous (Campanian and Maastrichtian) marine gastropods from California. — J. of Paleont. 77(1): 50-63.

- * MAZAEV, A.V., 2002. – Some murchisoniid gastropods from the Middle and Upper Carboniferous of the Central part of Russian Plate. — Ruthenica 12(2): 89-106.
- * See also under Polylacophora, Cavolinidae, Corbulidae, Eratoidae, Haliotidae, Littorinidae, Marginellidae, Muricidae, Mytilidae, Neritidae, Scaphopoda.

FIELDTRIPS / VELDWERK

- * RUSCOE, C., 2002. – Shelling in The Gambia and Senegal. — Pallidula 32(2): 10-15.
- * WELSH, J., 2002. – Collecting in Carmarthenshire. — Pallidula 32(2): 16-17.
- * WHICHER, J. J. A. & CH., 2002. – Anguilla and Antigua, British West Indies. — Pallidula 32(2): 18-20.
- * SEITZINGER, R.T., 2002. – Mollusken verzaameld op en rond Malta en Gozo van 1-1-2000 t/m 8-1-2000. — De Kreukel 38(5-6): 71-81.
- * DUBOC, J.-P. & S. PINEAU, 2003. – Voyage aux Chesterfield [Coral Sea]. [also in English] — Xenophora No. 101: 25-30.
- * BAIL, P. & A. ROBIN, 2003. – Dragages dans les Swain Reefs. [also in English] — Xenophora no. 101: 31-39.
- * PRÖSTLER, W., 2003. – Mangrovenwälder in den Philippinen und ihre Mollusken. — Club Conchylia Informationen 34(4-6): 53-56.
- * BEGEMANN, U.-D., 2003. – Süd-Vietnam. — Club Conchylia Informationen 34(4-6): 67-75.
- * ORLIN, Z., 2003. – A shelling trip to Florida and the Bahamas. — La Conchiglia 34 305): 36-40.
- * RICHTER, A.E., 2003. – Richters Sammeltipp: Die Tongrube Buttenheim. [Frankenjura, Germany] — Fossilien 20(2): 95-103.
- * SETZINGER, R.T., 2003. – Schelpen verzamelen in Cuba. — De Kreukel 39(1): 3-13.

MISCELLANEOUS / VARIA

- * PINN, F., 2002. – Chanks and cowries in Thailand. — The Conchologists' Newsletter 10 (163): 269-272.
- * MIENIS, H.K., 2003. – Molluscs from the excavation of Horvat Raqit, Carmel. — In S. Dar (Ed.): Raqit — Marinus Estate on the Carmel, Israel: 53-56.
- * TUTOR LAROSA, E., Á. TUTOR MONGE & M. NUÑO FRIAS, 2003. – El *Nautilus*: Naturaleza y Arte. — Naturaleza Aragonesa No. 10: 76-83.
- * HEDEGAARD, C., 2002. – Pearls are freak shells. — Of Sea and Shore 25(2): 114-120.
- * BIELER, R. & P.M. MIKKELSEN, 2002. – The Cruises of the *Eolis*: John B. Henderson's mollusc collections off the Florida Keys, 1910-1916. — Am. Malac. Bull. 17(1-2): 125-140.
- * MIENIS, H.K., 2003. – Molluscs from the excavation of Tel Kabri. — Triton 7: 28-37