

**ARTIKELEN IN TIJDSCHRIFTEN**  
**(JOURNAL PAPERS: CONTINENTAL MALACOLOGY)**

R.A. Bank

*Malacological papers published in journals. Sorted in the following order of succession: Faunistics/Ecology – Fossil Assemblages – Bivalvia – Gastropoda (alphabetically rubricated at the family level) – Miscellanea – Publications in the Bulletin of Zoological Nomenclature (new cases – comments on previous cases – Opinions). Within each item, papers are ordered alphabetically on the name of the first author.*

**FAUNISTICS/ECOLOGY**

- Baker, R. & D. Howlett (2002): The molluscan fauna of East Walton Common. – Transactions of the Norfolk & Norwich Naturalists' Society, 35 (1): 31-40.
- Bombino, L. & G. Perera (2002): Influence of some biotic factors on the distribution and abundance of the freshwater mollusks of Camagüey, Cuba. – Malacological Review, 31/32 (1): 1-8. Ann Arbor.
- Bombino, L. & G. Perera (2002): Distribution and abundance of the freshwater mollusks present in Camagüey province, Cuba. – Malacological Review, 31/32 (1): 27-29. Ann Arbor.
- Briers, R.A. (2003): Range size and environmental calcium requirements of British freshwater gastropods. – Global Ecology and Biogeography, 12 (1): 47-51.
- Bruschi-Figueiro, G. & I.L. Veitenheimer-Mendes (2002): Molluscos em área de horticultura no município de Porto Alegre, Rio Grande do Sul, Brasil. – Revista Brasileira de Zoologia, 19 (Supl. 2): 31-37.
- Cameron, R.A.D., M. Mylonas, K. Triantis, A. Parmakelis & K. Vardinoyannis (2003): Land-snail diversity in a square kilometre of Cretan maquis: modest species richness, high density and local homogeneity. – Journal of Molluscan Studies, 69 (2): 93-99. London.
- Darrigan, G.A. (2002): Spatial and temporal changes of the malacofauna from a sandy shore in the Rio de la Plata, Argentina. – Malacological Review, 31/32 (2): 101-115. Ann Arbor.
- Fischer, W. (2003): Landschnecken aus Basalten südlich von Corralejo, Fuerteventura (Kanaren, Spanien). – Club Conchilia Informationen, 34 (5-6): 41-43. Ludwigshafen.
- Göllnitz, U. (2002): 15. Kartierungstreffen der AG Malakologie Mecklenburg-Vorpommern in Burg Stargard. – Archiv der Freunde der Naturgeschichte in Mecklenburg, XLI: 119-126.
- Kiss, L. & F. Magnin (2003): The impact of fire on some mediterranean land snail communities and patterns of post-fire recolonization. – Journal of Molluscan Studies, 69 (1): 43-53. London.
- Korycińska, M. (2002): Molluscs of the Liwiec River (South Podlasie and Middle Mazovian Lowlands). – Folia Malacologica, 10 (1): 17-23. Poznan.
- Leeuwen, S. van (2003): Inventarisatie land- en zoetwatermollusken op Ameland. – De Kreukel, 39 (3): 45-54. Diemen.
- Leeuwen, S. van & B. van Tooren (2003):

- Veranderingen in voorkomen van land- en zoetwatermollusken op Ameland. – De Levende Natuur, 104 (2): 54-57.
- Lemke, H. & H. Menzel-Harloff (2002): 16. Kartierungstreffen der AG Malakologie Mecklenburg-Vorpommern vom 31.05-02.06.2002 in der Jugendbegegnungsstätte am Groben Kutzowsee bei Plöwen (Krs. Uecker-Randow). – Archiv der Freunde der Naturgeschichte in Mecklenburg, XLI: 127-133.
- Mienis, H.K. (2003): Reactie op: Afsluitdijk in verbouwing – een extra stukje Waddenzee? – De Kreukel, 39 (2): 27-28. Diemen.
- Mienis, H.K. (2003): Een eerste malacologische verkenning van het "Landje van Naber". – De Kreukel, 39 (2): 37-39. Diemen.
- Mienis, H.K. (2003): The Botanical Garden of the Tel Aviv University: an Eldorado for introduced freshwater snails. – Ellipsaria, 5 (1): 11-12.
- Mienis, H.K. (2003): Pathways for introductions of foreign molluscs in Israel and elsewhere. – Ellipsaria, 5 (1): 14-15.
- Moorkens, E.A. (2003): The *Vertigo* Workshop field excursion to Pollardstown Fen (Co. Kildare) with a provisional list of the Mollusca known from the site. – Helidia, 5 (Sonderheft 7): 179-180. München.
- Neckheim, T. (2003): Mollusken verzamelen tijdens een bezoek aan Terschelling in september 2002. – De Kreukel, 39 (2): 29-31. Diemen.
- Neckheim, C.M. (2003): De Grote clausilia *Balea biplicata* (Montagu, 1803) in een grachtentuin van Amsterdam. – De Kreukel, 39 (2): 33-34. Diemen.
- Nekola, J.C. (2002): Effects of fire management on the richness and abundance of central North American grassland land snail faunas. – Animal Biodiversity and Conservation, 25 (2): 53-66. Barcelona.
- Pesqueira, R., P. Ondina & J. Hermida (2002): La superfamilia Helicoidea Rafinesque, 1815 (Gastropoda, Pulmonata, Stylommatophora) en la provincia de Lugo (noroeste de España). – Iberus, 20 (2): 61-72. Oviedo.
- Proschwitz, T. von (2002): Faunistical news from the Natural History Museum, Göteborg 2001 – snails, slugs and mussels. – Göteborgs Naturhistoriska Museum, Arstryck 2002: 29-46. Göteborg. [Swedish]
- Renker, C. (2002): Die Punctidae, Patulidae, Euconulidae und Vitrinidae (Mollusca: Gastropoda) des Landkreises Göttingen



(Süd-Niedersachsen). – Drosera, 2002 (1-2): 201-212. Oldenburg.

- Schlepphorst, R. & H. Kobialka (2003): Die Molluskenfauna der Lippeaue im NSG "Klostermersch" (Kreis Soest, Kreis Warendorf). – Natur und Heimat, 63 (2): 41-52. Münster.
- Severijns, N., F. Celen, A. Delsaerdt, K. Moreau & M. Verhaeghe (2003): Zoetwatermollusken op het domein van de Abdij van Park in Heverlee. – Gloria Maris, 42 (1) [2001]: 1-21. Antwerpen.
- Skujiene, G. (2002): An overview of the data on the terrestrial molluscs in Lithuania. – Folia Malacologica, 10 (1): 1-7. Poznan.
- Szymbiak, K. (2002): Malacocenoses of the nature reserve Buki nad Jeziorem Lutomskim. – Folia Malacologica, 10 (1): 25-32. Poznan.
- Unruh, M. (2002): Interessante Molluskenzönosen (Mollusca: Gastropoda) aus dem südhercynischen Gebiet. – Hercynia, Neue Folge, 35: 253-274. Halle-Wittenberg.
- Wiktor, A. & K. Auffenberg (2002): Contribution to the knowledge of the terrestrial slugs of Pakistan. – Folia Malacologica, 10 (1): 9-15. Poznan.

**FOSSIL ASSEMBLAGES**

- Alexandrowicz, S.W. (2000): Malacofauna of Holocene cave sediments of the Cracow upland (Poland). – Folia Quaternaria, 71: 85-112. Krakow.
- Alexandrowicz, S.W. (2000): Molluscan assemblages from cave and slope sediments of the Czestochowa upland (Poland). – Folia Quaternaria, 71: 113-137. Krakow.
- Ashworth, A.C. & R.C. Preece (2003): The first freshwater molluscs from Antarctica. – Journal of Molluscan Studies, 69 (1): 89-92. London.
- Bellosi, E.S., S.E. Miquel, R.F. Kay & R.H. Madden (2002): Un paleosuelo musterense con microgastropodos terrestres (Charopidae) de la Formación Sarmiento, Eoceno de Patagonia central : significado paleoclimático. – Ameghiniana (Revista de la Asociación Paleontológica Argentina), 39 (4): 465-477. Buenos Aires.
- Calzada, S. (2002): Un nuevo género miocénico de Gasterópodes terrestres. – Bulletin de la Société d'Histoire Naturelle de Toulouse, 138: 51-54. Toulouse.
- Girotti, O., L.C. Barbato, D. Esu et al. (2003): The section of Torre Picchio (Terni, Umbria, central Italy) : a Villafran-

- chian site rich in vertebrates, molluscs, ostracods and plants. – *Revista Italiana di Paleontologia e Stratigrafia*, 109 (1): 77-98. Milano.
- Kowalke, T. (2003): Verbreitung der Potamidiidae H. & A. Adams, 1854 (Cae-nogastropoda: Cerithiimorpha: Cerithoi-dea) im europäischen Känozoikum. – *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 227 (3): 301-320. Stuttgart.
  - Lopuszynska, M. (2002): Differentiation of subfossil populations of snails from Vistulian loesses of southern Poland. – *Folia Quaternaria*, 73: 101-189. Krakow.
  - Wesselingh, F.P., M.E. Räsänen, G. Irion, H.B. Vonhof, R. Kaandorp, W. Renema, L. Romero Pittman & M. Gingras (2002): Lake Pebas: a palaeoecological reconstruction of a Miocene, long-lived lake complex in western Amazonia. – *Caenozoic Research*, 1 (1-2) [2001]: 35-81.

#### BIVALVIA

- Aldridge, D.C. & A.L. McIvor (2003): Gill evacuation and release of glochidia by *Unio pictorum* and *Unio tumidus* (Bivalvia: Unionidae) under thermal and hypoxic stress. – *Journal of Molluscan Studies*, 69 (1): 55-59. London.
- Beasley, C.R., L. de Quadros Miranda, S.T.M. Alves & C.H. Tagliaro (2003): Evaluation of methods for assessing brood size in freshwater mussels (Hyriidae). – *Journal of Molluscan Studies*, 69 (2): 159-161. London.
- O'Brien, C.A. & J.D. Williams (2002): Reproductive biology of four freshwater mussels (Bivalvia: Unionidae) endemic to eastern Gulf Coastal Plain drainages of Alabama, Florida, and Georgia. – *American Malacological Bulletin*, 17 (1-2): 147-158.
- Colville, A.E. & R.P. Lim (2003): Microscopic structure of the mantle and palps in the freshwater mussels *Vetulus ambi-guus* and *Hyridella depressa* (Bivalvia: Hyriidae). – *Molluscan Research*, 23 (1): 1-20.
- Cope, W.G., M.C. Hove et al. (2003): Evaluation of relocation of Unionid mussels to *in situ* refugia. – *Journal of Molluscan Studies*, 69 (1): 27-34. London.
- Eckblad, J., B. Ostby & K. Tenneson (2002): The unionid mussels of the Upper Iowa and Turkey River watersheds. – *The Journal of the Iowa Academy of Science*, 109 (3-4): 43-49.
- Gordon, M.E. & J.R. Moorman (2002): Glochidial host of *Alasmidonta raveneliana* (Bivalvia: Unionidae). – *Malacological Review*, 31/32 (1): 31-33. Ann Arbor.
- Greseth, S.L., W.G. Cope, R.G. Rada, D.L. Waller & M.R. Bartsch (2003): Biochemical composition of three species of Unionid mussels after emersion. – *Journal of Molluscan Studies*, 69 (2): 101-106. London.
- Hart, R.A., M. Davis, A.C. Miller & J.W. Grier (2002): Changes in the freshwater mussel communities of Lake Pepin, Upper

Mississippi River, Minnesota and Wisconsin, 1990-1997. – *American Malacological Bulletin*, 17 (1-2): 109-122.

- Hoeh, W.R., A. Bogan, K.S. Cummings & S.I. Guttman (2002): Evolutionary relationships among the higher taxa of freshwater mussels (Bivalvia: Unionoida): inferences on phylogeny and character evolution from analyses of DNA sequence data. – *Malacological Review*, 31/32 (2): 123-141. Ann Arbor.

- Johnson, R.I. (2002): Samuel Liberty Harvey Fuller (1942-2001): a biographical sketch and his work on malacology. – *The Nautilus*, 116 (4): 132-137.
- Kaandorp, R.J.G., H.B. Vonhof, C. del Busto, F.P. Wesselingh, G.M. Ganssen, A.E. Marmol, L. Romero Pittman & J.E. van Hinte (2003): Seasonal stable isotopic variations of the modern Amazonian freshwater bivalve *Anodontites trapesialis*. – *Palaeogeography, Palaeoclimatology, Palaeoecology*, 194 (4): 339-354.

- Kobak, J. (2002): Impact of light conditions on geotaxis behaviour of juvenile *Dreissena polymorpha*. – *Folia Malacologica*, 10 (2): 77-82. Poznan.
- Kobak, J., E. Kłosowska-Mikulan & R. Wisniewski (2002): Impact of copper substrate on survival, mobility and attachment strength of adult *Dreissena polymorpha* (Pall.). – *Folia Malacologica*, 10 (2): 91-97. Poznan.
- Lee, T. & D.O. Foighil (2003): Phylogenetic structure of the Sphaeriinae, a global clade of freshwater bivalve molluscs, inferred from nuclear (ITS-1) and mitochondrial (16S) ribosomal gene sequences. – *Zoological Journal of the Linnean Society*, 137 (2): 245-260. London.
- Machordom, A., R. Araujo, D. Erpenbeck & M.-A. Ramos (2003): Phylogeography and conservation genetics of endangered European Margariferidae (Bivalvia: Unionoida). – *Biological Journal of the Linnean Society*, 78 (2): 235-252. London.

- McCullagh, W.H., J.D. Williams, S.W. McGregor, J.M. Pierson & C. Lydeard (2002): The unionid (Bivalvia) fauna of the Sipsey River in northwestern Alabama, an aquatic hotspot. – *American Malacological Bulletin*, 17 (1-2): 1-15.
- Mienis, H.K. (2003): *Sinanodonta woodiana* – news from Europe. – *Ellipsaria*, 5 (1): 13.
- Morpurgo, M. & B. Thaler (2002): Ritrovamento di *Dreissena polymorpha* (Pallas) (Mollusca, Bivalvia) nel Lago Grande di Monticolo (Alto Adige, Italia). – *Gredieriana*, 2: 219-222. Bolzano.
- Morris, T.J. & J. di Maio (2002): Current distributions of freshwater mussels (Bivalvia: Unionidae) in rivers of southwestern Ontario. – *Malacological Review*, 31/32 (1): 9-17. Ann Arbor.
- Pfeifer, M. (2002): Chinesische Teichmuschel, *Sinanodonta woodiana* (Lea, 1834), nun auch in der Oberlausitz. – *Berichte der Naturforschenden Gesellschaft der Oberlausitz*, 10: 67-71. Görlitz.
- Saarinen, M. & J. Taskinen (2003): Burrowing and crawling behaviour of three spe-

cies of Unionidae in Finland. – *Journal of Molluscan Studies*, 69 (1): 81-86. London.

- Zimmerman, L.L. & R.J. Neves (2002): Effects of temperature on duration of viability for glochidia of freshwater mussels (Bivalvia: Unionidae). – *American Malacological Bulletin*, 17 (1-2): 31-35.


#### GASTROPODA

##### ACHATINIDAE

- Sirgel, W.F. (2002): Synonymies in the *Archachatina churchilliana* group (Mollusca: Pulmonata). – *African Invertebrates*, 43: 139-142. Pietermaritzburg.

##### ACICULIDAE


- Rolán, E. (2003): Nueva información sobre el género *Menzia* (Gastropoda, Prosobranchia, Aciculidae) en Asturias. – *Noticiario de la Sociedad Española de Malacología*, 39: 64-66.



*Menzia horsti*. – H.D. Boeters et al., 1985, *Basteria*, 49: fig. 2.

##### AMPULLARIIDAE

- Dillon, R.T. (2002): The inheritance of Golden, a shell color variant of *Marisa cornuarietis*. – *Malacological Review*, 31/32 (2): 155-157. Ann Arbor.



*Marisa cornuarietis*. – R.T. Dillon, 2002, *Malac. Rev.*, 31/32: fig. 1.



*Assiminea translucens*. – R.G. Forsyth, 2003, *The Festivus*, 35: fig. 1.

#### ASSIMINEIDAE

- Forsyth, R.G. (2003): Northern range extension for *Assiminea translucens* (Carpenter, 1864). – *The Festivus*, 35 (2): 17-18. San Diego.

#### CAMAENIDAE

- Chang, K.-M. (2002): Description and anatomy of *Coniglobus pekanensis insularis* Kuroda & Kano MS from Lutao, Taiwan (Pulmonata: Camaenidae). – *Bulletin of Malacology*, 26: 35-40. Taiwan.

#### CHAROPIDAE

- Bellosi, E.S., S.E. Miquel, R.F. Kay & R.H. Madden (2002): Un paleosuelo musterense con microgastrópodos terrestres (Charopidae) de la Formación Sarmiento, Eoceno de Patagonia central: significado paleoclimático. – *Ameghiniana (Revista de la Asociación Paleontológica Argentina)*, 39 (4): 465-477. Buenos Aires.

#### CHILINIDAE


- Martin, P.R. (2003): Allometric growth and inter-population morphological variation of the freshwater snail *Chilina par-chappii* (Gastropoda: Chilinidae) in the Napostá Grande Stream, Southern Pampas, Argentina. – *Studies on Neotropical Fauna and Environment*, 38 (1): 71-78.

#### CLAUSILIIDAE


- Suvorov, A.N. (2002): A new subgenus and three new species of the genus *Acrotoma* O. Boettger, 1881 (Pulmonata Clausiliidae) from western Transcaucasia. – *Ruthenica*, 12 (2): 161-166. Moskva.
- Zallot, E. (2002): Contribution to the knowledge of *Charpentieria stentzii* (Rossmässler, 1836) (Gastropoda Pulmonata; Stylommatophora; Clausiliidae). – *Gortania (Atti del Museo Friulano di Storia Naturale)*, 23 [2001]: 137-156. Udine. [Italian]

#### ENIDAE

- Chang, K.-M. (2002): *Luchuena* species from Pahsiuntung, Taitung County (Pulmonata: Enidae). – *Bulletin of Malacology*, 26: 17-25. Taiwan.



*Acrotoma(Acrotoma) gegika*. – A.N. Suvorov, 2002, *Ruthenica*, 12: fig. 1



*Charpentieria itala* subspecies. – E. Zallot, 2002, *Gortania*, 23: fig. 5,6


- Chang, K.-M. (2002): Oversize form of *Luchuena taivanica* (Moellendorff, 1884) from Hsinchu and Miaoli Counties, Taiwan (Pulmonata: Enidae). – *Bulletin of Malacology*, 26: 27-33. Taiwan.
- Örstan, A. & M.Z. Yıldırım (2003): Chronological and genitalic comparisons of *Jamini loewii* populations in Turkey (Gastropoda: Pulmonata: Enidae). – *Zoology in the Middle East*, 28: 67-76. Heidelberg.
- Parmakelis, A., E. Spanos, G. Papagiannakis, C. Louis & M. Mylonas (2003): Mitochondrial DNA phylogeny and morphological diversity in the genus *Mastus* (Beck, 1837): a study in a recent (Holocene) island group (Koufonisi, south-east Crete). – *Biological Journal of the Linnean Society*, 78 (3): 383-399. London.

#### HELICIDAE

- Fischer, W. (2003): Über *Hemicyla sarcostoma* (Webb & Berthelot 1833) auf Fuerteventura und Lanzarote (Kanaren, Spanien). – *Club Conchylia Informationen*, 34 (4-6): 47-51. Ludwigsburg.
- Jackiewicz, M. (2002): Variability in the structure of mucus glands in species of the genus *Cepaea* Held, 1837 (Gastropoda: Pulmonata: Helicidae). – *Biological Letters*, 39 (1-2): 17-23. Poznan.

#### HYDROBIIDAE

- Haase, M. (2003): A new spring snail of the genus *Graziana* (Caenogastropoda: Hydrobiidae) from Switzerland. – *Journal of Molluscan Studies*, 69 (2): 107-112. London.
- Hershler, R. & D.W. Sada (2002): Biogeography of Great Basin aquatic snails of the genus *Pyrgulopsis*. – *Smithsonian Contributions to the Earth Sciences*, 33 [Great Basin aquatic systems history; R. Hershler, D.B. Madsen & D.R. Currey, eds.]: 255-276. Washington.




*Pyrgulopsis truckensis*. – R. Hershler & D.W. Sada, 2002, *Smithsonian Contribution*, 33: fig. 3.

- Jokela, J., C.M. Lively, M.F. Dybdahl & J.A. Fox (2003): Genetic variation in sexual and clonal lineages of a freshwater snail. – *Biological Journal of the Linnean Society*, 79 (1): 165-181. London. [*Potamopyrgus antipodarum*]
- Wilke, T. (2003): *Salenthypdrobia* gen. nov. (Rissooidea: Hydrobiidae): a potential relict of the Messinian salinity crisis. – *Zoological Journal of the Linnean Society*, 137 (2): 319-336. London.

#### HYGROMIIDAE

- Alonso, M.R., M. Ibáñez & C.E. Ponte-Lira (2003): *Canariella (Salvinia)*, new subgenus, and three new species of *Canariella* Hesse, 1918 (Gastropoda: Pulmonata: Hygromiidae). – *The Veliger*, 46 (1): 69-76. Santa Barbara.
- Ibáñez, M., M.R. Alonso & C.E. Ponte-Lira (2002): A new subgenus and two new species of *Canariella* Hesse, 1918 (Gastropoda: Pulmonata: Hygromiidae). – *American Malacological Bulletin*, 17 (1-2): 85-90.
- Kittel, K. (2003): Endemische Landschnecken Portugals und der angrenzenden westlichen Iberischen Halbinsel, 3: *Gittenbergeria turriplana* (Morelet 1845) (Pulmonata, Hygromiidae). – *Club Conchylia Informationen*, 34 (4-6): 37-39. Ludwigsburg.
- Langner, T.J. (2003): Expansive Arten: Die beiden Kartäuserschnecken *Monacha cartusiana* (O.F. Müller 1774) und *Monacha cantiana* (Montagu 1803) und ihre Ausbreitung in Ostdeutschland (Gastropo-


- da: Pulmonata: Hygromiidae). – Club Conchylia Informationen, 34 (4-6): 23-35. Ludwigsburg.
- Neckheim, C.M. (2003): De Gekielde loofslak *Hygromia cinctella* (Draparnaud, 1801) breidt zich uit in Amsterdam! – De Kreukel, 39 (2): 35-36. Diemen.
- LYMNAEIDAE**
- Kierdorf-Traut, G. (2002): Notizen zur Verbreitung der Schlammschnecke *Radix peregra* (O.F. Müller) in den Gewässern Südtirols (Mollusca, Lymnaeidae). – Gredleriana, 2: 223-226. Bolzano.
  - Meier-Brook, C. & M.D. Bargues (2002): *Catascozia*, a new genus for three Nearctic and one Palearctic stagnicoline species (Gastropoda: Lymnaeidae). – Folia Malacologica, 10 (2): 83-84. Poznan.
- ORTHALICIDAE**
- Piza, J. & N.J. Cazzaniga (2003): Redescription, shell variability and geographic distribution of *Plagiodontes dentatus* (Wood, 1828) (Gastropoda: Orthalicidae: Odontostominae) from Uruguay and Argentina. – Zootaxa, 154: 1-23. Auckland.
- PACHYCHILIDAE**
- Rintelen, T. von & M. Glaubrecht (2003): New discoveries in old lakes: three new species of *Tylomelania* Sarasin & Sarasin, 1897 (Gastropoda: Cerithioidea: Pachychilidae) from the Malili Lake system on Sulawesi, Indonesia. – Journal of Molluscan Studies, 69 (1): 3-17. London.
- PARTULIDAE**
- Cowie, R.H., R.J. Rundell, F. Mika & P. Setu (2002): The endangered partulid tree snail *Samoana thurstoni* (Cooke and Crampton, 1930) on Olosega and the land snail diversity of the Manu'a Islands, American Samoa. – American Malacological Bulletin, 17 (1-2): 37-43.
- PATULIDAE**
- Örstan, A. (2003): The first record of *Discus rotundatus* from Turkey. – Triton, 7: 27. Rehovot.
- PHYSIDAE**
- Mienis, H.K. (2003): *Physella acuta* with a bifurcated tentacle. – Triton, 7: 26. Rehovot.
  - Sinha, R.K., H. Nesemann & G. Sharma (2003): New records of *Physa* (Gastropoda: Physidae) from Indian subcontinent. – Club Conchylia Informationen, 34 (4-6): 3-11. Ludwigsburg.
- PLANORBIDAE**
- Marxen, J.C., W. Becker, D. Finke, B. Hasse & M. Epple (2003): Early mineralization in *Biomphalaria glabrata*: microscopic and structural results. – Journal of Molluscan Studies, 69 (2): 113-121. London.
- POLYGYRIDAE**
- A.J. Kroll (2003): Comments on the natural history of the *Ashmunella* (Gastropoda: Pulmonata: Polygyridae) of White Sand Missile Range (New Mexico, USA) and Fort Bliss (New Mexico and Texas, USA). – The Veliger, 46 (1): 98-99. Santa Barbara.
- POMATIIDAE**
- Emberton, K.C. (2003): Unusual new species of pomatiad land snails from northern Madagascar. – The Veliger, 46 (1): 60-68. Santa Barbara.
  - Fischer, W. (2003): Über die Verbreitung von *Pomatias* cf. *lanzarotensis* (Wollaston 1878) auf Fuerteventura (Kanaren, Spanien). – Club Conchylia Informationen, 34 (4-6): 45. Ludwigsburg.
- POMATIOPSIDAE**
- Attwood, S.W., D.S. Brown, X.H. Meng & V.R. Southgate (2003): A new species of *Tricula* (Pomatopsidae: Triculiniae) from Sichuan Province, PR China: intermediate host of *Schistosoma sinicum*. – Systematics and Biodiversity, 1 (1): 109-116. London.
- PUPILLIDAE**
- Panha, S. & J.B. Burch (2002): First records and new species of *Boysidia* and *Sinoennea* from Thailand. – Malacological Review, 31/32 (2): 117-122. Ann Arbor.
  - Panha, S. & J.B. Burch (2002): Two new genera of pupillid land snails from Thailand (Pulmonata: Pupillidae: Gastrocoptinae). – Malacological Review, 31/32 (2): 143-153. Ann Arbor.
  - Rolán, E. (2003): *Leiostyla anglica* (Pulmonata, Pupillidae) en Asturias. – Noticiario de la Sociedad Española de Malacología, 39: 67-68.
  - Rolán, E. (2003): Distribución de *Lauria sempronii* (Gastropoda, Pupillidae) en la Península Ibérica. – Noticiario de la Sociedad Española de Malacología, 39: 69-71.
- STREPTAXIDAE**
- Herbert, D.G. (2002): *Gulella salpinx* sp. n., a new critically endangered holoendemic species from the limestone deposits of the Marble Delta, KwaZulu-Natal, South Africa (Mollusca: Gastropoda: Streptaxidae). – African Invertebrates, 43: 125-138. Pietermaritzburg.
  - Panha, S. & J.B. Burch (2002): A new species of *Discartemon* from Thailand (Pulmonata: Streptaxidae). – Malacological Review, 31/32 (1): 25-26. Ann Arbor.
  - Panha, S. & J.B. Burch (2002): First records and new species of *Boysidia* and *Sinoennea* from Thailand. – Malacological Review, 31/32 (2): 117-122. Ann Arbor.
- VALLONIIDAE**
- Zhang, W.-H. & D.-N. Chen (2003): A study of phylogenetic relationships and zoogeography of genus *Vallonia* Risso, 1826 from China (Pulmonata, Stylommatophora, Valloniidae). – Acta Zootaxonomica Sinica, 28 (1): 30-36.
- VALVATIDAE**
- Myzyk, S. (2002): Life cycle of *Valvata cristata* Müller, 1774 (Gastropoda: Heterobranchia) in the laboratory. – Folia Malacologica, 10 (2): 47-75. Poznan.
- VERTIGINIDAE**
- Cameron, R.A.D. (2003): Life-cycles, molluscan and botanical associations of *Vertigo angustior* and *Vertigo geyeri* (Gastropoda, Pulmonata: Vertiginidae). – Heldia, 5 (Sonderheft 7): 95-110. München.
  - Cameron, R.A.D. et al. (2003): Species accounts for snails of the genus *Vertigo* listed in Annex II of the Habitats Directive: *V. angustior*, *V. genesii*, *V. geyeri* and *V. mouliniana* (Gastropoda, Pulmonata: Vertiginidae). – Heldia, 5 (Sonderheft 7): 151-170. München.
  - Falkner, G. (2003): The status of the four Annex II species of *Vertigo* in Bavaria (Gastropoda, Pulmonata: Vertiginidae). – Heldia, 5 (Sonderheft 7): 59-72. München.
  - Holyoak, G.A. (2003): Upland habitats of



*Vertigo angustior*. – M.C. Speight et al., 2003, Heldia, 5: frontispiece

*Vertigo geyeri* in Ireland (Gastropoda, Pulmonata: Vertiginidae). – Heldia, 5 (Sonderheft 7): 119-123. München.

- Hornung, E., G. Majoros, Z. Fehér & A. Varga (2003): An overview of the *Vertigo* species in Hungary: their distribution and habitat preferences (Gastropoda, Pulmonata: Vertiginidae). – Heldia, 5 (Sonderheft 7): 51-57. München.
- Killeen, I.J. (2003): A review of EUHSD



*Vertigo mouliniana*. – M.C. Speight et al., 2003, Heldia, 5: frontispiece

*Vertigo* species in England and Scotland (Gastropoda, Pulmonata: Vertiginidae). – Heldia, 5 (Sonderheft 7): 73-84. München.

- Moorkens, E.A. & K. Gaynor (2003): Studies on *Vertigo angustior* at a coastal site in western Ireland (Gastropoda, Pulmonata: Vertiginidae). – Heldia, 5 (Sonderheft 7): 125-134. München.
- Pokryszko, B.M. (2003): *Vertigo* of conti-

- ental Europe – autecology, threats and conservation status (Gastropoda, Pulmonata: Vertiginidae). – *Heldia*, 5 (Sonderheft 7): 13-25. München.
- Proschwitz, T. von (2003): A review of the distribution, habitat selection and conservation status of the species of the genus *Vertigo* in Scandinavia (Denmark, Norway and Sweden) (Gastropoda, Pulmonata: Vertiginidae). – *Heldia*, 5 (Sonderheft 7): 27-50. München.
  - Rolán, E. (2003): El género *Vertigo* en Asturias (Gastropoda, Pulmonata). – Noticiario de la Sociedad Española de Malacología, 39: 54-58.
  - Tattersfield, P. & R. McInnes (2003): Hydrological requirements of *Vertigo mouliniana* on three candidate Special Areas of Conservation in England (Gastropoda, Pulmonata: Vertiginidae). – *Heldia*, 5 (Sonderheft 7): 135-147. München.
  - Valovirta, I. (2003): The habitats and status of *Vertigo angustior*, *V. genesii* and *V. geyeri* in Finland and nearby Russian Karelia (Gastropoda, Pulmonata: Vertiginidae). – *Heldia*, 5 (Sonderheft 7): 85-94. München.
  - Willing, M.J. (2003): *Vertigo geyeri* on the island of Islay, western Scotland (Gastropoda, Pulmonata: Vertiginidae). – *Heldia*, 5 (Sonderheft 7): 111-118. München.
  - Evenhuis, N.L. & R.E. Petit (2003): Corrections and additions to the dating of the "Histoire Naturelle des Vers" and the Tableau Encyclopédie (Vers, coquilles, mollusques et polypiers) portions of the Encyclopédie Méthodique. – *Zootaxa*, 207: 1-4. Auckland.
  - Geiger, D.L. (2003): A.A.H. Lichtenstein's (1794) Catalogus rerum naturalium rarissimum sectio secunda on mollusks: an appraisal of taxa described in an overlooked tome. – *Archives of Natural History*, 30 (1): 75-84. London.
  - Georgiev, D.M. & B.B. Georgiev (2002): Terrestrial gastropods as intermediate hosts of protostrongylid nematodes in pastures for sheep and goats in the region of Stara Zagora, Bulgaria. – *Acta Zoologica Bulgarica*, 54 (3): 47-54. Sofia.
  - Härlin, M. (2003): Taxon names as paradigms: the structure of nomenclatural revolutions. – *Cladistics*, 19 (2): 138-143.
  - Härlin, M. (2003): On the relationship between content, ancestor, and ancestry in phylogenetic nomenclature. – *Cladistics*, 19 (2): 144-147.
  - Hausdorf, B., P. Röpstorff & F. Riedel (2003): Relationships and origin of endemic Lake Baikal gastropods (Caenogastropoda: Rissooidea) based on mitochondrial DNA sequences. – *Molecular Phylogenetics and Evolution*, 26 (3): 435-443.
  - Hoerschelmann, H. (2002): Wilhelm Meise zum Gedächtnis. 12. September 1901 bis 24. August 2002. – *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut*, 99: 5-9. Hamburg.
  - Losos, J.B. & R.E. Glor (2003): Phylogenetic comparative methods and the geography of speciation. – *Trends in Ecology and Evolution*, 18 (5): 220-227.
  - Mallet, J. & K. Willmott (2003): Taxonomy: renaissance or Tower of Babel? – *Trends in Ecology and Evolution*, 18 (2): 57-59.
  - Menez, A. (2002): The degradation of land snail shells during the annual dry period in a Mediterranean climate. – *Iberus*, 20 (2): 73-79. Oviedo.
  - Mienis, H.K. (2003): Molluscs from the excavation of Tel Kabri (with an appendix dealing with Crustaceans found at that site). – *Triton*, 7: 28-37. Rehovot.
  - Minelli, A. (2003): The status of taxonomic literature. – *Trends in Ecology and Evolution*, 18 (2): 75-76.
  - Rour, E., A. Chahlaoui & J.L. Van Goethem (2002): Etat actuel des connaissances de la malacofaune terrestre du Maroc. – *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Biologie*, 72: 189-198. Bruxelles.
  - Stearns, S.C. & P. Magwene (2003): The naturalist in a world of genomics. – *The American Naturalist*, 161 (2): 171-180.
  - Strutz, W. (2002): Trauerrede für Prof. Dr. Willi Ziegler. – *Natur und Museum*, 132 (10): 393-395. Frankfurt am Main.
  - Tautz, D., P. Arctander, A. Minelli, R.H. Thomas & A.P. Vogler (2003): A plea for DNA taxonomy. – *Trends in Ecology and Evolution*, 18 (2): 70-74.
  - Taylor, D.W. (2002): Harold William Harry, 1921-1995. – *Malacological Review*, 31/32 (2): 159-163. Ann Arbor.
  - Wilson, E.O. (2003): The encyclopedia of life. – *Trends in Ecology and Evolution*, 18 (2): 77-80.

#### VIVIPARIDAE

- Augustyniuk, A. & B. Jakubik (2002): Reproduction of *Viviparus viviparus* (Linnaeus, 1758) in the mid and lower sections of the Narew River. – *Folia Malacologica*, 10 (2): 85-90. Poznan.
- Barsiené, J. & G. Ribi (2002): Karyological studies of *Viviparus ater* (Gastropoda: Prosobranchia) from different populations in Switzerland. – *Malacological Review*, 31/32 (2): 93-100. Ann Arbor.

#### MISCELLANEA

- Beu, A., B. Marshall & W. Ponder (2003): Richard Kenneth ('Dick') Dell, 1920-2002: obituary, bibliography and a list of his taxa. – *Molluscan Research*, 23 (1): 85-99.
- Edlinger, K., V. Stagl & H. Sattmann (eds.): *Festschrift zum 75. Geburtstag von Universitätsprofessor Dr. Ferdinand Starmühlner*. – Wien (Naturhistorisches Museum Wien): 51 pp.
- Evenhuis, N.L. (2003): Dating and publication of the Encyclopédie Méthodique (1782-1832), with special reference to the parts of the Histoire Naturelle and the details on the Histoire Naturelle des Insectes. – *Zootaxa*, 166: 1-48. Auckland.
- Evenhuis, N.L. & R.E. Petit (2003): Corrections and additions to the dating of the "Histoire Naturelle des Vers" and the Tableau Encyclopédie (Vers, coquilles, mollusques et polypiers) portions of the Encyclopédie Méthodique. – *Zootaxa*, 207: 1-4. Auckland.
- Geiger, D.L. (2003): A.A.H. Lichtenstein's (1794) Catalogus rerum naturalium rarissimum sectio secunda on mollusks: an appraisal of taxa described in an overlooked tome. – *Archives of Natural History*, 30 (1): 75-84. London.
- Georgiev, D.M. & B.B. Georgiev (2002): Terrestrial gastropods as intermediate hosts of protostrongylid nematodes in pastures for sheep and goats in the region of Stara Zagora, Bulgaria. – *Acta Zoologica Bulgarica*, 54 (3): 47-54. Sofia.
- Härlin, M. (2003): Taxon names as paradigms: the structure of nomenclatural revolutions. – *Cladistics*, 19 (2): 138-143.
- Härlin, M. (2003): On the relationship between content, ancestor, and ancestry in phylogenetic nomenclature. – *Cladistics*, 19 (2): 144-147.
- Hausdorf, B., P. Röpstorff & F. Riedel (2003): Relationships and origin of endemic Lake Baikal gastropods (Caenogastropoda: Rissooidea) based on mitochondrial DNA sequences. – *Molecular Phylogenetics and Evolution*, 26 (3): 435-443.
- Hoerschelmann, H. (2002): Wilhelm Meise zum Gedächtnis. 12. September 1901 bis 24. August 2002. – *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut*, 99: 5-9. Hamburg.
- Losos, J.B. & R.E. Glor (2003): Phylogenetic comparative methods and the geography of speciation. – *Trends in Ecology and Evolution*, 18 (5): 220-227.
- Mallet, J. & K. Willmott (2003): Taxonomy: renaissance or Tower of Babel? – *Trends in Ecology and Evolution*, 18 (2): 57-59.
- Menez, A. (2002): The degradation of land snail shells during the annual dry period in a Mediterranean climate. – *Iberus*, 20 (2): 73-79. Oviedo.
- Mienis, H.K. (2003): Molluscs from the excavation of Tel Kabri (with an appendix dealing with Crustaceans found at that site). – *Triton*, 7: 28-37. Rehovot.
- Minelli, A. (2003): The status of taxonomic literature. – *Trends in Ecology and Evolution*, 18 (2): 75-76.
- Rour, E., A. Chahlaoui & J.L. Van Goethem (2002): Etat actuel des connaissances de la malacofaune terrestre du Maroc. – *Bulletin de l'Institut Royal des Sciences*