

Nieuw door J.G.J. Kuiper beschreven taxa

- 1942: *Pisidium milium* Held var. *pulchelloides*
 1947: *Pisidium favrei* [= *P. pseudosphaerium* Schlesch]
 1952: *Pisidium georgeanum* [= *P. ovampicum* Ancey]
 1953: *Pisidium edouardi*
 1953: *Pisidium paulianum* [= *P. johnsoni* Smith]
 1953: *Pisidium betafoense*
 1954: *Byssanodonta degorteri*
 1956: *Pisidium viridarium*
 1957: *Pisidium lepus* [= *P. pirothi* Jickeli]
 1960: *Pisidium artifex*
 1962: *Pisidium dancei*
 1962: *Afropisidium* n. subgen.
 1962: *Odhneripisidium* n. subgen.
 1964: *Pisidium harrisoni*
 1965: *Micranodonta* n. gen.
 1965: *Micranodonta regii*
 1966: *Pisidium armillatum*
 1966: *Pisidium incomitatum* [= *Sphaerium incomitatum* (Kuiper)]
 1966: *Parapisidium* n. subgen.
 1966: *Pisidium (Parapisidium) reticulatum*
 1968: *Pisidium (Odhneripisidium) novobritanniae*
 1972: *Pisidium liljeborgii* Clessin forma *constricta*
 1974: *Pisidium prasongi* Kuiper in Brandt
 1975: *Pisidium hinzi*
 1975: *Pisidium waldeni*
 1977: *Pisidium supinum* Schmidt forma *reducta*
 1983: *Pisidium fultoni*
 1983: *Pisidium hallae*
 1983: *Pisidium (Afropisidium) aslini*
 1983: *Sphaerium kendricki*
 1983: *Sphaerium forbesi (Philippi) forma excessiva*
 1984: *Pisidium meierbrooki*
 1984: *Pisidium maasseni*

