



## TIJDSCHRIFTARTIKELEN JOURNAL PAPERS

W. Faber

*Artikelen over mariene weekdieren in andere tijdschriften. Buikpotigen en tweekleppigen per familie in alfabetische volgorde. [] redactionele opmerkingen.*

*Papers about marine molluscs in other magazines. Gastropods and bivalves per family in alphabetical order. [] editorial notes.*

### GENERAL / ALGEMEEN

- \* GEERTS, G.A., 2002. – Een geïllustreerde geschiedenis van de weekdieren en hun schelpen. – De Kreukel 2002 extra: 1-176.
- \* PETIT, R.E., 2003. – George Perry's molluscan taxa and notes on the editions of his Conchology of 1811. – Zootaxa 377: 1-72.
- \* SCHNIERS, K., 2003. – Die Typen und Typoide der Molluskensammlung der Staatlichen Naturhistorischen Sammlungen Dresden, Museum für Tierkunde (I). Die Typen der von Anton (1838) beschriebenen rezenten Mollusken: 7. Helicinidae, Costellariidae, Tellinidae, Corbiculidae, Veneridae, Corbulidae, Petricolidae, Pholadidae. – Malak. Abh. Vol 21: 39-42.

### REGIONAL / REGIONAAL

- \* ALBAYRAK, S., 2003. – On the Mollusca fauna of the Black Sea near Istanbul. — Zoology in the Middle East Vol. 30: 69-75.
- \* BEDULLI, F., F. BASSIGNANI & A. BERTELLI, 2003. – Specie rare nel Censimento della Malacofauna Marina Italiana. [with English abstract] — Boll. Malacologico 39(1-4): 1-6.
- \* SCHULTZ, P.W., 2004. – Rezente marine Mollusken in der Wüste. — Club Conchylia Informationen 35(1-6): 95-98.

### POLYPLACOPHORA (Class)

- \* DELL'ANGELO, B. & C.M. DA SILVA, 2003. – Polyplacophora from the Pliocene of Vale de Freixo: Central West Portugal. — Boll. Malacologico 39(1-4): 7-16.
- \* OKUSO, A., E. SCHWABE, D.J. EERNISSE & G. GIRIBET, 2003. – Towards a phylogeny of chitons based on combined analysis of five molecular loci. — Organisms, Diversity & Evolution 3(4): 281-302.
- \* SCHWABE, E., 2003. – Taxonomic notes on chitons. 3. Notes on the genus *Callochiton* Gray, 1847 from the Indian Ocean. — Malak. Abh. Vol. 21: 19-27.

### GASTROPODA

#### GENERAL / ALGEMEEN

- \* ROSENBERG, G. & R.E. PETIT, 2003. –

### Kaicher's Card Catalogue of World Wide Shells: A collation, with discussion of species named therein. — The Nautilus 117(4): 99-120.

### REGIONAL / REGIONAAL

- \* HERTZ, K., 2003. – Schneckenauflsammlungen an der israelischen Mittelmeerküste. — Club Conchylia Informationen 35(1-6): 105-109.

### ANATOMIDAE

- \* GEIGER, D.L. & F. JANSEN, 2004. – Revision of the Australian species of Anatomidae. — Zootaxa No. 415: 1-35.

### APLYSIIDAE

- \* ROGERS, C.N., R. DE NIJS & P.D. STEMBERG, 2003. – Ecology of the sea hare *Aplysia parvula* in New South Wales, Australia. — Moll. Res. 23(3): 185-198.

### ASSIMINEIDAE

- \* SUZUKIDA, K. & H. FUKUDA, 2004. – Lectotype Designation for Two East Asian Species of Assimineidae. — The Veliger 47(2): 82-84.

### BUCCINIDAE

- \* OLABARRIA, C. & M.H. THURSTON, 2004. – Patterns of morphological variation of the deep-sea gastropod *Troschelia berniciensis* (King, 1846) from the northeastern Atlantic Ocean. — J. Moll. Stud. 70(1): 59-66.

### CALYPTRAEIFAE

- \* MIOSLAVICH, P., E. KLEIN & P.E. PENCHASZADEH, 2003. – Reproduction of *Crepidula navicula* Mørch, 1877 and *Crepidula aplysioides* Reeve, 1859 from Morrocoy and La Restinga Lagoon, Venezuela. — The Nautilus 117(4): 121-134.

### CAPULIDAE

- \* KANTOR, Y.T. & M.G. HARASEWYCH, 2003. – On the true identity of *Trichotropis solida* Aurivillius, 1885. — Ruthenica 13(2): 164-166.

### CERITHIIDAE

- \* DENADAI, M.R., A.C.Z. AMARAL & A. TURRA, 2004. – Biology of a tropical intertidal population of *Cerithium atratum* (Born, 1778). — J. Nat. Hist. 38(13): 1695-1710.

### COCCULINIDAE

- \* CHERNYSHEV, A.V. & YU.M. YAKOVLEV, 2003. – The first finding of *Cocculina japonica* Dall, 1907 in the northwestern Japan Sea. — Ruthenica 13(2): 103-105.

### COLUMBELLIDAE

- \* SEGERS, W. & F. SWENNEN, 2003. – On the occurrence of *Zafra exilis* (Philippi, 1849) on the Canary Islands. [met Nederlandse samenvatting] — Gloria Maris 42(4-5): 101-103.

### CONIDAE

- \* TOURTOU, D., 2003. – Escale en Nouvelle Calédonie. 15 jours 1a la recherche du caillou. [also in English] — Xenophora No. 104: 26-27.

### CYPRAEIDAE

- \* FEHSE, D., 2003. – Katalog der fossilen Cypraeoides in der Sammlung Franz Alfred Schilder. III.I. Die Gattung *Astrocypraea* Cossmann, 1903 in Australien. — Club Conchylia Informationen 35(1-6): 49-73.
- \* WIMART-ROUSSEAU, D. & J., 2003. – *Erosaria turdus* vivante à Djerba ! [also in English] — Xenophora No. 104: 8-9.

### CYSTISCIDAE

- \* See under Marginellidae (1).

### EPITONIIDAE

- \* BROWN, L. & B. RAINES, 2004. – Two new records of Epitonidae from Easter Island, Chile. — Zootaxa 402: 1-7.

### FASCIOLARIIDAE

- \* MALLARD, D., 2003. – Fasciolariidae – Nouveautés. [also in English] — Xenophora No. 104: 10-25.


- \* VERMEIJ, G.J., 2003. – The fasciolariid gastropod genus *Benimakia*: New species and a discussion of the Indo-Pacific genera in Brazil. — Proc. Ac. Nat. Sci. Philadelphia Vol. 153:15-22.

#### HALIOTIDAE

- \* OWEN, B., 2003. – A Photo Study of the Eastern Pacific Hybrid Abalone, Part 3. — Of Sea and Shore 25(4): 246-250.  
\* OWEN, B., 2003. – The *Haliotis* Subspecies Endemic to Guadeloupe Island, Mexico: a Re-examination and photo study. — Of Sea and Shore 25(4): 272-275, 288.

#### MARGINELLIDAE

- \* HOFFMANN, R., 2003. – Übersicht über die Gattungen der Marginelliformen Gastropoden. — Club Conchylia Informationen 35(1-6): 87-90.  
\* HOFFMANN, R., 2003. – Eine "Marginella", die aus der Kälte kommt. [Volvarina hyalina] — Club Conchylia Informationen 35(1-6): 91-93.



*Volvarina hyalina* (Thiele, 1912). H 7mm. Weddell Sea. - Club Conchylia Informationen 35(1-6): 92

#### MITRIDAE

- \* ROBIN, A. & J.C. MARTIN, 2003. – Mitridae et Costellaridae. — Xenophora No. 104: pls. M 11-14.

#### MURICIDAE

- \* HOUART, R. & B.I. SIRENKO. – Review of the Recent species of *Ocenebra* Gray, 1847 and *Ocinebellus* Jousseaume, 1880 in the Northeastern Pacific. — Ruthenica 13(1): 53-74.  
\* KUBO, H., 2003. – Four tiny species of *Morula* from Ishigaki Island, Okinawa. [in Japanese with English abstract] — Chiribotan 34(3): 53-58.  
\* LAURANCEAU, N., 2003. – Origines et variations de la forme et de la pigmentation des Prosobranches. Réproduction et Taxonomie. II<sup>e</sup> partie: Le *Murex* et les variations dans l'espace. [also in English] — Xenophora No. 104: 29-35.  
\* TAN, K.-S., 2003. – A taxonomic note on *Mancinella siro* (Kuroda) and *M. echinata* (Blainville). — The Yuryagai 9(1): 1-9.  
\* ZASLAVSKAYA, N.I. & N.K. KOLOTUCHINA, 2003. – Genetic and morphological differentiation between two species of *Nucella* in the northwestern Pacific. — J. Moll. Stud. 69(4): 381-385.

#### NACELLIDAE

- \* CHERNYSHOV, A.V. & T.V. CHERNOVA, 2003. – The first finding of limpets *Celiana toreuma* (Reeve, 1855) in the Peter the Great Bay (Japan Sea). [in Russian with English abstract] — Ruthenica 13(2): 101-102.

#### NASSARIIDAE

- \* MORTON, B., 2003. – Observations on the feeding behaviour of *Nassarius clarus* in Shark Bay, Western Australia. — Moll. Res. 23(3): 239-249.

#### OLIVIDAE

- \* HAYASHI, I., 2003. – A mass beaching of *Oliva mustelina* shells and its implications. [in Japanese] — Chiribotan 34(4): 101-110.

#### OVULIDAE

- \* OMI, Y. & S. HABU, 2003. – A record of *Pseudocypraea exquisita* from Japan. [in Japanese with English abstract] — Chiribotan 34(3): 59-64.

#### PATELLAGASTROPODA (Order)

- \* NAKANO, T. & T. OZAWA, 2004. – Phylogeny and historical biogeography of limpets of the order Patellogastropoda based on mitochondrial DNA sequences. — J. Moll. Stud. 70(1): 31-41.

#### PATELLIDAE

- \* GRAY, D.R. & A.N. HODGSON, 2004. – The importance of a crevice environment to the limpet *Helcion pectunculus*. — J. Moll. Stud. 70(1): 67-72.

#### PYRAMIDELLIDAE

- \* DAAN, R., M.S.S. LAVALEYE & M. MULDER, 2004. – Three marine mollusc species new to the Dutch recent fauna. [Turbonilla pusilla] — Basteria 67(4-6): 149-152.

#### RISSOIDAE

- \* KABASAKAL, H., 2003. – On the occurrence of *Rissoa splendida* Eichwald, 1830 from the western coast of Turkish Black Sea. — Club Conchylia Informat. 35(1-6): 3-5.

#### SCAPHANDRIDAE

- \* See under Pyramidellidae [*Roxania utriculus*].

#### STROMBIDAE

- \* JESÚS-NAVARETES, A. DE, A. MEDINA-QUEJ & J.J. OLIVA-RIVERA, 2003. – Changes in the queen conch (*Strombus gigas* L.) population structure at Banco Chinchorro, Quintana Roo, Mexico. — Bull. Marine Sci. 73(1): 219-229.  
\* JESÚS-NAVARETES, A. DE & V. VALECIABELTRAN, 2003. – Abundance of *Strombus gigas* zero-year class juveniles at Banco Chinchorro Biosphere Reserve, Quintana Roo, Mexico. — Bull. Marine Sci. 73(1): 231-241.  
\* WILLAN, R.C. & G.C. KRONENBERG, 2004. – Rectification of nomenclature for two species in the family Strombidae. — Basteria 67(4-6): 153-157.

#### TEREBRIDAE


- \* MOGOLÓN AVILA, V. & J. KOSTELAC ROCA, 2004. – First record of nine species of *Terebra* in Perú, with notes on five other species. — The Festivus 36(2): 13-21.

#### TONINIDAE

- \* MONSECOUR, D. & CHR. VOS, 2003. – Some notes on *Tonna rosemaryae* Vos, 1999. [met Nederlandse samenvatting] — Gloria Maris 42(4-5): 104-107.

#### TROCHIDAE

- \* DEVRIES, Th. J. & B. HESS, 2004. – *Piscocrita*, gen. nov.: First Account of Tribe Trochini from the Cenozoic of Western South America. — The Veliger 47(2): 6-12.  
\* ROBERTSON, R., 2003. – The edible West Indian "whelk" *Cittarium pica*: Natural history with new observations. — Proc. Ac. Nat. Sci. Philadelphia Vol. 153: 27-47.



*Cittarium pica*. External view of a multispiral operculum in situ on a nearly withdrawn living animal. — Proc. Ac. Nat. Sci. Philadelphia Vol. 153: 31.

#### TURRIDAE

- \* MEDINSKAYA, A. & A. SYSOEV, 2003. – The anatomy of *Zemacies exelsa*, with a description of a new subfamily of Turridae. [Zemaciinae] — Ruthenica 13(1): 81-87.

#### VOLTUDIDAE

- \* ALEXEYEV, D.O., 2003. – New finding of *Arctomelon stearnsi* (Dall, 1872) in western part of the Bering Sea. — Ruthenica 13(2): 113-114.

#### BIVALVIA

##### ARCIDAE

- \* KOGA, T. et al., 2003. – New records of rare species of three bivalves (...) from the estuary of the Tagori River, Saga Prefecture, Ariake Inland Sea, Japan. — The Yuriyagai 9(1): 43-50.  
\* MORAN, A.L., 2004. – The unusual Prodisorconch and Larval Development of *Barbatia bailyi* (Bartsch, 1931). — The Veliger 47(2): 47-52.

##### CARDIIDAE

- \* RAMON, M., 2003. – Population dynamics and secondary production of the cockle *Cerastoderma edule* (L.) in the brackbarrier tidal flat of the WaddenSea. — Scientia Marina 67(4): 429-443.

## GLYCYMERIDAE

- \* WOLF, P. DE, 2003. – *Glycymeris glycymeris* in een schelpenhoop op Texel. — Het Zeepaard 63(6): 185-191.

## CRASSATELLIDAE

- \* LAMPRELL, K., 2003. – Review of the type-material of Indo-West Pacific genus *Cras-satina* (....). — Moll. Res. 23(3): 209-222.

## ISOGNOMONIDAE

- \* ALFARO, A.C., A.G. JEFFS & S.H. HOOKER, 2003. – Spatial variability in reproductive behaviour of green-lipped mussel population of northern New Zealand. [Perna canaliculus] — Moll. Res. 23(3): 223-238.

## LIMIDAE

- \* MIKKELSEN, P.M. & R. BIELER, 2003. – Systematic revision of the western Atlantic file clams, *Lima* and *Ctenoides*. — Invertebrate Systematics 17(5): 667-710.

## MONTACUTIDA

- \* See under Pyramidellidae [*Telymya tenella*].

## MYTILIDAE

- \* BUDDO, D.S.T.A., R.D. STEELE & E.R. D'OVEN, 2003. – Distribution of the invasive Indo-Pacific green mussel, *Perna viridis*, in Kingston Harbour, Jamaica. — Bull. Marine Sci. 73(2): 433-442.
- \* LUTAENKO, K.A., 2003. – First record of *Musculus koreanus* Ockelmann, 1983 in Russian waters of the Sea of Japan. — Ruthenica 13(2): 157-162.

## NUCULANOIDEA (superfamily)

- \* LA PERTA, R., 2003. – The Quaternary deep-sea protobranch fauna from the Mediterranean 1 composition, depth-related distribution and changes. — Boll. Malacologico 39(1-4): 17-34.

## OSTREIDAE

- \* DANKERS, N., E. DIJKMAN, M. DE JONG, G. DE KORT & A. MEIJBOOM, 2004. – De verspreiding en uitbreidings van de Japanse Oester in de Nederlandse Waddenzee. — Alterra, rapport 929: 6-50.
- \* MORTON, B., K. LAM & S. SLACK-SMITH, 2003. – First report of the European flat oyster *Ostrea edulis*, identified genetically, from Oyster Harbour, Albany, southwestern Western Australia. — Moll. Res. 23(3): 199-208.

## PECTINIDAE

- \* DIJKSTRA, H.H. & S. GOFAS, 2004. – Pectinoidea from some northeastern Atlantic seamounts [avec un résumé français] — Sarsia 89(1): 33-78.

## PINNIDAE

- \* MITRA, S., J. SARKAR, RAMAKRISHNA & A. DEY, 2002. – Report of living pen shell, *Pinna (Atrina) pectinata pectinata* Linnaeus from Shankarpur, West Bengal. — Rec. Zool. Surv. India 100(3-4): 229-230.
- \* SEELING, J. & P. BENGSTON, 2003. – The bivalve *Pinna cretacea* (Schotheim, 1813)

from the Cretaceous of Brazil. — Acta Palaeontologica Polonica 48(3): 475-480.

## PROPEAMUSSIIDAE

- \* See under Pectinidae.

## SPONDYLIDAE

- \* DARDANO, M., 2003. – Is *Spondylus pictorum* a Valid Species? — Of Sea and Shore 25(4): 256-259.

## TELLINIDAE

- \* NARCHI, W., 2003. – The relationship between the unilateral siphonal organ and label pairs of *Macoma constricta* (Bruguière, 1782). — J. Moll. Stud. 69(4): 359-363.

\* See also under Arcidae.

## TEREDINIDAE

- \* TOMA DE MORAES, D. & S.G.B.C. LOPEZ, 2003. – The functional morphology of *Neoteredo reynei* (Bartsch, 1920). — J. Moll. Stud. 69(4): 311-318.

## TRIGONIIDAE

- \* FRANCIS, A.O. & A. HALLAM, 2003. – Ecology and evolution of Jurassic trigoniid bivalves in Europe. — Lethaia 36(4): 287-304.

## VENERIDAE

- \* KAWACHINO, Y., 2003. – Discovery of the live population of the rare bivalve *Pitar (Pitarina) japonicus* Kuroda & Kawamoto in Sasebo, Nagasaki Prefecture, Japan. — The Yuriyagai 9(1): 33-41.
- \* KELLNER, L., 2003. – First record of *Paphia textile* (Gmelin, 1791) in the north-eastern Atlantic. — Club Conchylia Information 35(1-6): 19-20.

## SLUGS / NAAKTSLAGKEN

- \* FAHEY, S.J., 2003. – Phylogeny of *Halgerda* based on combined analysis of mitochondrial CO1 and morphology. — Invertebrate Systematics 17(5): 617-624.
- \* FAHEY, S.J. & T.M. GOSLINER, 2003. – Redescription of *Halgerda graphica* Bass-dow & Hedley, 1905, with Observations on External Morphological Variation within Selected Species of *Halgerda*. — Proc. California Ac. Sci. 54(23): 393-406.
- \* GAVIA, C., M.A.E. MALAQUIAS, G. CALADDO & V. URGORRI, 2004. – New records of Portuguese Opistobranch molluscs. — J. Conch. 38(2): 101-118.
- \* MARTYNOV, A.V., 2003. – A new species of the genus *Rostanga* Bergh, 1879 (Opistobranchia) from the Peter the Great Bay, the Japan Sea, with a discussion on the genus *Borcodoris*, 1939. — Ruthenica 13(2): 141-147.

- \* SUGA, H., H. ISHIKAWA & K. MIZUNO, 2003. – A new locality of *Onchidium hongkongense* Britton, 1984 on the southwestern coast of Shikoku, Japan. — The Yuriyagai 9(1): 51-56.

## CEPHALOPODA (Class)

- \* AROCHA, F., 2003. – A new species of *Nematolampas* (Oegopsida) from the

western central Atlantic with an overview of the Family Lycoteuthidae. — Bull. Marine Sci. 72(3): 941-953.

- \* GLEADALL, I.G., 2003. – A note on the Cephalopoda type specimens in the Zoology Department of Tokyo University Museum. — J. Moll. Stud. 69(4): 375-380.

- \* HOCHBERG, F.G., 2003. – New taxa of Cephalopoda described by Kir Nesis. — Ruthenica 13(1): 9-11.

- \* LILLY, M., 2003. – *Octopus veliger*, permanent resident or fair-wether friend? — The Festivus 36(1): 2-8.


## FOSSILS

## CEPHALOPODA

- \* GYGI, R.A., 2003. – Perisphinctacean ammonites of the Late Jurassic in northern Switzerland. A versatile tool to investigate the sedimentary geology of an epicontinental sea. — Schweizerische Paläont. Abh. Vol. 123: 1-233.

- \* MERTMANN, D. & V. JACOBSHAGEN, 2003. – Upper Alenian (Späthian) ammonoids from Chios (Lower Triassic, Greece): taxonomy and stratigraphic positions. — Rev. Italiana di Paleont. e Stratigrafia 109(3): 417-447.

- \* POZZI, E., 2004. – Le Toarcien et ses fossiles dans la région de Thouars (Deux-Sèvres) et à Jard (Vendée). — Minéraux & Fossiles 30(325): 28-35.



Left: *Dumortieria levesque* (d'Orbigny); right: *Pleydellia aalensis* (Zieten). Naar d'Orbigny. — Minéraux & Fossiles 30(325): 35.

- \* SPREY, A.M., 2002. – Morphometrie und Paläökologie von Ammonoïden vor, während und nach globalen Faunenkrisen. — Münster Forsch. Geol. Paläont. No. 95: 1-158.

- \* VENTURI, F. & C. NANNARONE, 2003. – *Oxydiscoceras*, a new name for the genus *Oxydiscus* Venturi & Nannarone, 2002 (Ammonoidea, Arietotoidea), preoccupied by *Oxydiscus* Koken, 1889 (Gastropoda, Bellerophontidae). — Boll. Soc. Paleont. Italiana 42(3): 323.

- \* WILMSSEN, M. & E.A. YAZKOVA, 2003. – Comparison (Late Cretaceous) nautiloids from Sakhalin, Far East, Russia. — Acta Palaeontologica Polonica 48(3): 481-490.

## OTHER FOSSILS

- \* KAFANOV, A.I., 2003. – Review of the State of Knowledge of Cenozoic Bivalves from the Russian Far East. — Paleont. J. 37(6): 646-652.

- \* MAZAEV, A.V., 2003. – The family Orthonemidae (Gastropoda) from Middle and Upper Carboniferous of the Central

- part of Russian Plate. — Ruthenica 13(2): 89-100.
- \* SQUIRES, R.L. & L.R. SAUL, 2004. — Uncommon Cretaceous Naticiform Gastropods from the Pacific Slope of North America. — The Veliger 47(2): 21-37.
- \* VÖRÖS, A., J. SZABÓ, A. DULAI, I. SZENTE, O. EBLI & H. LOBITZER, 2003. — Early Jurassic fauna and facies of the Schafberg area (Salzkammergut, Austria). — Fragmenta Palaeont. Hungarica Vol. 21: 51-82.
- \* See also under Polyplacophora; Gastropoda: Trochidae; Bivalvia: Pinnidae, Trigoniidae

#### FIELDTRIPS / VELDWERK

- \* JAUX, G., 2003. — Collectes au pied du «Teide».[Tenerife] — Xenophora No. 104: 12-17.
- \* KÖHLER, G., 2003. — Malakologische Strandaufsammlungen von Kuba/Grosse

- Antillen aus den Jahren 1973-75. — Club Conchylia Informationen 35(1-6): 31-47.
- \* KURTZ, I., 2004. — Portugal im März 1997 – ein nachträglicher Sammelbericht. — Club Conchylia Informationen 35(1-6): 99-104.
- \* SEITZINGER, R.T., 2003. — Schelpen verzamelen in Portugal van 1992 tot 2003. — De Kreukel 39(9-10): 135-174.
- \* See also under Conidae.

#### MISCELLANEOUS / VARIA

- \* CALLOMON, P., 2003. — Henry A. Pilsbry and Yoichiro Hirase, with a translation of Takobei Kuruda's (1958) "In Memory of Dr. H.A. Pilsbry: "Pilsbry and the Mollusca of Japan". — Proc. Ac. Nat. Sci. Philadelphia Vol. 153: 1-6.
- \* GEIGER, D.L., 2003. — Micromount Clay is NOT Suitable for Usage in Shell Collections! — Club Conchylia Informationen 35(1-6): 110-111.

- \* NIEULANDE, F. VAN, 2003. Rubberafgietsel van fossiele schelpen / Rubber casts of fossil shells. — Gloria Maris 42(6): 135-136.
- \* PRUMMEL, W., 2003. — Middle Bronze Age and Hellenistic Mollusk Meals from Soupy Bay (Thessaly, Greece). — Bull. Flora-Mus. Nat Hist. 44(1): 55-64.
- \* REICHERT, P., Notizen zu Hugh Cuming (1791-1865) Muschelsammler und Naturalienhändler. [in English]. — Of Sea and Shore 25(4): 236-245.
- \* VARDCOURT, B., A.H. WOOD & B. ROWSON, 2004. — Obituary: Thomas Pain (1915-2003). — J. Conch. 38(2): 179-189.

