



## TIJDSCHRIFTARTIKELEN JOURNAL PAPERS

R.A. Bank

*Malacological papers published in journals. Sorted in the following order of succession: Faunistics/Ecology - Fossil Assemblages - Bivalvia - Gastropoda (alphabetically rubricated at the family level) - Miscellanea - Publications in the Bulletin of Zoological Nomenclature (new cases - comments on previous cases - Opinions). Within each item, papers are ordered alphabetically on the name of the first author.*

### FAUNISTICS/ECOLOGY

- \* BÁBA, K. (2004): The aquatic mollusc fauna of river Tisza and its tributaries. – Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, 12: 19-29. Rankweil.
- \* BARON, D. (2004): Møns Klint, Denemarken, een malacologisch paradijs. – Jaarverslag Schelpen Werkgroep Delfzijl, 16: 15-16. Delfzijl.
- \* BOYCE, R. (2004): *Phenacolimax* hunted unsuccessfully in Worcestershire. – Mollusc World, 6: 14. London.
- \* DALFREDO, C. & B. MAIOLINI (2004): Il popolamento malacologico di alcuni laghi trentini a confronto 70 anni dopo.

- \* – Studi Trentini di Scienze Naturali Acta Biologica, 80 [2003]: 175-177. Trento.
- \* DAMERDJİ, A. (2002): Preferendum des mollusques gastéropodes pulmonés terrestres pour les plantes de Tlemcen (Algérie). – Mésogée, 60: 45-52. Marseille.
- \* GRABIJN, C. (2004): Malta 2004. – Jaarverslag Schelpen Werkgroep Delfzijl, 16: 6-8. Delfzijl.
- \* HOLYOAK, G. (2004): Recorder's report: non-marine Mollusca. – Journal of Conchology, 38 (4): 480-483. London.
- \* KAPPES, H., K. GROH & C. RENKER

- (2004): Molluskenfauna (Gastropoda et Bivalvia) der Eifel und Manderscheid, Meerfelder Maar und Himmerod. – Fauna und Flora in Rheinland-Pfalz, 10 (2): 473-492. Landau.
- \* KOFLER, A. & P. MILDNER (2004): Dritter Nachtrag zur Molluskenfauna Osttirols (Mollusca: Gastropoda: Bivalvia). – Berichte des Naturwissenschaftlich-Medizinischen Vereins in Innsbruck, 91: 129-155. Innsbruck.
- \* LEEUWEN, S. VAN (2005): Schelpen verzamelen op Thasso, Griekenland. – De Kreukel, 41 (1/2): 3-6. Diemen.
- \* MARTÍNEZ-ORTÍ, A., M.T. APARICIO & F. ROBLES (2004): La malacofauna de

- la Sierra de Alcaraz (Albacete, España). – Iberus, 22 (2): 9-17. Oviedo.
- \* MOORKENS, E.A. (2004): Non-marine Mollusca: new and notable records for Ireland. – Bulletin of the Irish Biogeographical Society, 28: 189-198. Dublin.
- \* MORI, N. (2003): Macroinvertebrate communities of karst springs in the Julian Alps in relation to environmental factors. – Natura Sloveniae, 5 (2): 5-17. Ljubljana.
- \* PÉREZ-QUINTERO, J.C., M. BECH & J.L. HUERTAS (2004): Los moluscos de las aguas continentales de la provincia de Huelva (SO España). – Iberus, 22 (2): 19-31. Oviedo.
- \* PROSCHWITZ, T. von (2004): Faunistiskt nytt 2003 – snäckor, sniglar och musslor. – Göteborgs Naturhistoriska Museum Arstryck, 2004: 23-36. Göteborg.
- \* SEITZINGER, R.T. (2005): Schelpen verzamelen bij het Balaton meer Hongarije Juli – 2004. – De Kreukel, 41 (1/2): 7-12. Diemen.
- \* TRIANTIS, K.A., M. MYLONAS & K. VARDINOYANNIS (2004): Contribution to the knowledge of the terrestrial malacofauna of the island group of Dionysades (Crete, Greece). – Journal of Conchology, 38 (4): 383-391. London.
- \* VAUPOTIČ, M. & F. VELKOVRH (2003): Slugs (Gastropoda: Pulmonata: Milacidae, Limacidae, Boettgeriliidae, Agriolimacidae, Arionidae) of Slovenia. – Acta Biologica Slovenica, 45 [2002] (2): 35-52. Ljubljana.
- \* VILVENS, C. (2005): L'excursion d'automne de la S.B.M. dans la région de Custinne et de Celles. – Novapex, Société 61 (1/2): 12-13.
- \* WILLING, M. (2004): Field meeting report: New Forest Ponds, near Brockenhurst, Hampshire 12th June 2004. – Mollusc World, 6: 22-23. London.
- \* ZEISSLER, H. (2004): Ein weiterer Beitrag zur Molluskenfauna des Gothaer Krahnenberges in Thüringen (Mollusca: Gastropoda et Bivalvia). – Abhandlungen und Berichte des Museums der Natur Gotha, 23: 87-90. Gotha.
- FOSSIL ASSEMBLAGES**
- \* BALAKRISHNAN, M., C.J. YAPP, J.L. THELER, B.J. CARTER & D.G. WYCKOFF (2005): Environmental significance of  $^{13}\text{C}/^{12}\text{C}$  and  $^{18}\text{O}/^{16}\text{O}$  ratios of modern land-snail shells from the southern great plains of North America. – Quaternary Research, 63 (1): 15-30. Washington.
- \* BALAKRISHNAN, M., C.J. YAPP, D.L. MELZER & J.L. THELER (2005): Paleoenvironment of the Folsom archeological site, New Mexico, USA, approximately 10,500  $^{14}\text{C}$  yr B.P. as inferred from the stable isotope composition of fossil land snail shells. – Quaternary Research, 63 (1): 31-44. Washington.
- \* GIUNTELLI, P. (2004): Variabilità dell'ornamentazione in *Theodoxus pictus* (Neritidae) del bacino terziario ligure piemontese. – Bollettino Malacologico, 40 (5/8): 74-76.
- \* MIENIS, H.K. (2004/2005): Notes concerning recent and fossil Neritoidea, 31. On the alleged occurrence of *Neritina zigzag* LAMARCK in the Pleistocene Kere River outcrops, Santo, New Hebrides. – The Festivus, 26 (11): 144 (2004); 27 (1): 10 (2005).
- \* MIENIS, H.K. (2004): The molluscs of Nessana. – In: D. URMAN (ed.), Nessana. Excavations and Studies. I. – Beer-Sheva, 17: 165-196.
- \* MIENIS, H.K. (2004): Appendix. Notes on a second collection of molluscs recovered during the excavations of Nessana. – In: D. URMAN (ed.), Nessana. Excavations and Studies. I. – Beer-Sheva, 17: 197-215.
- \* NADEL, D., A. TSATSKIN, M. BELMAKER, E. BOARETTO, M. KISLEV, H. MIENIS, R. RABINOVICH, O. SIMCHONI, T. SIMMONS, E. WEISS & I. ZOHAR (2004): On the shore of a fluctuating lake: environmental evidence from Ohalo II (19,500 B.P.). – Israel Journal Earth Sciences, 53: 207-223.
- \* NIEDERHÖFER, H.-J. & G. FALKNER (2003): Taxonomische und stratigraphische Neubewertung der fossilen Molluskenfauna aus der Bären- und Karlshöhle bei Erpfingen (Schwäbische Alb). – Laichinger Höhlenfreund, 38 (2): 145-193. Laichingen.
- \* PETRONIO, C., P. ARGENTI, L. CALOI, D. ESU, O. GIROTTI & R. SARDELLA (2004?): Updating Villafranchian mollusc and mammal faunas of Umbria and Latium (central Italy). – Geologica Romana, 36 [2000-2002]: 369-387. Roma.
- BIVALVIA**
- \* ARAUJO, R., I. GÓMEZ & A. MACHORDOM (2005): The identity and biology of *Unio mancus* LAMARCK, 1819 (= *U. elongatus*) (Bivalvia: Unionidae) in the Iberian peninsula. – Journal of Molluscan Studies, 71 (1): 25-31. London.
- \* BARON, D. (2004): Massale sterfte van Unionoïden. – Jaarverslag Schelpen Werkgroep Delfzijl, 16: 21-22. Delfzijl.
- \* CADÉE, G.C. (2004): *Corbicula fluminea* (MÜLLER, 1774) (Bivalvia, Corbiculidae) eaten by oystercatchers. – Basteria, 68 (4/6): 87-90. Leiden.
- \* CONROY, J.D. & D.A. CULVER (2005): Do dreissenid mussels affect Lake Erie ecosystem stability processes? – The American Midland Naturalist, 153 (1): 20-32.
- \* FISCHER, W. (2004): Beiträge zur Kenntnis der Molluskenfauna Österreichs VIII. Zur Verbreitung von *Corbicula fluminea* (O.F. MÜLLER 1774) (Mollusca: Bivalvia) und *Microcolpia daudebartii acicularis* (FÉRUSSAC 1821) (Mollusca: Gastropoda) im Donaugebiet in Niederösterreich sowie Bemerkungen zu *Unio* und *Pseudanodonta* (Mollusca: Bivalvia). – Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, 12: 15-18. Rankweil.
- \* HORSÁK, M. & K. NEUMANNOVA (2004): Distribution of *Pisidium globulare* CLESSIN, 1873 (Mollusca: Bivalvia) in the Czech Republic and Slovakia with notes to its ecology and morphological characters. – Journal of Conchology, 38 (4): 373-381. London.
- \* ITUARTE, C. (2004): Sphaeriidae (Bivalvia) from Peruvian Amazon floodplains, with the description of *Pisidium iquito* new species. – The Nautilus, 118 (4): 167-174.
- \* MARTÍN, P.R. (2005): Discouraging results in the search for the Patagonian mussel *Anodontites puelchanus*. – Tentacle, 13: 10-11.
- \* MELNICHENKO, R.K., L.N. JANOVICH & A.V. KORNIUSHIN (2004): Changeability of the shells' morfometrical characteristics, peculiarities of ecology and reproduction of the species complex *U. crassus* (Bivalvia, Unionidae) in the fauna of Ukraine. – Vestnik Zoologii, 38 (3): 19-35. [Russian]
- \* MIENIS, H.K. (2004): Additional information concerning the conquest of Europe by the invasive Chinese pond mussel *Sinanodonta woodiana*, 10. News from the Netherlands, Belgium, and the Czech Republic. – Ellipsaria, 6 (3): 13-14.
- \* MONTEIRO, J., I. RIBEIRO, I. SOARES DA SILVA, L. BALDAIA & J. MACHADO (2004): In vitro synthesis of organic matrix in primary culture cells from the outer mantle epithelium of *Anodonta cygnea* (Unionidae). – Haliotis, 33: 3-13. Paris.
- \* NAGEL, K.-O. (2004): Observations on the reproductive period of the freshwater mussel *Potomida littoralis* (Unionidae). – Iberus, 22 (2): 1-8. Oviedo.
- \* NIENHUIS, J. (2004): Onkruidmossels. Young and Beautiful against Old and Ugly. – Jaarverslag Schelpen Werkgroep Delfzijl, 16: 18-19. Delfzijl.
- \* O'BRIEN, C.A., J.D. WILLIAMS & M.A. HOGGARTH (2003): Morphological variation in glochidia shells of six species of *Elliptio* from Gulf of Mexico and Atlantic Coast drainages in the southeastern United States. – Proceedings of the Biological Society of Washington, 116 (3): 719-731. Washington.
- \* ROE, K.J. & P.D. HARTFIELD (2005): *Hamiota*, a new genus of freshwater mussel (Bivalvia: Unionidae) from the Gulf of Mexico drainages of the southeastern United States. – The Nautilus, 119 (1): 1-10.
- GASTROPODA**
- ACHATINIDAE**
- \* MIENIS, H.K. (2005): Blister pearl formation in *Achatina albopicta*. – Triton, 11: 25.
- \* OTCHOUMOU, A., K. N'DA, H. DOSO & D.K. KOUASSI (2004): Inventaire de végétaux sauvages consommés par l'escargot géant africain *Archachatina ventricosa* (GOULD, 1850): préférences alimentaires. – Haliotis, 33: 15-22.

- \* SIRGEL, W.F. (2004): A further note on *Archachatina churchilliana* and a description of the genital anatomy of *Archachatina natalensis* (Mollusca: Pulmonata: Achatinidae). – African Invertebrates, 45: 271-278. Pietermaritzburg.
- \* THIENGO, S.C. & M.A. FERNANDEZ (2005): *Achatina fulica* in Brasil: the current situation. – Tentacle, 13: 7.

#### ACICULIDAE

- \* GITTEMBERGER, E. (2004): A surprise in the Pyrenees, another *Renea*-like *Acicula* species (Gastropoda, Caenogastropoda, Aciculidae). – Basteria, 68 (4/6): 86. Leiden.

#### AMPULLARIIDAE

- \* ALBRECHT, E.A., E. KOCH, N.B. CARREÑO & A. CASTRO-VAZQUEZ (2005): Control of the seasonal arrest of copulation and spawning in the Apple snail *Pomacea canaliculata* (Prosobranchia: Ampullariidae): differential effects of food availability, water temperature, and day length. – The Veliger, 47 (3): 169-174. Berkeley.
- \* ESPINOSA-CHÁVEZ, F. & F. MARTÍNEZ-JERÓNIMO (2005): Growth and fecundity of *Pomacea patula* (Caenogastropoda: Ampullariidae) when fed on gel diets of *Scenedesmus incrassatus* (Chlorophyceae). – The Veliger, 47 (3): 213-217. Berkeley.
- \* TEO, S.S. (2004): Biology of the golden apple snail, *Pomacea canaliculata* (LAMARCK, 1822), with emphasis on responses to certain environmental conditions in Sabah, Malaysia. – Molluscan Research, 24: 139-148.

#### ARIONIDAE

- \* ANDERSON, R. (2004): *Arion occultus* n. sp., a new slug of subgenus *Kobeltia* SEIBERT (Pulmonata: Arionidae) from Ireland. – Journal on Conchology, 38 (4): 341-353. London.
- \* BARON, D. (2004): Bananenslak, *Ariolimax columbianus* (GOULD, 1851) in Nederland. – Jaarverslag Schelpen Werkgroep Delfzijl, 16: 9-10. Delfzijl.
- \* OVASKA, K., W.P. LEONARD, L. CHICHESTER, T.E. BURKE, L. SOPUCK & J. BAUGH (2004): *Prophysaon coeruleum* COCKERELL, 1890, Blue-gray tailedropper (Gastropoda: Arionidae): new distributional records and reproductive anatomy. – Western North American Naturalist, 64 (4): 538-543. Provo.

#### ASSIMINEIDAE

- \* GRIFFITHS, O.L. & F.B.V. FLORENS (2004): Ten new species of Mascarene land snails (Mollusca: Gastropoda) and their conservation status. – Molluscan Research, 24 (3): 161-177.


#### BITHYNIIDAE

- \* VERDCOURT, B. (2004): An early collection of *Gabiella rosea* MANDAHL-BARTH, 1968 (Gastropoda, Caenogas-

tropoda, Bithyniidae). – Basteria, 68 (4/6): 91-92. Leiden.

#### BRADYBAENIDAE

- \* MINATO, H. (2004): *Aegista* (s. s.) sp. aff. *hakusanensis* collected in the northern part of Akita Prefecture, Japan. – Chiribotan, 35 (3): 90-93. Tokyo. [Japanese].
- \* OHARA, K. & Y. OTANI (2004): Sinistral land snail specimens in the KURODA collection. – Chiribotan, 35 (3): 69-70. Tokyo. [Japanese].



*Ponsadenia (Dzungaria) pseudoferghanica* (SCHILEYKO) - SCHILEYKO, 2004, Treatise Recent Mollusca, 12: fig. 2154A.

#### CAMAENIDAE

- \* DAVIS, E.C. (2004): Odour tracking to a food source by the gastropod *Meridolum gulosum* (GOULD, 1864) from New South Wales, Australia (Camaenidae: Eupulmonata: Molusca). – Molluscan Research, 24 (3): 187-191.

#### CARYCHIIDAE

- \* MARTÍNEZ-ORTÍ, A. & F. ROBLES (2004): La superfamilia Ellobioidea (Mollusca, Acteophila) en la Comunidad Valenciana (España). – Boletín de la Real Sociedad Española de Historia Natural, Sección Biológica, 99 (1/4): 71-81. Madrid.
- \* PEARCE, T.A. (2005): *Carychium nannodes* CLAPP, 1905 found in Pennsylvania. – Tentacle, 13: 3-4.

#### CHAROPIDAE

- \* HYMAN, I.T. & J. STANISIC (2005): New charopid land snails chiefly from limestone outcrops in NSW (Eupulmonata: Charopidae). – Memoirs of the Queensland Museum, 50 (2): 219-302. Brisbane.
- \* MIQUEL, S.E., R. RAMÍREZ & J.W. THOMÉ (2004): Lista preliminar de los Punctoideos de Rio Grande do Sul, Brasil, con descripción de dos especies nuevas (Mollusca, Gastropoda, Stylommatophora). – Revista Brasileira de Zoologia, 21 (4): 925-935. Curitiba.
- \* SLAPCINSKY, J. (2005): Six new species of *Paryphantopsis* (Gastropoda: Pulmonata: Charopidae) from the Papuan Peninsula of New Guinea. – The Nautilus, 119 (1): 27-42.

#### CHONDRINIDAE

- \* MARTÍNEZ-ORTÍ, A., B. GÓMEZ & G. FACI (2004): Descripción de un nuevo molusco de la familia Chondrinidae (Gastropoda, Stylommatophora): *Abida secale meridionalis* subspec. nov. – Boletín de la Real Sociedad Española de Historia Natural, Sección Biológica, 99 (1/4): 63-69. Madrid.

#### CLAUSILIIDAE

- \* DANCE, S.P. (2004): Spain's disappearing door-snail. – Mollusc World, 6: 4-5. London.
- \* LONG, D. (2004): Cochlodina at Five Acre Grove. – Mollusc World, 6: 6. London.
- \* GIOKAS, S., P. PAFILIS & E. VALAKOS (2005): Ecological and physiological adaptations of the land snail *Albinaria caerulea* (Pulmonata: Clausiliidae). – Journal of Molluscan Studies, 71 (1): 15-23. London.
- \* GREGG, J. & M. SZEKERES (2004): New taxa of clausiliids (Gastropoda: Pulmonata: Clausiliidae) from northern Peru. – Schriften zur Malakozoologie, 21: 5-11. Cismar.
- \* LILL, K. (2004): *Macrogaster rolphii*, *Clausilia cruciata* und *Bulgarica cana* am Gnadtberg im Innerstebergland – Lebendnachweise der in Niedersachsen seit Jahrzehnten verschollenen Arten (Gastropoda: Clausiliidae). – Schriften zur Malakozoologie, 21: 15-18. Cismar.
- \* MIENTIS, H.K. (2004): De Grote clausilia: een slak met een ingebouwde veiligheidsklep. – De Snip (Uitgave IVN Waterland), 25 (4): 4-6.
- \* REISCHÜTZ, A. & P.L. REISCHÜTZ (2004): Helleniká pantofo, 9: Zur Verbreitung der Serrulininae (Clausiliidae: Gastropoda) in Griechenland. – Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, 12: 5-6. Rankweil.
- \* RÜETSCHI, J. (2004): *Charpentieria thomasiana studeri* – ein Lokalendemit? (Pulmonata: Clausiliidae). – Mitteilungen der Deutschen Malakologischen Gesellschaft, 71/72: 23-26. Frankfurt am Main.

#### CYCLOPHORIDAE

- \* GRIFFITHS, O.L. & F.B.V. FLORENS (2004): Ten new species of Mascarene land snails (Mollusca: Gastropoda) and their conservation status. – Molluscan Research, 24 (3): 161-177.

#### DIPLOMMATINIDAE

- \* HAUSDORF, B. & S. GUEVARA (2004): *Adelopoma peruvianum* new species from Northern Peru (Gastropoda: Diplommatinidae). – Journal of Conchology, 38 (4): 369-372. London.
- \* TONGKERD, P., C. SUTCHARIT & S. PANHA (2004): A new species of *Opisthostoma* from Thailand (Prosobranchia: Cyclophoraceae: Diplomma-

tinidae). – The Natural History Journal of Chulalongkorn University, 4 (2): 53-56. Bangkok.

#### ELLOBIIDAE

- \* MARTÍNEZ-ORTÍ, A. & F. ROBLES (2004): La superfamilia Ellobioidea (Mollusca, Acteophila) en la Comunidad Valenciana (España). – Boletín de la Real Sociedad Española de Historia Natural, Sección Biológica, 99 (1/4): 71-81. Madrid.

#### ENIDAE

- \* ÖRSTAN, A. & M.Z. YILDIRIM (2004): *Borlumastus* gen. nov. (Gastropoda, Pulmonata, Enidae), a new land snail genus from Turkey. – Basteria, 68 (4/6): 125-129. Leiden.

#### HELICARIONIDAE

- \* GRIFFITHS, O.L. & F.B.V. FLORENS (2004): Ten new species of Mascarene land snails (Mollusca: Gastropoda) and their conservation status. – Molluscan Research, 24 (3): 161-177.

#### HELICIDAE

- \* ARNAUD, J.-F., L. MADEC, A. GUILLER & A. BELLIDO (2001): Spatial analysis of allozyme and microsatellite DNA polymorphisms in the land snail *Helix aspersa* (Gastropoda: Helicidae). – Molecular Ecology, 10: 1563-1576.
- \* DANCE, S.P. (2004): Desert snails all at sea. – Mollusc World, 6: 8. London.
- \* FORNI, G. & C.F. SACCHI (2004): Ricerche sulle variazioni di *Cepaea nemoralis* (L.) (Gastropoda Pulmonata) nell'Italia settentrionale. – Studi Trentini di Scienze Naturali Acta Biologica, 80 [2003]: 261-266. Trento.
- \* LEEUWEN, S. VAN (2005): Linksgewonden wijngaardslak in Limburg. – De Kreukel, 41 (1/2): 20. Diemen.
- \* SCHÜTT, H. & R. SESÉN (2005): *Levan-tina spiriplana* in Turkey (Mollusca: Helicidae: Helicinae). – Triton, 11: 21-23.
- \* UESHIMA, R., M. OKAMOTO & Y. SATO (2004): *Eobania vermiculata*, a land snail newly introduced in Japan. – Chiribotan, 35 (3): 71-74. Tokyo.

#### HELICODISCIDAE

- \* MIQUEL, S.E., R. RAMÍREZ & J.W. THOMÉ (2004): Lista preliminar de los Punctoideos de Rio Grande do Sul, Brasil, con descripción de dos especies nuevas (Mollusca, Gastropoda, Stylommatophora). – Revista Brasileira de Zoología, 21 (4): 925-935. Curitiba.

#### HELMINTHOGLYTIDAE

- \* TUPEN, J. & B. ROTH (2005): New study confirms restricted status of endangered California land snail. – Tentacle, 13: 9-10.

#### HYDROBIIDAE

- \* BICHAIN, J.-M. (2004): Stygobite hydrobioids: *Bythinella padiraci*

LOCARD, 1903 – a case study for systematics and conservation. – Tentacle, 13: 4-5.

- \* BODON, M. & S. CIANFANELLI (2004): Due nuovi idrobiidi crenobionti del Piemonte e della Liguria (Gastropoda: Hydrobiidae). – Atti della Società Italiana di Scienze Naturali Museo Civico di Storia Naturale in Milano, 145 (2): 367-392. Milano.

- \* KEVREKIDIS, T., T. WILKE & A. MOGIAS (2005): When DNA puts ecological works back on the right track: genetic assessment and distribution patterns of mudsnail populations in the Evros Delta lagoons. – Arch. Hydrobiol., 162: 19-35. Stuttgart.

- \* LIU, H.-P. & R. HERSHLER (2005): Molecular systematics and radiation of western North American nymphophiline gastropods. – Molecular Phylogenetics and Evolution, 34 (2): 284-298.

- \* MAYER, R. (2004): Nachweis von *Lithoglyphus naticoides* (C. PFEIFFER 1828) in der Donau bei Luberegg (Niederösterreich). – Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, 12: 7-8. Rankweil.
- \* MIENIS, H.K. (2005): Rediscovery of *Heleobia annandalei* in the Octagon Pool of Tabgha, Isreal. – Tentacle, 13: 7-8.

- \* REISCHÜTZ, A. & P.L. REISCHÜTZ (2004): Helleniká pantoía, 7: *Hauffenia edlingeri* nov. spec. (Gastropoda: Prosobranchia: Hydrobiidae) aus Arkadien (Peloponnes, Griechenland). – Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, 12: 1-2. Rankweil.


- \* REISCHÜTZ, A. & P.L. REISCHÜTZ (2004): Helleniká pantoía, 8: Olympische Idylle – Neue Hydrobiiden (Gastropoda: Prosobranchia: Hydrobiidae) und einige andere seltene Arten aus dem Genis des Alfios bei Olimbia (Ilia, Peloponnes, Griechenland). – Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, 12: 3-4. Rankweil.

- \* ROLAN, E. (2004): Sobre una peculiar población de *Potamopyrgus antipodarum* en el tramo final del río Miño. – Noticiario de la Sociedad Espanola de Malacología, 42: 50-53. Madrid.

- \* SZAROWSKA, M., A. FALNIOWSKI, F. RIEDEL & T. WILKE (2005): Phylogenetic relationships of the subfamily Pyrgulinae (Gastropoda: Caenogastropoda: Hydrobiidae) with emphasis on the genus *Dianella* GUDE, 1913. – Zootaxa, 891: 1-32. Auckland.

- \* THOMPSON, F.G. (2005): Two new species of hydrobiid snails of the genus *Marstonia* from Alabama and Georgia. – The Veliger, 47 (3): 175-182. Berkeley.

- \* WILKE, T. & M. PFENNINGER (2002): Separating historic events from recurrent processes in cryptic species: phylogeny of mud snails (*Hydrobia* spp.). – Molecular Ecology, 11: 1439-1451.



*Marstonia angulobasis* Thompson - THOMPSON, 2005, The Veliger, 47 (3): fig. 2.

#### HYGROMIIDAE

- \* FISCHER, W. & M. DUDA (2004): Beiträge zur Kenntnis der Molluskenfauna Österreichs VII. *Cernuella virgata* (DA COSTA 1778) neu für die Molluskenfauna Wiens, sowie Bemerkungen zur Ausbreitung von *Monacha cantiana* (MONTAGU 1803), *Cernuella neglecta* (DRAPARNAUD 1805), *Hygromia cinctella* (DRAPARNAUD 1801) und *Cornu aspersum* (O.F. MÜLLER 1774) in Niederösterreich und Wien (Mollusca: Gastropoda). – Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, 12: 10-14. Rankweil.
- \* GUSTAV, D., A.-C. LINDEN & G. SCHMITZ (2004): *Hygromia cinctella* (DRAPARNAUD 1801) mit scalaridem Gehäuse (Pulmonata: Hygromiidae). – Mitteilungen der Deutschen Malakozoologischen Gesellschaft, 71/72: 15-17. Frankfurt am Main.
- \* LÓPEZ, C., R. PANADERO, A. PAZ, R. SÁNCHEZ-ANDRADE, P. DÍAZ, P. DÍEZ-BAÑOS & P. MORRONDO (2005): Larval development of *Aelurostrongylus abstrusus* (Nematoda, Angiostrongyliidae) in experimentally infected *Cernuella* (*Cernuella*) *virgata* (Mollusca, Helicidae). – Parasitological Research, 95: 13-16.
- \* NOWAK, C., C. ALBRECHT, H. KAPPES & C. RENKER (2004): Neue Funde von Heideschnecken (Gastropoda: Hygromiidae) in Rheinland-Pfalz. – Fauna und Flora in Rheinland-Pfalz, 10 (2): 571-579. Landau.
- Journal of Conchology, 38 (4): 341-353. London. – Journal of Conchology, 38 (4): 341-353. London.
- \* WU, M. (2004): Two new *Angiomphalia* species from China (Pulmonata: Helicoidea) extending the eastern fringe of the Hygromiidae. – Journal of Conchology, 38 (4): 399-410. London.

#### LAURIIDAE

- \* CUCHERAT, X. (2004): *Leiostyla anglica* (WOOD, 1828) living in northern France. – Journal of Conchology, 38 (4): 463. London.

#### LIMACIDAE

- \* MIENIS, H.K. (2004): Bestaan er nog

- Kelderslakken op Terschelling? – Rinkelbollen, 204 (4): 9-12.
- LYMNAEIDAE**
- \* BARGUES, M.D., M. VIGO, P. HORAK, J. DVORAK, R.A. PATZNER, J.P. POINTIER, M. JACKIEWICZ, C. MEIER-BROOK & S. MAS-COMA (2001): European Lymnaeidae (Mollusca: Gastropoda), intermediate hosts of trematodiases, based on nuclear ribosomal DNA ITS-2 sequences. – Infection, Genetics and Evolution, 1 (2): 85-107.
  - \* BRIERS, R.A. (2004): The relationship between abundance and prevalence of trematode parasites infecting *Lymnaea stagnalis* L. – Journal of Conchology, 38 (4): 363-367. London.
  - \* GARBAR, A.V., V.V. MANILO & A.V. KORNIUSHIN (2004): Probable directions of evolution of karyotypes of the European Lymnaeidae (Mollusca, Gastropoda, Pulmonata) in the light of modern concepts of phylogeny of the family. – Vestnik Zoologii, 38 (2): 29-37. [Russian]
  - \* GRAHAM, A.L. (2003): Effects of snail size and age on the prevalence and intensity of avian Schistosome infection: relating laboratory to field studies. – Journal of Parasitology, 89 (3): 458-463.
  - \* HOLYOAK, G.A. (2004): *Myxas glutinosa* (Gastropoda: Lymnaeidae) in Irish Lakes. – Journal of Conchology, 38 (4): 459-460. London.
  - \* PUURTINEN, M., M. HYTÖNEN, K.E. KNOTT, J. TASKINEN, K. NISSINEN & V. KAITALA (2004): The effects of mating system and genetic variability on susceptibility to trematode parasites in a freshwater snail, *Lymnaea stagnalis*. – Evolution, 58 (12): 2747-2753.
  - \* REISCHÜTZ, A. & P.L. REISCHÜTZ (2004): Helleniká pantoia, 10: *Pseudosuccinea columella* (SAY 1817) im Nomos Florina (NW-Makedonien, Griechenland). – Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, 12: 9. Rankweil.
  - \* SON, M.O. (2004): New record of *Lymnaea pachyta* (Pulmonata, Lymnaeidae). – Vestnik Zoologii, 38 (3): 76. [Russian]
  - \* TROUVÉ, S., L. DEGEN, C. MEUNIER, C. TIRARD, S. HURTREZ-BOUSSÈS, P. DURAND, J.F. GUÉGÀN, J. GOUDET & F. RENAUD (2000): Microsatellites in the hermaphroditic snail, *Lymnaea truncatula*, intermediate host of the liver fluke, *Fasciola hepatica*. – Molecular Ecology, 9: 1662-1664.
- MELANOPSIDAE**
- \* BÁBA, K. (2004): Area-analytical zoogeographic classification of the family Melanopsidae (Gastropoda: Prosobranchia). – Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, 12: 30-36. Rankweil.
- MILACIDAE**
- \* SCHNELL, B., P. SCHNELL & W. SCHNELL (2004): Der Dunkle Kielschnecke *Milax gagates* (DRAPARNAUD 1801) (Mollusca: Gastropoda: Milacidae) über 40 Jahre im Freiland in Deutschland. – Mitteilungen der Deutschen Malakozoologischen Gesellschaft, 71/72: 19-21. Frankfurt am Main.
  - \* SON, M.O. (2004): New record of *Tandonia kusceri* (Pulmonata, Milacidae) in Ukraine. – Vestnik Zoologii, 38 (3): 76. [Russian]
- NERITIDAE**
- \* GIUNTELLI, P. (2004): Variabilità dell'ornamentazione in *Theodoxus pictus* (Neritidae) del bacino terziario ligure piemontese. – Bollettino Malacologico, 40 (5/8): 74-76.
  - \* MIENIS, H.K. (2004/2005): Notes concerning recent and fossil Neritoidea, 31. On the alleged occurrence of *Neritina zigzag* LAMARCK in the Pleistocene Kere River outcrops, Santo, New Hebrides. – The Festivus, 26 (11): 144 (2004); 27 (1): 10 (2005).
- ORCULIDAE**
- \* GITTEMBERGER, E. & B. HAUSDORF (2004): The *Orculella* species of the South Aegean island arc, a neglected radiation (Gastropoda, Pulmonata, Orculidae). – Basteria, 68 (4/6): 93-124. Leiden.
- OXYCHILIDAE**
- \* MEYER III, W.M. (2005): Potential impact of an abundant introduced omnivorous land snail, *Oxychilus alliarius*, on native land snails on the Island of Hawaii. – Tentacle, 13: 16-17.
- PACHYCHILIDAE**
- \* KÖHLER, F. & M. GLAUBRECHT (2005): Fallen into oblivion – the systematic affinities of the enigmatic *Sulcospira* TROSCHEL, 1858 (Cerithioidea: Pachychilidae), a genus of viviparous freshwater gastropods from Java. – The Nautilus, 119 (1): 15-26.
- PHYSIDAE**
- \* ANDERSON, R (2004): *Physella gyrina* (SAY) (Mollusca: Gastropoda) in the Quoile Pondage, Co Down. – Irish Naturalists' Journal, 27 (12): 482-483.
  - \* MARTEL, A.L. & J.B. MADILL (2005): The Gatineau tadpole snail, *Physa gyrina latifordi*, in Meech Lake, Gatineau Park (Québec): a larger population than originally thought. – Tentacle, 13: 3.
  - \* MIENIS, H.K. (2005): Shells of *Haitia acuta* with a zebrine color pattern. – Triton, 11: 24.
- PLANORBIDAE**
- \* DAS, N.C. & S.K. RAUT (2004): On the deposition of first egg clutch in the freshwater limpets *Ferrissia baconi* (BOURGUIGNAT) (Gastropoda: Ancyliidae) occurring in West Bengal, India. – Journal of the National Taiwan Museum, 57 (1): 9-20. Taipei.
  - \* ERÖSS, Z.P., Z. FEHÉR & A. HUNYADI (2005): Invasion of a North American alien, *Planorbella anceps* (MENKE, 1830) (Mollusca: Gastropoda: Planorbidae), in the ancient Lake Prespa. – Tentacle, 13: 6-7.
  - \* GIOVANELLI, A., M.V. VIEIRA & C.L.P.A. COELHO DA SILVA (2005): Interaction between the intermediate host of Schistosomiasis in Brazil, *Biomphalaria glabrata* (SAY, 1818) and a possible competitor, *Melanoides tuberculata* (MÜLLER, 1774): a field study. – Journal of Molluscan Studies, 71 (1): 7-13. London.
  - \* KENWORTH, S.T. & H. MADSEN (2004): Behavioural responses to a sugar and some amino acids by two planorbid snail species: *Biomphalaria glabrata* (SAY, 1818), an intermediate host for *Schistosoma mansoni* and *Helisoma duryi* (WETHERBY, 1879). – Haliotis, 33: 33-39. Paris.
  - \* KENWORTH, S.T. & H. MADSEN (2004): Behavioural responses of the snails *Biomphalaria glabrata* (SAY, 1818) and *Helisoma duryi* (WETHERBY, 1879) to attractants and molluscicides in a bait pellet. – Haliotis, 33: 41-48. Paris.
  - \* KILLEEN, I.J. & B. McFARLAND (2004): The distribution and ecology of *Gyraulus acronicus* (FÉRUSSAC, 1807) (Gastropoda: Planorbidae) in England. – Journal of Conchology, 38 (4): 441-456. London.
  - \* MIENIS, H.K. (2004): An odd find of *Ferrissia clessiniana* on the Isle of Terschelling, the Netherlands. – Ellipsaria, 6 (3): 12.
  - \* MIENIS, H.K. (2004): A graveyard of *Planorbella duryi* forma *seminole* on the shores of Lake Albano, Italy. – Ellipsaria, 6 (3): 12-13.
  - \* PFENNIGER, M., S. STAUBACH, C. ALBRECHT, B. STREIT & K. SCHWENK (2003): Ecological and morphological differentiation among cryptic evolutionary lineages in freshwater limpets of the nominal form-group *Ancylus fluviatilis* (O.F. MÜLLER, 1774). – Molecular Ecology, 12 (10): 2731-2745.
- PLEUROCERIDAE**
- \* MINTON, R.L., J.T. GARNER & C. LYDEARD (2003): Rediscovery, systematic position, and re-description of "Leptaxis" melanoides (Conrad, 1834) (Mollusca: Gastropoda: Cerithioidea: Pleuroceridae) from the Black Warrior River, Alabama, U.S.A. – Proceedings of the Biological Society of Washington, 116 (3): 531-541. Washington.
  - \* MINTON, R.L. & S.P. SAVARESE (2005): Consideration of genetic relationships in management decisions for the endangered ANTHONY's riversnail, *Leptoxis crassa anthonyi* (REDFIELD, 1854) (Gastropoda: Pleuroceridae). – The Nautilus, 119 (1): 11-14.

## POLYGYRIDAE

- \* ANDERSON, F.E. & D.A. SMITH (2005): A redescription of the carinate pillsnail, *Euchemotrema hubrichti* (PILSBRY, 1940) (Gastropoda: Polygyridae), with notes on habitat and genetics. – Zootaxa, 807: 1-11. Auckland.

## POMATIIDAE

- \* ÖRSTAN, A. (2005): The status of *Pomatias elegans* in Istanbul, Turkey. – Tentacle, 13: 8-9.
- \* ÖRSTAN, A. (2005): Shell repair in *Pomatias elegans* (Caenogastropoda: Pomatiidae). – Triton, 11: 26-27.

## PRISTILOMATIDAE

- \* RIEDEL, A. & P. SUBAI (2004): Eine neue *Vitrean*-Art aus Anatolien (Gastropoda, Zonitidae). – Schriften zur Malakozoologie, 21: 1-4. Cismar.

## PUPILLIDAE

- \* PANHA, S., P. TONGKERT, C. SUTCHARIT & J.B. BURCH (2004): New pupillid species from Thailand (Pulmonata: Pupillidae). – The Natural History Journal of Chulalongkorn University, 4 (2): 57-82. Bangkok.

## SIPHONARIIDAE


- \* PAL, P. & A.H. HODGSON (2005): Reproductive seasonality and simultaneous hermaphroditism in two species of *Siphonaria* (Gastropoda: Pulmonata) from the southeast coast of South Africa. – Journal of Molluscan Studies, 71 (1): 33-40. London.

## SPIRAXIDAE

- \* PEREZ, K.E. & N.E. STRENTH (2003): A systematic review of the land snail *Euglandina singleyana* (BINNEY, 1892) (Mollusca: Gastropoda: Spiraxidae). – Proceedings of the Biological Society of Washington, 116 (3): 649-660. Washington.

## STREPTAXIDAE

- \* BRUGGEN, A.C. VAN (2004): Notes on the status of *Gulella caryatis* var. *diabensis* CONNOLLY, 1939 (Gastropoda, Pulmonata, Streptaxidae), a land snail from Namibia. – Basteria, 68 (4/6): 131-135. Leiden.



*Gulella newmanni* BURSEY & HERBERT - BURSEY & HERBERT, 2004, African Invertebrates, 45: fig. 18-19.

- \* BURSEY, M.L. & D.G. HERBERT (2004): Four new narrow-range endemic species of *Gulella* from Eastern Cape, South Africa (Mollusca: Pulmonata: Streptaxidae). – African Invertebrates, 45: 249-262. Pietermaritzburg.
- \* GRIFFITHS, O.L. & F.B.V. FLORENS (2004): Ten new species of Mascarene land snails (Mollusca: Gastropoda) and their conservation status. – Molluscan Research, 24 (3): 161-177.

## SUCCINEIDAE

- \* BAILEY, B. Coming soon to a garden centre near you? *Oxyloma pfeifferi*. – Mollusc World, 6: 6. London.
- \* HEST, O. VAN (2005): Een oogje op de barnsteenslak. – Natura, 2005 (2): 42.
- \* HOLLAND, B.S. & R.H. COWIE (2005): Conservation status of the endemic Pacific amber snails (Gastropoda: Succineidae). – Tentacle, 13: 17-18.
- \* HOLYOAK, D.T. & G.A. HOLYOAK (2004): *Catinella arenaria* (Succineidae) living in Brittany, NW France. – Journal of Conchology, 38 (4): 458. London.

## TRUNCATELLIDAE

- \* POCOCK, B. (2004): *Truncatellina subcylindrica* – a new shell record for the Channel Islands. – Journal of Conchology, 38 (4): 461. London.
- \* WARDHAUGH, A.A. (2004): *Truncatella subcylindrica* at Chesil Beach. – Mollusc World, 6: 6. London.

## VERTIGINIDAE

- \* BÖSNECK, U. (2004): Ein isolierter Vorposten der Südlichen Zylinderwindelschnecke, *Truncatellina callicartis* (SCACCHI 1833), am Kyffhäuser in Thüringen (Gastropoda: Stylommatophora: Vertiginidae). – Schriften zur Malakozoologie, 21: 13-14. Cismar.
- \* CUCHARET, X. & P. RAEVEL (2004): *Vertigo moulinsiana* in the upper valley of the Somme River (northern France). – Journal of Conchology, 38 (4): 462. London.
- \* KOBIALKA, H. & R. SCHLEPPHORST (2004): Beiträge zur Molluskenfauna des Weserberglandes: 9. *Vertigo geyeri* LINDHOLM 1925 lebend in Niedersachsen (Gastropoda: Vertiginidae). – Mitteilungen der Deutschen Malakozoologischen Gesellschaft, 71/72: 1-14. Frankfurt am Main.
- \* PROSCHWITZ, T. VON (2004): On the distribution and ecology of *Vertigo substrata* (JEFFREYS), *Vertigo modesta arctica* (WALLENBERG), *Vertigo lilljeborgi* (WESTERLUND) and *Vertigo alpestris* ALDER in France and on the Iberian peninsula. – Journal of Conchology, 38 (4): 411-420. London.
- \* TRIANTIS, K.A., B.M. POKRYSZKO, K. VARDINOYANNIS & M. M. YLONAS (2004): A new species of *Truncatellina* (Gastropoda: Vertiginidae) from Mount Ossa (= Kissavos) (Greece). – Journal

- of Conchology, 38 (4): 393-397. London.
- \* WIESE, V. (2004): Zur aktuellen Bestandssituation von *Vertigo moulinsiana* (DUPUY 1849) in Schleswig-Holstein. – Schriften zur Malakozoologie, 21: 12. Cismar.


## VIVIPARIDAE

- \* SRIKOOM, W. & S. PANHA (2004): The occurrence of *Unionicola* sp. in a viviparid snail, *Mekongia sphaericula* (DESHAYES, 1876) in Thailand. – The Natural History Journal of Chulalongkorn University, 4 (2): 99-100. Bangkok.
- \* THANH, D.N., H.T. HAI & D.N. CUONG (2004): Snail species of Viviparidae in Vietnam. – Tap Chi Sinh Hoc [Journal of Biology], 26 (2): 1-5. Ha Noi. [Vietnamese]

## MISCELLANEA

- \* AESCHT, E. (2003): Typen-Liste der Sammlung "Wirbellose Tiere" (ohne Insekten) am Biologiezentrum Linz. – Beiträge zur Naturkunde Oberösterreichs, 12: 377-406. Linz.
- \* AIRO, S., C.F. SACCHI, L.A. ZONTA & D. SAVINI (2004): Convergence in morphology and ecological niches in helicoid snails (Gastropoda, Pulmonata, Sigmodretha) with different development models: a perspective in evolutionary ecology. – Studi Trentini di Scienze Naturali Acta Biologica, 80 [2003]: 231-235. Trento.
- \* BLAXTER, M.L. (2004): The promise of a DNA taxonomy. – Philosophical Transactions of the Royal Society, Biological Sciences, 359: 669-679. London.
- \* BOWEN, H.D. & A. ALI (2005): Non-toxic slug repellents and antifeedant sprays. – Tentacle, 13: 7.
- \* DANCE, P. (2004): Obituary: DAVID HEPPELL (1937-2004). – Journal of Conchology, 38 (4): 466-473. London.
- \* DELHAY, V., S. BURELA, J. PIZÁ, N. GHEZZI & N.J. CAZZANIGA (2005): Conservation of land snails in the mountain grasslands of the Argentinian Pampas. – Tentacle, 13: 11-13.
- \* DOVGAL, I.V. (2004): Alexei V. Korniushin (1962-2004). – Vestnik Zoologii, 38 (2): 93-94. [Russian]
- \* FISCHER, W. (2005): Internetressourcen für malakologisch interessierte (1). – Club Conchylia Mitteilungen, 3: 31-36.
- \* GIUSTI, F., G. MANGANELLI & P.J. SCHEMBRI (2004): The data of publication of the Non-marine molluscs of the Maltese Islands. – Journal of Conchology, 38 (4): 457-458. London.
- \* GLAUBRECHT, M. (2003): Arten, Artkonzepte und Evolution – Was sind und wie entstehen "biologische Arten"? – Bayerische Akademie der Wissenschaften. Rundgespräche der Kommission für Ökologie, 26. Biologische Vielfalt: Sammeln, Sammlungen und Systematik. Rundgespräch am 14.

- \* Oktober 2002. München (FRIEDRICH PFEIL): 15-42.
- \* GREENE, H.W. (2005): Organisms in nature as a central focus for biology. – Trends in Ecology and Evolution, 20 (1): 23-27.
- \* GROH, K. & J.H. JUNGBLUTH (2004): Dr. jur. DIETER RÖCKEL, dem Conidens-Forscher zum 80. Geburtstag. – Mitteilungen der Deutschen Malakozoologischen Gesellschaft, 71/72: 31-50. Frankfurt am Main.
- \* HAUSDORF, B. & C. HENNIG (2005): The influence of recent geography, palaeogeography and climate on the composition of the fauna of the central Aegean Islands. – Biological Journal of the Linnean Society, 84 (4): 785-795. London.
- \* HEMMEN, J. (2004): Further corrections to R. TUCKER ABBOTT "Compendium of Landshells [1989]". – Schriften zur Malakozoologie, 21: 19-20. Cismar.
- \* JUNGBLUTH, J.H. (2004): Besondere Ehrung für Frau Dr. HILDEGARD ZEISSLER – Gratulation zum 90. Geburtstag. – Mitteilungen der Deutschen Malakozoologischen Gesellschaft, 71/72: 27-28. Frankfurt am Main.
- \* GUDE - SCHILEYKO, 2004, Treatise Recent Mollusca, 12: fig. 2168.
- \* JUNGBLUTH, J.H. (2004): Herrn Dr. HORST JANUS – Gratulation zum 80. Geburtstag. – Mitteilungen der Deutschen Malakozoologischen Gesellschaft, 71/72: 29-30. Frankfurt am Main.
- \* JUNGBLUTH, J.H. (2004): Herr Professor Dr. HERBERT ANT – Gratulation zum 70. Geburtstag. – Mitteilungen der Deutschen Malakozoologischen Gesellschaft, 71/72: 51. Frankfurt am Main.
- \* JUNGBLUTH, J.H. (2004): Dr. GÜNTER SCHMID – Gratulation zum 70. Geburtstag. – Mitteilungen der Deutschen Malakozoologischen Gesellschaft, 71/72: 53-54. Frankfurt am Main.
- \* KARNEKAMP, G. & C. KARNEKAMP (2005): Verslag van onze jubileumavond 29 oktober 2004. – De Kreukel, 41 (1/2): 13-19. Diemen.
- \* KILLEEN, I. & E. MOORKENS (2004): Freshwater mollusc rearing in Georgia. – Mollusc World, 6: 11-13. London.
- \* KNAPP, S., G. LAMAS, E.N. LUGHADHA & G. NOVARINO (2004): Stability or stasis in the names of organisms: the evolving codes of nomenclature. – Philosophical Transactions of the Royal Society, Biological Sciences, 359: 611-622. London.
- \* MIENIS, H.K. (2005): Shells from the emergency excavation in the Begin-Quarter of Ramla, Israel. – Triton, 11: 28-30.
- \* MIENIS, H.K. (2005): Archaeomalacological finds in the vicinity of 'En Gedi, 4. Molluscs in an oven dating to the 1st century CE. – Triton, 11: 31.
- \* MILLAR, A.J. & S. WAITE (2004): Patterns of shell damage among snails from a Coppice woodland in Sussex, England. – Journal of Conchology, 38 (4): 421-440. London.
- \* NIEUWENHUIS, J.G.B. (2005): De geschiedenis van het Natuurhistorisch Museum Rotterdam. Deel 15 (slot) 'Als een feniks uit zijn as' (1986-1988). – Straatgras, 17 (1): 3-7.
- \* RENEMAN, H. (2005): Slakken als huisdier (2): winterslaap. – Natura, 2005 (2): 43.
- \* RUNDELL, R.J. (2005): Republic at a turning point: CBS reality series 'Survivor' strikes Palau. – Tentacle, 13: 16.
- \* SAMPER, C. (2004): Taxonomy and environmental policy. – Philosophical Transactions of the Royal Society, Biological Sciences, 359: 721-728. London.
- \* SCHMINKE, H.K. (2003): Die Rolle naturkundlicher Museen in Zeiten der Biodiversitätskrise. – Beiträge zur Naturkunde Oberösterreichs, 12: 7-14. Linz.
- \* SCHULZE, F. (2004): GEORGIUS EVER-HARDUS RUMPHIUS (1628-1702) und das wissenschaftliche Netzwerk seiner Zeit. – Rudolstädter naturhistorische Schriften, 12: 3-15. Rudolstadt.
- \* SCOBLE, M.J. (2004): Unitary or unified taxonomy? – Philosophical Transactions of the Royal Society, Biological Sciences, 359: 699-710. London.
- \* SMITH, N.D. & A.H. TURNER (2005): Morphology's role in phylogeny reconstruction: perspectives from paleontology. – Systematic Biology, 54 (1): 166-173.
- \* TABLAZO, A. & J. MANTINIAN (2004): Catálogo de ejemplares tipo de la División Invertebrados del Museo Argentino de Ciencias Naturales. II. Mollusca. – Revista del Museo Argentino de Ciencias Naturales, Nueva Serie, 6 (2): 363-384. Buenos Aires.
- \* TAYLOR, A. (2005): Taxonomy in support of biodiversity conservation – negotiating the acronym jungle. – Systematics and Biodiversity, 2 (2): 111-112. London.
- \* VAVROVÁ, L. (2005): The mollusc species in Slovakia listed in the habitats directive. – Tentacle, 13: 5-6.
- \* WEBSTER, J.P., C.M. GOWER & L. BLAIR (2004): Do hosts and parasites coevolve? Empirical support from the *Schistosoma* system. – The American Naturalist, 164 (Supplement): S33-S51.
- \* WIESE, V. (2004): 25 Jahre "Haus der Natur – Cismar" – Malakologisches und Museales aus dem kleinen Dorf in die große Welt. – Schriften zur Malakozoologie, 21: 39-62. Cismar.
- \* WILLING, M. (2004): UK BAP priority species review 2005: Update on developments and an invitation to contribute your suggestions. – Mollusc World, 6: 10. London.
- \* ZAJAC, K. (2005): Threatened molluscs of Poland. – Tentacle, 13: 13-15.



GUDE - SCHILEYKO

LEYKO, 2004, Treatise Recent Mollusca, 12: fig. 2168.