



TIJDSCHRIFTARTIKELN

W. Faber

Artikelen over mariene weekdieren in andere tijdschriften. Buikpotigen en tweekleppigen per familie in alfabetische volgorde. [] redactionele opmerkingen.

Papers about marine molluscs in other magazines. Gastropods and bivalves per family in alphabetical order. [] editorial notes.

GENERAL / ALGEMEEN

- * CRETELLA, M., C. CROVATO, P. CROVATO, G. FASULO & F. TOSCANO, 2005. – The malacological work of Arcangelo Scacchi (1810-1893). Part II. A critical review of Scacchi's taxa. — *Boll. Malacologico* 40(9-12): 114-131.
- * DELONGUEVILLE, CHR. & R. SCAILLET, 2005. – Inventaire malacologique de débris coralligènes prélevés au Cap Corse. — *Novapex/Société* 6(1-2): 3-11.
- * IRIE, T. & Y. IWASA, 2005. – Optimal Growth Pattern of Defensive Organs: The Diversity of Shell Growth among Mollusks. — *The American Naturalist* 165(2): 238-249.
- * LAURENCEAU, N., 2005. – Coquillages et génétique. — *Xenophora* No. 110: 29-31.

REGIONAL / REGIONAAL

- * WILLAN, R.C., 2005. – The molluscan fauna from the emergent reefs of the northernmost Sahul Shelf, Timor Sea – Ashmore, Cartier and Hibernia Reefs; biodiversity and zoogeography. — *The Beagle* 2005, suppl. 1: 51-81.
- * WOLFF, W.J., 2005. – Non-indigenous marine and estuarine species in The Netherlands. — *Zool. Med. Leiden* 79(1): (Mollusca) 72-86.

POLYPLACOPHORA (Class)

- * AGUILERA, M.A., 2005. – Barnacles in the diet of the molluscan grazer *Chiton granosus* Fremby, 1827 present on the intertidal rocky shore of Iquique, northern Chile. [text in Spanish with English abstract] — *Investigaciones Marinas* 33(1): 109-113.
- * DELL'ANGELO, B. & D. ZAVODNIK, 2004. – Marine Fauna of the Mljet National Park (Adriatic Sea, Croatia). 4. Mollusca: Polyplacophora. — *Natura Croatica* 1(4): 319-341.
- * KELAHER, B.P. & V.J. COLE, 2005. – Variation in abundance and size-structure of populations of the small chiton, *Acantochitona retrojecta*. — *J. Moll. Studies* 71(2): 145-151.

GASTROPODA

GENERAL / ALGEMEEN

- * GURALNICK, R.P., 2004. – Integrating historical and functional data to examine feeding in gastropods. — *American Malac. Bull.* 19(1-2): 25-29.

REGIONAL / REGIONAAL

- * FABER, M.J., 2004. – Marine gastropods from Cuba described by Louis Pfeiffer,

type specimens and identifications with the introduction of *Gibberula pfeifferi* new name. — *Miscellanea Malacologica* 1(3): 49-71.

- * SCARABINO, F., 2004. – Lista sistemática de los Gastropoda marinos y estuarios vivientes de Uruguay. [in Spanish with English abstract] — *Comunicaciones de la Soc. Malac. Del Uruguay* 8(84-87): 305-346.
- * VERBINNEN, G., 2005. – Red Sea Mollusca Part 20. Gastropoda. Corrections on the Red Sea Mollusca published in *Gloria Maris*. — *Gloria Maris* 44(1-2): 27-37.

ACMAEIDAE

- * CHERNYSHEV, A.V., 2004. – On the type specimen of *Acmeae persona* Rathke, 1833. [in Russian with English abstract] — *Ruthenica* 14(1): 5-8.

ARCHITECTONICIDAE

- * VILVENS, C., 2005. – La famille Architectonicidae J.E. Gray, 1840. — *Novapex/Société* 6(1-2): 16-17.

ATLANTIDAE

- * FABER, M.J., 2004. – Marine gastropods from the ABC Islands and other localities 5. A note on the distribution of *Oxygyrus keraudrenii* (Lesueur, 1817). — *Miscellanea Malacologica* 1(3): 72.

BUCCINIDAE

- * DELONGUEVILLE, CHR. & R. SCAILLET, 2005. – Le Genus *Neptunea* Röding, 1798 en Europe. — *Novapex/Société* 6(1-2): 30-33.
- * GULBIN, V.V. & B.I. SIRENKO, 2005. – Genus *Reticubuccinum* Ito et Habe, 1980 in the Far East seas. [In Russian with English abstract]. — *Ruthenica* 14(2): 119-124.
- * KILBURN, R.N., 2004. – The identities of *Otitoma* and *Antimitra*. — *African Invertebrates* vol. 45: 263-270.
- * OKUTANI, T. & K. FUJIKURA, 2005. – Distribution of the deep-sea whelk *Bayerius arnoldi*. [in Japanese with English abstract] — *Chiribotan* 35(4): 121-124.
- * SMIRNOV, I.P., 2004. – Distribution of gastropods of the genus *Neancistrolepis* Habe et Sato, 1972 off Sakhalin Island (Okhotsk Sea) [in Russian with English abstract] — *Ruthenica* 14(1): 71-72.

BULLIDAE

- * EKAWA, K. & Y. SAKASHITA, 2005. – Observations of *Bulla ampulla* from Kagoshima Prefecture, Japan. [in Japanese] — *Chiribotan* 35(4): 125-129.

BURSIDAE

- * See under Tonnidae.

CALLIOSTOMATIDAE

- * VILVENS, C., 2005. – New records and new species of *Calliostoma* and *Bathyfautor* from the Vanuatu, Fiji and Tonga. — *Novapex* 6(1-2): 1-17.

CARINARIIDAE

- * POPPE, G.T., 2005. – Conchological treasures. [*Carinaria cristata*] — *Visaya* 1(4): 49-50.

CASSIDAE

- * See under Tonnidae.

CIMIDAE

- * SCUDELLARI, E., 2005. – Segnalazione di *Graphis barashi* Van Aartsen, 2002 per l'Isola di Lampedusa. — *Notiziario S.I.M.* 22(9-12): 22.

CLIONIDAE

- * SUZUKI, A., Y. MIYANO & K. MAWATARI, 2005. – Biological features of *Clione limacina* Phipps collected in Abashiri, Hokkaido. [in Japanese with English abstract] — *Chiribotan* 36(1): 12-17.

COLUMBELLIDAE

- * FABER, M.J., 2004. – Marine gastropods from the ABC Islands and other localities. 3. The family Columbelloidea..... — *Miscellanea Malacologica* 1(2): 21-43.
- * SKOGLUND, C., 2005. – *Anachis pachyderma* Carpenter, 1857, a valid Panamic Province species. — *The Festivus* 37(5): 48-52.
- * SKOGLUND, C., 2005. – New distributional records for Panamic Province Columbelloidea. — *The Festivus* 37(6): 61-62.

CONIDAE


- * KILBURN, R.N., 2004. – The identities of *Otitoma* and *Antimitra*. — *African Invertebrates* Vol. 45: 263-270.
- * TOUITOU, D. & M. BALLETON, 2005. – Conidae de Polynésie. [also in English] — *Xenophora* No. 111: 27-42.
- * VIALENS, S., 2005. Iconographie de *Conus regius* de la Guadeloupe. — *Xenophora* No. 111: 43.

CORALLIOPHILIDAE

- *ZHANG, S-P. & P. WENG, 2005. – Study on the Coralliophilidae from China.....[in Chinese with English abstract] — *Acta Zootaxonomica Sinica* 30(2): 320-329.

CYPRAEIDAE

- * HEIMAN, E.L., 2005. - About *Blasicrura rashleighana pseudoterres*. — Triton No. 11: 7-10.
 - * HEIMAN, E.L., 2005. - New conchological information on *Blasicrura teres*-like shells of the Hawaiian waters. — Triton No. 11: 11-14.
 - * HEIMAN, E.L., 2005. - *Notadusta punctata* forma *berinii*. — Triton No. 11: 17-19.
 - * HEIMAN, E.L. & V. YERENBURG, 2005. - Variability of *Erosaria spurca* from the Mediterranean coast of Israel. — Triton No. 11: 15-16.
 - * OMI, Y., 2005. - A dark-bluish color variety of *Mauritia arabica* (Linnaeus, 1758) collected from Hachijo Island, Japan. [in Japanese with English abstract] — Chiribotan 35(4): 110-113.
- PACAUD, J.-M. & PH. LOUBRY, 2005. - *Gisortia* (s.s.) *gisortiana* (Passy, 1859), un géant chez les Cypraeidae. [also in English] — Xenophora No. 110: 14-19.



Gisortia (s.s.) *gisortiana* (Passy, 1859). H. 264 mm. — Xenophora No. 110: 17.

- * WATT, R., 2005. - Forms of *cribraria comma* (Perry 1811) and of *esontropia francescoi* (Lorenz 2002) and a description of *esontropia francescoi* form mainland. [aussi en Français] — Xenophora No. 110: 33-50.
- * See also under Epitoniidae and Triviidae.

ELLOBIIDAE

- * HYMAN, I.T., G.W. ROUSE & W.F. PONDER, 2005. - Systematics of *Ophicardelus*. — Moll. Res. 25(1): 14-26.


EOCYPRAEIDAE

- * See under Triviidae.

EPITONIIDAE

- * KOSUGE, T., 2005. - A new record of *Epitonium ula* Pilsbry associated with a fungoid coral from Yonaguni Island, Ryukyu Islands, south-western Japan. [in Japanese] — Chiribotan 35(4): 119-120.

- * POPPE, G.T., 2005. - Conchological treasures from the Philippines Part II. [*Cycloscala*, *Cypraea mappa*]. — Visaya 1(4): 45-47.



Cycloscala sardellae Garcia, 2004. H. 7mm Philippines. — Visaya 1(4): 45-47.

FASCIOLARIIDAE

- * MEIRELLES, C.A.O. & H. MATTHEWS-CASCON, 2005. - Spawn and larval development of *Pleuroploca aurantiaca* (Lamarck, 1816) from northeast Brazil. — Scientia Marina 69(2): 199-204.
- * SNYDER, M.A. & P. CALLOMON, 2005. - On Some *Fusolatirus* from Japan and the Philippines, ... — Venus 63(3-4): 109-119.

FICIDAE

- * See under Tonnidae.

HALIOTIDAE

- * OWEN, B., 2005. - A photo study of the eastern Pacific hybrid abalones Part 6: *Haliotis rufescens* Swainson, 1822 x *H. sorenseni* Bartsch, 1940. — Of Sea and Shore 26(4): 232-236.
- * OWEN, B., 2005. - The "Buzz" on abalones. A trio of gems from South Africa. — Of Sea and Shore 26(4): 264-268.
- * OWEN, B., 2005. - The culture of a "four species" *Haliotis* hybrid in a marine shellfish hatchery. — Of Sea and Shore 26(4): 269-274.
- * OWEN, B., 2005. - A photo study of the eastern Pacific hybrid abalones Part 7: *Haliotis kamtschatkana assimilis* x *H. sorenseni*, *H. rufescens* x *H. walallensis*, *Haliotis kamtschatkana assimilis* x *H. walallensis*. — Of Sea and Shore 27(1): 9-15.
- * OWEN, B., 2005. - The identity of the lectotype specimen of *Haliotis crebrisculpta* Sowerby, 1914. — Of Sea and Shore 27(1): 30-34.
- * OWEN, B., 2005. - An unusual and popular teratological form found in genus *Haliotis*. — Of Sea and Shore 27(1): 35-40.
- * OWEN, B., 2005. - A little known *Haliotis* subspecies from Magdalena Bay, Lower California, Mexico: a re-examination and photo study of *H. fulgens turveri* Bartsch, 1942. — Of Sea and Shore 27(1).
- * OWEN, B. & D. DINUCCI, 2005. - A brief history and photo study of the world's six largest *Haliotis* shells, with notes on possible factors causing gigantism. — Of Sea and Shore 26(4): 247-258.

- * WATSON, D., S. DAUME, J. PRINCE, L. BEAZLEY & B. KNOTT, 2005. - The influence of culture conditions on the growth and biochemical composition of an algal feed for juvenile greenlip abalone (*Haliotis laevigata*). — Moll. Res. 25(1): 1-8.

HAMINAEIDAE

- * See under Acteonidae.

HARPIDAE

- * MASSON, J. & R., 2005. - La Famille des Harpidae. — Novapex/Société 6(1-2): 19-21.

HYDROBIIDAE

- * MCALPINE, D.F., D. BATEMAN & CHR. A. DAVIS, 2005. - *Spurwinkia salsa* (Pilsbry 1905) in the Kennebecasis estuary, New Brunswick: a brackish-water snail new to Canada. — J. Conch. 38(5): 602-604.
- * SWAROWSKA, M., A. FALNIOWSKI, F. RIEDEL & TH. WILKE, 2005. - Phylogenetic relationships of the subfamily Pyrgulinae with emphasis on the genus *Dianella* Gude, 1913. — Zootaxa No. 891: 1-32.

LAUBIERINIDAE

- * See under Tonnidae.

LITIPIIDAE

- * SCARABINO, F., 2004. - Two gastropods associated with floating objects from the Urugayan coast. [in Spanish with English abstract] — Communicationes de la Soc. Malac. Del Uruguay 8(82-83): 275-277.

LITTORINIDAE

- * ANDRADE, S.C.S., H.F. MEDEIROS & V.N. SOLFERINI, 2005. - Homogeneity test of Hardy-Weinberg deviations in Brazilian littorinids: evidence for selection? — J. Moll. Studies 71(2): 167-174.
- * MALLARD, D., 2005. - A propos de *Littorina irrotata* (Say, 1822). — Xenophora No. 111: 26.

LOTTIIDAE

- * CHERNYSHEV, A.V. & T.V. CHERNOVA, 2004. - The systematic position of *Lottia angusta* (Moskalev in Golikov et Scarlato, 1967). [in Russian with English abstract] — Ruthenica 14(1): 1-4.
- * CHERNYSHEV, A.V. & T.V. CHERNOVA, 2005. - On the genus *Testudinalia* Moskalev, 1966. [in Russian with English abstract] — Ruthenica 15(1): 1-7.
- * FABER, M.J., 2004. - Marine gastropods from the ABC Islands and other localities. 1. The family Lottiidae. — Miscellanea Malacologica 1(1): 1-5.

MELONGENIDAE

- * KOSYAN, A.R. & YU. I. KANTOR, 2004. - Morphology. Taxonomic status and relationships of Melongenidae. — Ruthenica 14(1): 9-36.

MITRIDAE


- * EKAWA, K., 2005. - The morphological variation of *Scabricola* (*Swainsonia*) *ocelata* Swainson, 1831 collected from Kago-

shima Prefecture, Japan. [in Japanese] — Chiribotan 36(1): 6-11.

- * LI, B-Q, & X-Z. LI, 2005. — Report on the genus *Mitra* with seven new record species from the Chinese Sea. — Acta Zootaxonomica Sinica 30(2): 330-343.

MURICIDAE

- * Anonymous, 2005. — *Trophon geversianus* - A Photo Study. — Of Sea and Shore 27(1): 52-57.
- * GARRIGUES, B., 2005. — Le Genre *Ptery-marchia* (Houart, 1995). [also in English] — Xenophora No. 111: 10-11.
- * GRIFFIN, M. & G. PASTORINO, 2005. — The genus *Trophon* Montfort, 1810 in the Tertiary of Patagonia. — J. of Paleont. 79(2): 296-311.
- * HOUART, R., 2005. — Le genre *Bolinus* Push, 1837. — Novapex/Société 6(1-2): 25-27.
- * KAISER, K.L., 2005. — Notes on *Pterotyphis lowei* (Pilsbry, 1931) with spawn mass. — The Festivus 37(6): 63-65.
- * MARKO, P.B., 2005. — An intraspecific comparative analysis of character divergence between sympatric species. — Evo-



When the sibling species *Nucella ostrina* (left) and *N. emarginata* (right) co-exist on rocky shores along central California, they diverge in external shell ornamentation and shell shape. — Evolution 59(3): 554-564.

lution 59(3): 554-564.

- * SASAKI, T. & Y. ARIMA, 2005. — The First Record of *Murex tenuirostrum* Lamarck, 1822 from Japan. — Venus 63(3-4): 156-158.

NASSARIIDAE

- * FABER, M.J., 2004. — Marine gastropods from the ABC Islands and other localities. 2. The family Nassariidae. — Miscellanea Malacologica 1(1): 7-15.
- * ROLÁN, E., 2005. — Some radulae and opercula from West African Nassariidae. — Novapex 6(1-2): 31-39.
- * ROLÁN, E. & J.M. HERNANDEZ, 2005. — The west African species of the group *Nassarinus denticulatus*, — J. Conch. 38(5): 499-512.

NATICIDAE

- * PEDRIALLI, L. & E. ROBBA, 2005. — A revision of the Pliocene naticids of Northern and Central Italy. I. The subfamily Natici-

nae except *Tectonatica*. — Riv. Italiana Paleontologia e Stratigrafica 111(1): 109-179.

- * See under Ovulidae.

NERITIDAE

- * DUCHAMPS, R., 2005. — Les Neritoidea d'Afrique. — Novapex/Société 6(1-2): 23-24.
- * GANESH, T., S.K. PADHY, Y. KASI VISHWESHWAR RAO, 2005. — A new record of *Nerita (Ritena) maxima* Gmelin, 1791 from the West Coast of India (Arabian Sea). — J. Conch. 38(5): 605-606.

OVULIDAE

- * CALLOMON, P., 2005. — *Phenacovolva brunneiterma* (Cate, 1969): First Record from Japan. — Venus 63(3-4): 153-155.
- * IZAWA, N. & K. MATSUOKA, 2005. — Catalogue of shell collection by Mr. Horoshi Takakuwa donated to Toyohashi Museum of Natural History. 2. Gastropoda (part 6) Family Ovulidae – Family Naticidae. — Miscellaneous report Toyohashi Mus. Nat. Hist. No. 16: 1-34.
- * See under Triviidae.

PATELLIDAE

- * BAZAIRI, H. et al., 2004. — Considerations on a population of the endangered marine mollusc *Patella ferruginea* Gmelin, 1791 in the Cala Iris islet (National Park of Al Hoceima – Morocco, Alboran Sea) — Boll. Malacologico 40(9-12): 95-100.
- * GOODWIN, D.R., 2005. — Opihi Shells of Hawaii. — Of Sea and Shore 26(4): 244-246.
- * NAVARRO, P.G., R. RAMÍREZ, F. TUYA, C. FERNANDEZ-GIL, P. SANCHEZ-JEREZ & J. HAROUN, 2005. — Hierarchical analysis of spatial distribution patterns of patellid limpets in the Canary Islands. — J. Moll. Studies 71(1): 67-73.

PEDICULARIIDAE

- * See under Triviidae.

PERSONIDAE

- * See under Tonnidae.

PHASIANELLIDAE

- * SOUZA NOGUEIRA, E.M. DE, ET AL., 2003. — *Tricolia* Risso, 1826 from Paripueira beach, northern coast of Alagoas. [in Portuguese with English abstract] — Boletim do Laboratório de Hidrobiologia Vol. 16: 1-4.

PHILINIDAE

- * NN (Documenti del Gruppo Malacologico Livornese) – La Famiglia Philinidae Gray, 1850 nel Mediterraneo. — Notiziario S.I.M. 22(9-12): 26-32.

PLEUROTOMARIIDAE

- * ANSEEUW, P. & G.T. POPPE, 2005. — Pleurotomariidae: An Iconographic visit anno 2005. — Visaya suppl. 1: 3-36.

POTAMIDIDAE

- * OKAMOTO, M., 2005. — The last record of

locally extinct populations of three *Cerithidea* species in the estuary of the Obitsu River, Chiba Prefecture, Japan. [in Japanese] — Chiribotan 35(4): 114-118.

PYRAMIDELLIDAE

- * PAOLINI, P. 2005. — Un esemplare vivente di *Euparthenia humboldti* (Risso, 1826). — Notiziario S.I.M. 22(9-12): 21.

RANELLIDAE

- * GEMERT, L. VAN, 2005. — De Ranellidae van de Rode Zee: een kritische literatuurstudie. [in Dutch with English summary] — De Kreukel 41(3-4): 23-44.
- * MIENIS, H.K., 2005. — Dwarf specimens of *Charonia variegata* along the coasts of the Levant: a case of overcollecting or adverse ecological conditions? — Tentacle No. 13: 19-20.
- * See under Tonnidae.

STOMATELLIDAE

- * VERBINNEN, G. & M. DIRKX, 2005. — Red Sea Mollusca Part 19. Family: Stomatellidae. — Gloria Maris 44(1-2): 24-26.

STROMBIDAE

- * KRONENBERG, G.C. & H.G. LEE, 2005. — *Strombus granulatus* Swainson, 1822, a very variable species including a note on homonymy with *Strombus granulatus* Röding, 1798 (Gastropoda: Cerithiidae). — The Festivus 37(3): 31-35.

TONNIDAE

- * LANDAU, A. BEU & R. MAQUET, 2004. — The Early Pliocene Gastropoda of Estepona, Southern Spain. Part 5: Tonnoidea, Ficoidea. [con resumen Español] — Palaeontos No. 5: 35-102.

TRIVIIDAE

- * LANDAU & D. FEHSE, 2004. — The Early Pliocene Gastropoda of Estepona, Southern Spain. Part 3: Trivioidea, Cypraeoidea. [con resumen Español] — Palaeontos no. 5: 1-34.

TROCHIDAE

- * GOFAS, S., 2005. — Geographical differentiation in *Clelandella* in the northeastern Atlantic. — J. Moll. Stud. 71(2): 133-144.
- * HARADA, K., S. OHASHI, A. FUJII & A. TAMAKI, 2005. — Embryonic and Larval Development of the Trochid Gastropod *Umbonium moniliferum* Reared in the Laboratory. — Venus 63(3-4): 135-143.
- * KURAMOCHI, T., 2005. — Seasonal Changes in Growth and Abundance of *Cantharidus japonicus* in Sagami Bay, Miura Peninsula, Central Honshu, Japan. [in Japanese with English abstract] — Venus 63(3-4): 159-162.
- * MIENIS, H.K., 2005. — *Bankiva fasciata* in the Gulf of Aqaba? — Triton No. 11: 6.

TRUNCATELLIDAE

- * NUNN, J.D., S.M. SMITH & R. ANDERSON, 2005. — Status of *Truncatella subcylindrica* (Linnaeus, 1767) in Ireland. — J. Conch. 38(5): 599-601.

TURBINIDAE

- * CHEN, M.H., C.H. LEE & Y.W. CHU, 2004. — A new record of the turban snails, *Turbo (Batillus) chinensis* Ozawa and Tomida, 1995 from Taiwan. — J. National Taiwan Mus. 57(2): 37-43.
- * TREGO, K., 2005. — A record size for *Megastraea turbanica* (Dall, 1910). — The Festivus 37(3): 36.

BIVALVIA

REGIONAL / REGIONAAL

- * BIELER, R. & P.M. MIKKELSEN (eds.), 2004. — Studies in the Florida Keys. Proceedings of International Workshop Long Key, Florida July 2002. — Malacologia 46(2): 241-677.

ARCIDAE

- * MARIN, A. & M.D. LÓPEZ BELLUGA, 2005. — Sponge coating decreases predation on the bivalve *Arca noe*. — J. Moll. Studies 71(1): 1-6.

CARDIIDAE

- * VIDAL, J., 2005. — Problèmes taxonomiques du complexe *Laevicardium oblongum-crassum*. — Novapex extra No. 3: 1-42.

CHAMIDAE

- * HEIMAN, E.L. & H.K. MIENIS, 2005. — Shells of East Sinai, an illustrated list: Chamidae. — Triton No. 11: 3-4.

HIATELLIDAE

- * SIMONARON, L.A., 2004. — The bivalve genus *Hiatella* in the North Atlantic and Caenozoic sea temperatures. [in Danish with English summary] — Náttúru Fræðingirinn 72(1-2): 29-34.

LUCINIDAE

- * TAYLOR, J.D., E.A. GLOVER, M. ZUSCHIN, P.C. DWORSCHAK & W. WALTZBAUER, 2005. — Another bivalve with deadlocks: living *Rasta lamyi* from Aqaba, Red Sea. — J. Conch. 38(5): 489-497.

MYTILIDAE

- * CATALDO, D., D. BOLTOVSKOV, J.L. HERMOSA & C. CANZI, 2005. — Temperature-dependent rates of larval development in *Limnoperna fortunei*. — J. Moll. Studies 71(1): 41-46.
- * SCARABINO, F. & L. ORTEGA, 2004. — Registros Uruguayos de *Aulacomya atra atra*: rol de condiciones oceanográficas anómalas y de dispersión por feofitas flotantes. [in Spanish with English abstract] — Comunicaciones de la Soc. Malac. Del Uruguay 8(84-87): 289-304.

PECTINIDAE

- * BIZIKOV, V.A. & D.A.J. MIDDLETON, 2005. — Scallop *Zygochlamis patagonica* distribution, stock structure and fishery potential in the Falkland islands waters. — Ruthenica 15(1): 23-60.

PHARIDAE

- * DARRIBA, S., F. SAN JUAN & A. GUERRA, 2005. — Gametogenic cycle of *Ensis sili-*

qua (Linnaeus, 1758) in the Ria de Corcubión, northwestern Spain. — J. Moll. Studies 71(1): 47-51.

SEMELIDAE

- * MAGGIORE, F., S. PUPPINI & L. MIZZAN, 2004. — II. Genera *Abra* Lamarck, 1818 nella Laguna di Venezia. [with English abstract] — Boll. Mus. Civico di Storia Nat. di Venezia 55: 71-78.

SPHAERIIDAE

- * LEE, T., 2004. Morphology and phylogenetic relationships of genera of North American Sphaeriidae. — American Malac. Bull. 19(1-2): 1-13.

SPONDYLIDAE

- * DARDANO, M., 2005. — Is it a new species? — Of Sea and Shore 26(4): 236-239

TELLINIDAE

- * COAN, E.V. & P. VALENTICH-SCOTT, 2005. — *Tellina inaequistriata* Donovan 1802: a double neotype designation to stabilize nomenclature. — The Festivus 37(4): 39-43.

THYASIRIDAE

- * LÖFFLER, S.-B., R. JANSSEN, K.R. GURS & M. TAVIANI, 2005. — The genus *Aximus* Sowerby, 1821 in the Mediterranean basin. — J. Conch. 38(5): 581-597.

TRIGONIIDAE

- * YANIN, B.T., 2004. — Early Cretaceous Trigoniids of the Crimea. — Paleont. J. 38(suppl. 6): S563-S562.

VENERIDAE

- * AHMAD, F., 2005. — The heterodont bivalve *Aphrodina dutruegi* (Cocquand, 1862) from the Cenomanian of Jordan. — Riv. Italiana Paleontologia e Stratigrafica 111(1): 191-195.
- * LEONTARAKIS, P.K. & C.A. RICHARDSON, 2005. — Growth of the smooth clam, *Callista chione* (Linnaeus, 1758) from the Thracian Sea, northeastern Mediterranean. — J. Moll. Studies 71(2): 189-192.
- * MIENIS, H.K., 2005. — An overlooked record of *Callista florida* from Port Said, Egypt. — Triton No. 11: 5.
- * PELLIZZATO, M. & P. PENZO, 2004. — Relazione tra tempo di immersione e sviluppo di *Tapes philippinarum* (Adams and Reeve, 1850) in una area "Nursery" della Laguna di Venezia. [with English abstract] — Boll. Mus. Civ. Storia Nat. di Venezia 55: 79-85.
- * TRIGUI EL-MENIF et al., 2005. — Infestation of the clam *Venus verrucosus* by Sipunculoidea and the lithophagus bivalve, *Gastrochaena dubia*. — Acta Adriatica 46(1): 83-90.

SLUGS / NAAKTSLAKKEN

- * BRODIE, G.D., 2005. — Redescription of the Australian endemic nudibranch *Dendrodoris maugeana* Burn, 1962: new and reviewed features important for future phylogenetic analyses of porostomes. — Moll. Res. 25(1): 37-46.

* CHERNYSHEV, A.V. & E.M. CHABAN, 2005. — The first findings of *Aldeia modesta* (Lovén, 1844) (Opisthobranchia, Ascoglossa) in the Sea of Japan. [In Russian with English abstract]. — Ruthenica 14(2): 131-134.

* FAASSE, M. & W. VERVOORT, 2005. — Wat eet de groenlele kleurvorm van de slanke waaierslak, *Flabellina gracilis* (Alder & Hancock, 1844)? [with English summary] — Het Zeepaard 65(2): 67-72.

* FISCHER, M.A. & J.L. CERVERA, 2005. — *Baptodoris peruviana* (d'Orbigny, 1837) comb. nov., an alternative taxonomic placement for *Doris peruviana*. — J. Conch. 38(5): 513-528.

* MOORSEL, G. VAN & W. VERVOORT, 2005. — De naaktslak *Facelina auriculata* (O.F. Müller, 1776) op *Eudendrium arbuscula* Wright, 1859: nieuwe namen, oude beken- den. [with English abstract] — Het Zee- paard 65(2): 39-45.

* POLA, M., J.L. CERVERA & T.M. GOSLINER, 2005. — Review of the systematics of the genus *Roboastra* Bergh, 1877 (Nudibranchia, Polyceridae, Nembrothinae) with the description of a new species from the Galápagos Islands. — Zool. J. Linnean Soc. 144(20): 167-189.

* SOMMERFELDT, N. & M. SCHRÖDL, 2005. — Microanatomy of *Hedylopsis ballantinei*, a new interstitial acochlidian gastropod from the Red Sea, and its significance for phylogeny. — J. Moll. Studies 71(2): 153-165.

* SUSUKI, A., 2005. — A new record of *Cliopsis krohnii* on the coast of Otoro, Hakkaido, in the Sea of Okhotsk. [in Japanese with English abstract] — Chiribotan 35(4): 130-131.

* WILLAN, R.C., 2004. — *Godiva quadricolor* (Barnard, 1927) (Nudibranchia: Facelinidae) spreads into southern Queensland. — The Beagle 20: 31-36.

SCAPHOPODA (Class)

- * ABSALÃO, R.S., P. H. DE ALMEIDA SILVA & T. SILVA DE PAULA, 2005. — Shell morphometrics in four species of Gadilidae in Southwestern Atlantic Ocean, Brazil. — Rev. Brasileira de Zoologia 22(1): 175-179.
- * IVANOV, D.L. & E.M. ZARUBINA, 2004. — Distribution of scaphopod molluscs in the North Atlantic and Arctic Oceans, based on materials of Russian and Soviet expeditions. — Ruthenica 14(1): 89-104.
- * MIENIS, H.K., 2005. — Important changes in the names of some Scaphopoda from the Mediterranean. — The Archaeo+Malacology Group Newsletter No. 7: 5-6.

CEPHALOPODA (Class)

- * BELLO, G., 2005. — *Abrialiopsis morisii* vs. *Abrialiopsis pfefferi* (Enoploteuthidae): which is the right name? — J. Conch. 38(5): 561-565.
- * CALDWELL, R.I., 2005. — An Observation of Inking Behavior Protecting Adult *Octopus bocki* from Predation by Green Turtle (*Chelonia mydas*) Hatchlings. — Pacific Sci. 59(1): 69-72.

- * DEICKERT, A. & G. BELLO, 2005. – Egg masses of *Sepietta oweniana* collected in the Catalan Sea. — *Scientia Marina* 69(2): 205-209.
- * KATUGIN, O.N., 2004. – Squids of the family Gonatidae from the North Pacific Ocean and their genetic differentiation: controversial issues in their systematics and phylogeny. [in Russian with English abstract] — *Ruthenica* 14(1): 73-87.
- * KATOGIN, O.N. ET ALL, 2005. – Spatial and seasonal distribution of the squid *Okutania anonycha* (Pearcy et Voss, 1963) in the northwestern Pacific Ocean and adjacent areas. — *Ruthenica* 15(1): 65-79.
- * MIENIS, H.K., 2005. – *Rossia macrosoma*: a bobtail squid new for the Mediterranean mollusc fauna of Israel. — *Triton* No. 11: 20.
- * OKUTANI, T. & D. LINDSEY, 2005. – Cephalopods observed from submersibles and ROV – I. Strange posture of a strange squid. [in Japanese with English abstract] — *Chiribotan* 36(1): 1-5.
- * OKUTANI, T. & S. TSUCHIDA, 2005. – Occurrence and Living Habit of Bathyal Bobtail Squid, *Heteroteuthis hawaiiensis* from off the Ogasawara Islands, Japan. — *Venus* 63(3-4): 125-133.
- * REID, A.L. & C.C. LU, 2005. – A new cuttlefish, *Sepia filibrachia* n.sp., from the South China Sea with a redescription of *Sepia mestus* Gray, 1849 from eastern Australia. — *Zootaxa* No.911: 1-22.
- * SALMAN, A. & V. LAPTIKHOVSKY, 2005. – Fecundity and spawning of *Abralia veramy* (Rüppell, 1844) (Enoplateuthidae) in the Aegean Sea. — *Scientia Marina* 69(2): 211-214.
- * SEIXAS, S. & G.J. PIERCE, 2005. – Vanadium, rubidium and potassium in *Octopus vulgaris*. — *Scientia Marina* 69(2): 215-222.
- FOSSILS / FOSSIELEN**
CEPHALOPODA
- * DOMMERGUES, J.-L., CHR. MEISTER, F. SOUSSI & H. ABDALLAH, 2004. – *Paratropidoceras* nov. gen. *numidianum* nov. sp. et *Tuniciceras* nov. gen. *insolitus* nov. sp., deux nouveaux genres et deux nouvelles espèces d'ammonites du Carixien de la Téthys méditerranéenne (Pliensbachien, Tunisie). — *Revue de Paléobiologie* 23(2): 463-475.
- * ERMAKOVA, S.P., 2005. – Evolution of the Early Triassic Ammonoids from the Eastern Boreal Realm. — *Paleont. J.* 39(1): 19-26.
- * GOTTOBRIO, W.E. & W.B. SAUNDERS, 2005. – The clymeniid dilemma: functional implications of the dorsal siphuncle in clymeniid ammonoids. — *Paleobiology*, 31(2): 233-252.
- * HALL, R.L., R.A. MACRAE & L.V. HILLS, 2005. – Middle Albian (Lower Cretaceous) Gastroplitinid ammonites and dinoflagellates from the Christopher Formation (Dragon Mountain, Axel Heiberg Island, Canadian Arctic Islands) and a revision of the genus *Pseudogastrolites* Jeletzky, 1980. — *J. of Paleont.* 79(2): 219-241.
- * HAMMER, Ø. & H. BUCHER, 2005. – Models for the morphogenesis of the molluscan shell. — *Lethaia* 38(2): 111-122.
- * JANSEN, A.W., 2004. – Holoplanktonic Molluscan Assemblages (Gastropoda, Heteropoda, Thecosomata) from the Pliocene of Estepona (Spain, Málaga). [met Nederlandse samenvatting; con resumen Español] — *Palaeontol. no. 5*: 103-131.
- * KLUG, CHR., W. SCHATZ, D. KORN & A.G. REISDORF, 2005. – Morphological fluctuations of ammonoid assemblages from the Muschelkalk (Middle Triassic) of the Germanic Basin-indicators of their ecology, extinctions, and immigrations. — *Palaeo* 221(1-2): 7-34.
- * KORN, D., C. KLUG & R.H. MAPES, 2005. – The Lazarus ammonoid family Goniatitidae, the tetragonally coiled Entogonitidae and Mississippian biogeography. — *J. of Paleont.* 79(2): 356-365.
- * KRÖGER, B., 2005. – Adaptive evolution in Paleozoic coiled cephalopods. — *Paleobiology*, 31(2): 253-268.
- * LANDMAN, N.H., R.O. JOHNSON & L.E. EDWARDS, 2004. – Cephalopods from the Cretaceous/Tertiary boundary interval on the Atlantic Coastal Plain, with a description of the highest ammonite zones in North America. Part 2. Northeastern Monmouth County, New Jersey. — *Bull. Am. Mus. Nat. Hist.* No. 287: 1-107.
- * NAEF, A., 2004. – Fossil dibranchiate cephalopods, a paleozoological monograph. [translation of 'Die fossilen Tintenfische, 1922'] — *Berliner paläobiologische Abhandlungen*, Vol. 5:1-209.
- * NÜTZEL, A., 2005. – A new Early Triassic gastropod genus and the recovery of gastropods from Permian/Triassic extinction. — *Acta Palaeont. Polonica* 50(1): 19-24.
- * POPOV, A.V., 2005 – A New Species of the Genus *Epijuresanites* (Ammonoidea) from the Permian of Pai-Khoi. [*E. primarius*]. — *Paleont. J.* 39(1): 17-18.
- * REPIN, Yu.S., 2005. – Ammonoids of the Order Phylloceratidae from the Middle Jurassic of Northeastern Asia. — *Paleont. J.* 39(2): 38-41.
- * SCHIAPPA, T.A., N.T. HEMMESCH, C. SPINOSA & W.W. NASSICHUK, 2005. – Cisuralian ammonoid genus *Uraloceras* in North America. — *J. of Paleont.* 79(2): 366-377.
- * TANABE, K., C. KULICKI & H. LANDMAN, 2005. – Precursory siphuncular membranes in the body chamber of *Phyllopaehyoceras* and comparisons with other ammonoids. — *Acta Palaeont. Polonica* 50(1): 9-18.
- * WILMSEN, M, F. WIESE, K. SEYED-ENAMI & F.T. FÜRSICH, 2005. – First record and significance of Turonian ammonites from the Shotori Mountains, east-central Iran. — *Creaceous* 26(2): 181-195.
- * YIN, J.R., 2005. – Middle Jurassic (Bathonian-Callovian) Ammonites from the Amdo Area, Northern Tibet. [In Chinese with English abstract] — *Acta Palaeontologica Sinica* 44(1): 10-16.
- * ZHOU, Z. & YANG, Z., 2005. – Permian ammonoids from Xinjiang, northwest China. — *J. of Paleont.* 79(2): 378-388.
- OTHER FOSSILS**
- * ALEXANDER, R.R. & G.P. DIETL, 2005. – Non-Predatory Shell Damage in Neogene Western Atlantic Deep-Burrowing Bivalves. — *Palaios* 20(3): 280-295.
- * KOPPKA, J., 2004. – Neue Bivalven (Heterodonta, Anomalodesmata) aus Kellwaygeschichten Norddeutschlands. [with English abstract] — *Archiv für Geschichtekunde* 4(5): 234-268.
- * KRIZ, J., 2004. – Latest Frasnian and earliest Famennian (late Devonian) bivalves from the Montagne Noire (France). [mit deutscher Kurzfassung] — *Senckenbergiana Lethaea* 84(1-2): 85-123.
- * KRIZ, J., 2005. – Telychian (Llandovery, Silurian) bivalves from Spain. — *Palaeontology* 48(3): 455-477.
- * KRÜGER, F.J., 2005. – Rarissima: Schnecken im Feuerstein. — *Fossilien* 2005/3: 147-156.
- * MOTHS, H. & H. TÖXEN, 2004. – Eine eemzeitliche Marine Molluskenfauna vom "Gottsche Kliff", Dänemark. — *Der Geschiebesammler* 37(4): 157-169.
- * PAYNE, J.L., 2005. – Evolutionary dynamics of gastropod size across the end-Permian extinction and through the Triassic recovery interval. — *Paleobiology*, 31(2): 269-290.
- * STILWELL, J.D., W.J. ZINSMEISTER & A.E. OLEINIK, 2004. – Early Paleocene Mollusks of Antarctica: Systematics, Paleogeology and Paleobiogeographic Significance. — *Bull. American Paleont.* No. 367: 3-89.
- See also under Gastropoda: Muricidae, Naticidae, Tonnididae; Bivalvia: Trigonidae, Veneridae.
- FIELDTRIPS / VELDWERK**
- * DUBOC, J.-P. & S. PINEAU, 2005. – Escalade aux Îles Barren. [E. of Madagascar] [also in English] — *Xenophora* No. 110: 20-23.
- * GARCÍA, E.F., 2005. – A dredging trip in the Gulf of Mexico. — *Of Sea and Shore* 27(1): 5-8.
- * GUYONNEAU, S., 2005. – Escalade à Tikehau. [French Polynesia] — *Xenophora* No. 111: 20-22.
- * LEEUWEN, S. VAN, 2005. – Schelpen verzamelen op Thassos, Griekenland. [in Dutch] — *De Kreukel* 41(1-2):3-6.
- * LIGHT, J., 2005. – Hunting molluscs on Les Ecrehou. — *Mollusc World* No. 7: 3-4.
- * MATTHYS, J., 2005. – Shelling on Bahia de Kino [Mexico]. — *Of Sea and Shore* 26(4): 220-230.
- * SINGER, B.S., 2005. – Shelling on Saint Marie Island, Madagascar. — *Triton* No. 11: 32-34.
- * VACHON, P., 2005. – Débuter à Mayotte, ou la change d'être sur place. [also in English] — *Xenophora* No. 111: 13-17.
- * YKEMA, Th., 2005. – Helgoland 2004, nieuwe avonturen. — *Jaarverslag Schelpenwerkgroep Friesland*: 2004: 6-9.

MISCELLANEOUS / VARIA

- * GEMERT, L. VAN, 2005. – Rumphius over het verzamelen en schoonmaken van schelpen. [in Dutch] — *De Kreukel* 41(5-6): 49-65.
- * GROVES, L.T., 2005. – Jean McCreery Cate (1917-2001) a bibliographical sketch and malacological publications. — *The Festivus* 37(5): 53-58.
- * LEFORT, J.-P., 2005. – Paradis perdu. [Huahine Island, Caribbean]. — *Xenophora* No. 111: 23-25.
- * MIENIS, H.K., 2004. – Molluscs from the Excavation of Horvat Raqit. — In S. Dar (Ed.): *Raqit Marinus' Estate on the Carmel, Israel*. BAR International Series, 1300: 309-311.
- * MIENIS, H.K., 2005. – Shells from the emergency excavation in the Begin-quarter of Ramla, Israel. — *Triton* No. 11: 28-30.
- * MIENIS, H.K., 2005. – A second look at an enigmatic shell object from the excavation of Ohalo II, Sea of Galilee, Israel. — *The Archaeo+Malacology Group Newsletter* No. 7: 4-5.
- * MIENIS, H.K. G. HADAS, 2005. – Archaeomalacological finds in the vicinity of En Gedi 4. Molluscs in an oven dating to the 1st century ce. — *Triton* No. 11: 31.
- * PRINS, R. DE, 2005. – Deterioration of shell collections. / Aantasting van schelpencollecties. Oorzaken, gevolg en behandeling. [in Dutch only] — *Gloria Maris* 43(5-6): 1-75.
- * Robin, A. & G., 2005.— William John Swainson (1789-1855). — *Xenophora* No. 110: 11.