

TIJDSCHRIFTARTIKELEN JOURNAL PAPERS

W. Faber

Artikelen over mariene weekdieren in andere tijdschriften. *Buikpotigen en tweekleppigen per familie in alfabetische volgorde.* [] redactionele opmerkingen.

Papers about marine molluscs in other magazines. *Gastropods and bivalves per family in alphabetical order.* [] editorial notes.

GENERAL / ALGEMEEN

- * KILLEEN, I.J. & M.B. SEDDON (eds.), 2004. – Molluscan Biodiversity and Conservation. Proceedings of the Molluscan Biodiversity & Conservation symposium, August 2001. — *J. Conch. Spec. publ. No. 3*: 1-172.
- * RAMAKRISHNA, A. DEY & S.C. MITRA, 2004. – Catalogue of Type species (Bivalvia, Scaphopoda & Cephalopoda) present in the Mollusca section of Zoological Survey of India. — *Records Zool. Survey India, Occasional paper No. 228*: 1-97.

REGIONAL / REGIONAAL

- * LÓPEZ DE LA FUENTE, A. & J. URCUYO RAMOS, 2004. – Annotated lists of Marine Pacific Mollusks contained in the collections of the Centro de Malacología/Diversidad Animal, UCA University. — *Nicaraguan Pacific Mollusca 200*: 1-167.
- * WITBAARD, R., R. DAAN, M. MULDER & M. LAVALEYE, 2005. – The mollusc fauna along a depth transect in the Faroe Shetland Channel: Is there a relationship with internal waves? — *Marine Biol. Res.* 2005(1): 165-175.

POLYPLACOPHORA (Class)

- * GONÇALVES RODRIGUES, L.R. & R. S. ABSALÃO, 2005. – Shell colour polymorphism in the chiton *Ischnochiton striolatus* (Gray, 1828) and habitat heterogeneity. — *Biol. J. Linnean Soc.* 85(4): 543-548.
- * CRACIA C., A. & N.E. ARDILA, 2004. – Notas sobre el quitón *Leptochiton binghami* (Boone, 1928) en el Caribe Colombiano. [with English abstract] — *Bol. Invest. Mar. Cost.* Vol. 33: 275-278.
- * KNEBELSBERGER, TH., E. SCHWABE & M. SCHRÖDL, 2005. – Molluscan types of the Bavarian state collection of Zoology Munich (ZSM) Part 1. Polyplacophora, Scaphopoda, Cephalopoda. — *Spixiana* 28(2): 97-108.
- * KOUKOURAS, A. & P. KARACHLE, 2005. – The polyplacophoran fauna of the Aegean Sea with the description of a new species, and comparison with those of the neighbouring seas. — *J. Biol. Res.* 3: 23-38.
- * POJETA JR., J., J.F. TAYLOR & G. DARRROUGH, 2005. – *Matthevia* invades the Ordovician: the first reported post-Cambrian occurrence. — *J. Paleont.* 79(5): 1021-1027.

GASTROPODA

GENERAL / ALGEMEEN

- * BOUCHET, PH. & J-P. RECROI, 2005. – Classification and Nomenclator of Gastropod

Families. — *Malacologia* 47(1-2): 1-397.

REGIONAL / REGIONAAL

- * ÁVILA, S.P. et al., 2005. – The molluscs of the intertidal algal turf in the Azores. [con resumen Español] — *Iberus* 23(1): 67-76.
- * KABASAKAL, H. & E. KABASAKAL, 2005. – Prosobranch Gastropods Collected from the Anatolian Coast of North Aegean Sea. — *Club Conchylia Informationen* 37(1-2): 49-57.
- * ZELAYA, D.G., 2005. – Systematics and biogeography of marine gastropod molluscs from South Georgia. — *Spixiana* 28(2): 109-139.

APORRHAIIDAE

- * See under Strombidae.

BUCCINIDAE

- * HAYASHI, S., 2005. – The molecular phylogeny of the Buccinidae as inferred from the complete mitochondrial 16S rRNA gene sequences of selected representatives. — *Moll. Res.* 25(2): 85-98.
- * MONTEIRO, A. & E. ROLÁN, 2005. – Study of three samples of *Euthria* from Cape Verde archipelago... — *Gloria Maris* 44(5): 90-103.

BURSIDAE

- * BEU, A.G., 2005. – Neogene fossil tonnoidean gastropods of Indonesia. — *Scripta Geologica* No. 130: 1-186.

CAECIDAE

- * RAINES, B. & M. PIZZINI, 2005. – Contribution to the knowledge of the family Caecidae: 16. Revision of the Caecidae of Easter Island (Chile). [con resumen Español] — *Iberus* 23(1): 49-65.

CALYPTRAEIDAE

- * ROLÁN, E., 2005. – *Calyptrea capensis* Tomlin, 1931, a valid species from South Africa. [con resumen Español] — *Iberus* 23(1): 77-82.

CAPULIDAE

- * See under Trochidae.

CASSIDAE

- * See under Bursidae.
- * CHINO, M., 2005. – New record of *Echinophoria oschei* Muhlhäuser, 1992. [in Japanese] — *Chiribotan* 36(2): 49-52.

COLUMBELLIDAE

- * MCCLEAN, J.H. & P. KANNER, 2005. – On the color form (or species?) *lineata* Stearns, 1873, of *Amphissa versicolor*

Dall, 1871. with illustrations of other named forms of the species. — *The Festivus* 37(10): 111-115.


- * MONSECOUR, K. & D. MONSECOUR, 2005. – On the status of *Columbella lafresnayi* Fischer & Bernardi, 1856 and *Columbella translirata* Ravenel, 1861. — *Novapex* 6(3): 73-77.

CONIDAE

- * CUNHA, R.L., R. CASTILHO, L. RÜBER & R. ZARDOYA, 2005. – Patterns of Cladogenesis in the Venomous Marine Gastropod *Conus* from Cape Verde Islands. — *Systematic Biology* 54(4): 634-650.

COSTELLARIIDAE

- * MARTIN, J.C., 2005. – *Vexillum (Costellaria) deshayesi* (Reeve, 1844), *intertaeniatum* (Sowerby, 1874), *michau* (Crosse & Fischer, 1864). [also in English] — *Xenophora* No. 112: 12-13.



Vexillum (Costellaria) intertaeniatum (Sowerby, 1874). - *Xenophora* No. 112: 13.

CUVIERINIDAE

- * JANSSEN, A.W., 2005. – Development of Cuvierinidae during the Cainozoic: a non-cladistic approach with a re-interpretation of Recent taxa. — *Basteria* 69(1-3): 25-72.

CYPREIDAE

- * DEMARTINI, J. & J., 2005. – *Erosaria turdus* therives in the Mediterranean Sea. — *Triton* No. 12: 1.
- * CRAM, D., 2005. – *Notodusta hartsmithi* Schilder, 1967 is it a valid species? — *Australasian Shell News* No. 125: 1, 3.
- * GROVES, L.T., 2005. – Catalog of recent and fossil Cypraeidae and Eocypraeidae: 2000 through 2004. — *The Festivus* 37(9): 95-108.
- * GROVES, L.T., 2005. – Cypraeoidean and Triviodean literature. — *The Festivus* 37(11): 121-145.

- * HEIMAN, E.L., 2005. — Interspecific variation in *Bistolida stolidi* (Linnaeus, 1758). — Triton No. 12: 12-20.
- * LIMPALAËR, L. & TH. DANDRIMONT, 2005. — Variations sur *Mauritia Arabica*. [also in English] — Xenophora No. 112: 2, 15-22, 27.
- * WART, R., 2005. — A review of the *Bistolida* — complex of Africa's north-eastern, eastern and southern coastlines and the adjacent Indian Ocean islands. [aussi en Français] — Xenophora No. 112: 31-53.

EUCYPRAEIDAE

- * See under Cypraeidae (Groves).

EULIMIDAE

- * SONNENHOLZNER, J.I. & L.A. MOLINA, 2005. — Parasitic eulimid gastropods in echinoderms of the Islas Galápagos, Ecuador. — The Festivus 37(8): 85-88.

HALIOTIDAE

- * SIQUEIROS-BELTRONES, D, S. GUZMÁN DEL PRÓO & E. SERVIERE-ZARAGOZA, 2005. — Main Diatom Taxa in the Natural Diet of Juvenile *Haliotis fulgens* and *H. corrugata* in Bahía Tortugas and Bahía Asunción, B.C. S., México. — Pacific Science 59(4): 581-592.
- * ESTES, J.A., D.R. LINDBERG & C. WRAY, 2005. — Evolution of large body size abalones (*Haliotis*): patterns and implications. — Paleobiology 31(4): 591-606.

HARPIDAE

- * KAISER, K.L., 2005. — *Harpa gracilis* Broderip & Sowerby found alive at Île Clipperton [French possession]. — The Festivus 37(9): 93-94.

LITTORINIDAE

- * VERBINNEN, G. & M. DIRKX, 2005. — Red Sea Mollusca Part 21: Class: Gastropoda, Family: Littorinidae. [ook in het Nederlands] — Gloria Maris 44(5): 110-115.

MURICIDAE

- * ANDREWS, E.B. & K.E. THOROGOOD, 2005. — An ultrastructural study of the gland of Leiblein of muricid and nassariid neogastropods in relation to function, with a discussion on its homologies in other caenogastropods. — J.Moll. Studies 71(3): 269-300.
- * HEWITT, S.J., 2005. — Further notes on *Dermamurex alabastrum* (A. Adams, 1864). — The Festivus 37(10): 116-117.
- * PASTORINO, G., 2005. — A revision of the genus *Trophon* Montfort, 1810. — The Nautilus 119(2): 55-82.
- * SINGER, B.S., 2005. — *Thais sacellum* and *Ergalatax obscura*, new immigrants to Northern Israel. — Triton No. 12: 2.
- * SMRIGLIO, C., F. SWINNEN, A. DI GIULIO & P. MAROTTINI, 2005. — On the occurrence of *Coralliophila schioettei* Smriglio & Mariottini, 2000, in the Canary Islands. — Basteria 69(1-3): 6-8.

NASSARIIDAE

- * MAURO, B.M. & V. GIUSEPPE, 2005. —

Nuove specie di Gasteropodi del Piacenziano di rio Crevallese, Castell'Arquato (Piacenza, Italia. [in Italian with English abstract] — Boll. Malac. 41(1-4): 1-22.

NATICIDAE

- * GREY, M., E. BOULDING & M. E. BROOKFIELD, 2005. — Shape differences among boreholes drilled by three species of Naticid gastropods. — J. Moll. Studies 71(3):253-256.
- * HEWITT, S.J., 2005. — Moon Snails of the Island of Nevis, West Indies. — The Festivus 37(7): 69-81.

NERITIDAE

- * DUCHAMPS, R.M.E., 2005. — Le Genre *Nerita* (1) *Nerita atra*, une espèce confuse. — Novapex 6(3): 69-72.
- * HAYNES, A., 2005. — An evaluation of members of the genera *Clithon* Montfort, 1810 and *Neritina* Lamarck 1816. — Moll. Res. 25(2): 75-84.
- * KRJINEN, C., A. DELSAERDT, N. SEVERINS & M. VERHAEGHE, 2005. — Genus *Nerita*. — Gloria Maris 44(3-4): 69-86.
- * See also under Neritopsidae.

NERITOPSIDAE

- * KAIM, A. & P. SZTAJNER, 2005. — The opercula of Neritopsid gastropods and their phylogenetic importance. — J. Moll. Studies 71(3): 211-219.

OLIVIDAE

- * CARRANZA, A. & W.NORBIS, 2005. — Latitudinal trends in shell characters of the neogastropod *Olivancillaria urceus* in the temperate southwestern Atlantic Ocean. — The Nautilus 119(2): 83-89.

PATELLIDAE

- * CABRAL, P., 2005. — Concentrations of metals in *Patella intermedia*, *Patella rustica*, *Patella ulysiponensis* and *Patella vulgata* shells along the Portuguese continental coast. [con riassunto Italiano] — Boll. Malac. 41(1-4): 23-34.

PATELLOGASTROPODA (Lottidae, Patelidae, Nacellidae, Lepetidae, Acmaeidae)

- * FUCHIGAMI, T. & T. SASAKI, 2005. — The shell structure of the Recent Patellogastropoda. — Paleont. Res. 9(2): 143-168.

PEDICULARIIDAE

- * OMI, Y. & T. SASAKI, 2005. — Protoconch of the brooded veliger larvae of *Pedicularia tuberculata* Pease, 1865. [in Japanese] — Chiribotan 36(20): 57-60.

PHILINIDAE

- * Gruppo Malacologico Livornese, 2005. — Famiglia Philinidae. [*Philine condensata* van der Linden, 1995] — Notiziario S.I.M. 23(1-4): 26-33.

PLANAXIDAE

- * VERBINNEN, G. & M. DIRKX, 2005. — Red Sea Mollusca Part 22: Class: Gastropoda, Family: Planaxidae. [ook in het Nederlands] — Gloria Maris 44(5): 116-117.

PRAECUVIERINIDAE (fam. nov.)

- * See under Cuvierinidae.

PSEUDOLIVIDAE

- * BROWN, C.C., 2005. — New Panamic range extension for *Macron aethiops* (Reeve, 1847). — The Festivus 37(9): 94.

RANELLIDAE


- * See under Bursidae.

RISSOIDAE

- * MORENA, T. & G. LUIGI, 2005. — Prima segnalazione di *Crisilla perminima* (Manzoni, 1868) in Mediterraneo. [with English abstract] — Boll. Malac. 41(1-4): 39-41.

STROMBIDAE

- * NIELSEN, S.N., 2005. — Cenozoic Strombidae, Aporrhaidae, and Struthiolaridae from Chile: Their significance to the interpretation of Southeast Pacific biogeography and climate. — J. Paleont. 79(6): 1120-1130.



Strombus (Austrombus) nedinae (Philippi, 1887). Miocene, Chile. 1. Lost holotype, h. 90mm; 2. Neotype, h. 73.7mm. - J. Palaeont. 79(6): 1122.

- * SIMONE, L.R.L., 2005. — Comparative morphological study of representatives of three families of Stromboidea and the Xenophoroidea, with an assessment of their phylogeny. — Arquivos de Zoologia 37(2): 141-167.

- * VISSER, G. & L. MAN IN 'T VELD, 2005. — Notes on the *Strombus (Dolomena) marginatus*-complex and the status of *Strombus (Dolomena) robustus* Sowerby, 1874..... — Gloria Maris 44(3-4): 55-68.

STRUTHIOLARIIDAE

- * See under Strombidae.

TONNIDAE

- * SMRIGLIO, C. & P. MARIOTTINI, 2005. — On the occurrence of *Eudolium crosseanum* (Monterosato, 1869) and *Eudolium bairdii* (Verrill & Smith, 1881) in the Mediterranean Sea. — Basteria 69(1-3): 1-5.
- * See also under Bursidae.

TRIVIIDAE

- * UESHIMA, R., 2005. — Recent advances in the taxonomy of Japanese *Trivellona* by Fehse & Grego (2004). [in Japanese] — Chiribotan 36(20): 42-48.


* See also under Cypraeidae.

TROCHIDAE

- * BOGI, C. & E. CAMPANI, 2005. — Due nuove segnalazioni di specie würmiane per i fondi batiali dell'Arcipelago Toscano (Mar Tirreno). [with English abstract] — *Boll. Malac.* 41(1-4): 35-38.
- * DONALD, K.M., M. KENNEDY & H.G. SPENCER, 2005. — Cladogenesis as the result of long-distance rafting events in South Pacific topshells. — *Evolution* 59(8): 1701-1711.

TURBINELLIDAE

- * STEPHANT, A., 2005. — Corne de l'Afrique ou ... Corne d'Abondance: *Vasum* de Somalie. [also in English] — *Xenophora* No. 112: 7-9.



Vasum stephani Emerson & Sage, 1988, juv., Somalia. — *Xenophora* No. 112: 9.

VOLUTIDAE

- * BEECHY, D., 2005. — Two species of *Lyria* that do not occur in NSW. — *Australasian Shell News* No. 125: 6.
- * BEECHY, D., 2005. — *Cymbiola pulchra* in NSW. — *Australasian Shell News* No. 125: 7-8.

XENOPHORIDAE

* See under Strombidae.

BIVALVIA

GENERAL / ALGEMEEN

- * SAVAZZI, E., 2005. — The function and evolution of lateral asymmetry in boring endolithic bivalves. — *Paleont. Res.* 9(2): 169-187.
- * UBUKATA, T., 2005. — Theoretical morphology of bivalve shell sculptures. — *Paleobiology* 31(4): 643-655.

REGIONAL / REGIONAAL

- * BOTT, N.J., J.M. HEALY & TH. H. CRIBB, 2005. — Patterns of digenetic parasitism of bivalves from the Great Barrier Reef and associated waters. — *Marine & Freshwater Res.* 56(4): 387-494.

CARDIIDAE

- * POORTEN, J.J. TER, 2005. — The identity of *Cardium* (*Trachycardium*) *kenyanum* Cox, 1930, from Pleistocene deposits in Mombassa, Kenya. — *Basteria* 69(1-3): 9-11.

CUSPIDARIIDAE

- * KNUDSEN, J., 2005. — *Anomalodesmata* from the Surinam Shelf, the Caribbean region. — *Basteria* 69(4-6): 121-144.

LUCINIDAE

- * TAYLOR, J.D. & E.A. GLOVER, 2005. — Cryptic diversity of chemosymbiotic bivalves: a systematic revision of worldwide *Anadontia*. — *Systematics and Biodiversity* 3(3): 281-338.

MYTILIDAE

- * Anonymous, 2005. — Argumentación científica de la solicitud de inclusión de *Lithophaga lithophaga*. — *Noticiario* No. 43: 58-62.
- * Anonymous, 2005. — Argumentación jurídica de la solicitud de inclusión de *Lithophaga lithophaga* en el Catálogo Nacional de Especies Amenazadas en la categoría «Vulnerable». — *Noticiario* No. 43: 62-69.
- * BEAUMONT, A.R., G. TURNER, A.R. WOOD & D.O.F. SKIBINSKI, 2005. — Laboratory hybridizations between *Mytilus* species and performance of pure species and hybrid veliger larvae at lowered salinity. — *J. Moll. Studies* 71(3): 303-306.
- * BOLOTIN, J. et al., 2005. — First record of *Idas simpsoni* in the Adriatic Sea. — *J. Mar. Biol. Ass. U.K.* 85(4): 977-978.
- * NOVAC, A., A.-N. NEAGU & I. MIRON, 2004. — Data regarding the mussels population structure (*Mytilus galloprovincialis* Lmk.) from the area of Agigea Dyke. — *Analele Stiintifice Univ. Alexandru Ioan Cuza, Iasi, Romania, Vol. L: 27-32.*

NUCULANIDAE

- * KEUKELAAR-VAN DEN BERG, T.P., J.E. PHORSON & D.F. HOEKSEMA, 2005. — Three new records of *Microgloma pusilla* (Jeffreys, 1879) from northwestern European beaches. — *Basteria* 69(4-6): 145-146.

OSTREIDAE

- * GRIFFIN, M., S. CASADÍO & A. PARRAS, 2005. — Maastrichtian and Danian species of *Turkosteirini* from Neuquén Basin, Argentina. — *Ameghiniana* 42(2): 257-276.
- * LUBINEVSKY, H. & H.K. MIENIS, 2005. — A first record of *Nanostrea exigua* Harry, 1985, another exotic mollusc species from the eastern Mediterranean. — *Triton* No. 12: 3-4.
- * SHARON, Y., Y. BENAYAHU & H.K. MIENIS, 2005. — First record of an exotic oyster: *Alectryonella crenulifera*, from the Mediterranean coast of Israel. — *Triton* No. 12: 5-6.

PECTINIDAE

- * BARINOV, K.B., A.E. OLEINIK & L. MARINCOVICH JR., 2005. — New occurrences of *Fortipecten hallae* (Dall, 1921) in the Pliocene of the North Pacific. — *Palaeo*223(1-2): 162-171.
- * SCAPS, P., V. DENIS, S. BERHIMPON & F. KALIGIS, 2005. — Coral associations and

space competitors of *Pedum spondyloideum* (Gmelin, 1791) from the northeast coast of Sulawesi, Indonesia. — *Basteria* 69(4-6): 157-166.

PINNIDAE

- * DIETL, G.P. & R.R. ALEXANDER, 2005. — High frequency and severity of breakage-induced shell repair in western Atlantic Pinnidae. — *J. Moll. Studies* 71(3): 307-311.
- * SEDDON, M., 2005. — Fanshells near Plymouth. — *Mollusc World* No. 8: 7.

POROMYIDAE

* See under Cuspidariidae.

PTERIIDAE

- * ACOSTA-SALMON, H. & P.C. SOUTHGATE, 2005. — Histological changes in the gonad of the blacklip pearl oyster (*Pinctada margaritifera* (Linnaeus, 1758)) during the reproductive season in north Queensland, Australia. — *Moll. Res.* 25(2): 71-74.

THRACIIDAE

- * SARTORI, A.F. & O. DOMANESCHI, 2005. — The functional morphology of the Antarctic bivalve *Thracia meridionalis* Smith, 1885. — *J. Moll. Studies* 71(3): 199-210.

THYASIRIDAE

- * Gruppo Malacologico Livornese, 2005. — Famiglia Thyasiridae. — *Notiziario S.I.M.* 23(1-4): 26-33.

VENERIDAE

- * LOCKWOOD, R., 2005. — Body size, extinctions events, and the early Cenozoic record of veneroid bivalves: a new role for recoveries. — *Paleobiology* 31(4): 578-590.
- * RODRIGUES ARAÚJO, M.L. & C. DE ALMEIDA ROCHA-BARREIRA, 2004. — Spatial distribution of *Anomalocardia brasiliensis* (Gmelin, 1791) on the Canto da Barra beach, Fortim County, Ceará State, Brazil. [in Portuguese with English abstract] — *Boletim Técnico/Científico do Cepene* (12)1: 11-21.

VERTICORDIIDAE

* See under Cuspidariidae.

VESICOMYIDAE

- * KOJIMA, S., K. FUJIKURA & T. OKUTANI, 2005. — Genetic Differentiation of *Calypptogena* Bivalves between Seep Areas off Central Honshu and Hydrothermal Vent Fields in the Okinawa Trough. — *Venus* 64(1-2): 45-53.

SLUGS / NAAKTSLAKKEN

- * POLA, M., J.L. CERVERA & T.M. GOSLINER, 2005. — A new species of *Tambja* (Polyceridae: Nembrothinae) from southern Brazil. — *JMBA* 85(4): 979-984.
- * POLA, M., J.L. CERVERA & T.M. GOSLINER, 2005. — Four new species of *Tambja* Burn, 1962 (Polyceridae) from the Indo-Pacific. — *J. Moll. Studies* 71(3): 257-267.
- * QUIROGA, S., N. E. ARDILA & M. BOLAÑOS, 2004. — *Aphelodoris antillensis* Berg, 1897

(Dorididae), first record from the Columbian Caribbean. — Bol. Invest. Mar. Cost. Vol. 33: 257-259.

- * SÁNCHEZ-SANTOS, A., 2005. — *Onchidoris neapolitana* (Delle Chiaje, 1844) (Onchidorididae): una nueva especie de molusco para la fauna andaluza. [with English abstract] — Iberus 23(1): 43-48.

SCAPHOPODA (Class)

- * See under Polyplacophora (Knebelberger et al.) and Other fossils (Marquet, 2005).


CEPHALOPODA (Class)

- * ARKHIPKIN, A.I. & R.R.OA-URETA, 2005. — Identification of ontogenetic growth models for squid. — Marine & Freshwater Res. 56(4): 371-386.
- * BLANCO, C., Á. RADUÁN & J.A. RAGA, 2005. — Additional information on the biology of *Argonauta argo* in the Mediterranean Sea from gastrointestinal contents of Risso's dolphin. — Iberus 23(1):83-86.
- * GIORDANO, D., T. BOTTARI & P. RINELLI, 2005. — Cephalopod assemblages caught by trawling along the Southern Tyrrhenian Sea (Central Mediterranean) [con resumen español] — Iberus 23(1): 33-42.
- * HEU, A. DE & R.P. BAAYEN, 2005. — Seasonal distribution of cephalopod species living in the central and southern North Sea. — Basteria 69(4-6): 91-119.
- * HOMMA, Y. ET AL., 2005. — Repeated strandings of the epipelagic octopod *Ocythoe tuberculata* on the coast of Niigata District, Sea of Japan, during the severe winter of 2004-2005. [in Japanese] — Chiribotan 36(20): 53-56.
- * KANEKO, N. & T. KUBODERA, 2005. — A new Species of Shallow Water Octopus, *Octopus laqueus*, from Okinawa, Japan. — Bull. Natn. Sci. Mus. Tokyo Series A 31(1): 7-20.
- * MIYAKE, H., T. KUBODERA & T. OKUTANI, 2005. — Cephalopods observed from submersibles and ROV - II. A gigantic squid in Sagami Bay. [in Japanese with English abstract] — Chiribotan 36(2): 38-41.
- * NORMAN, M.D. & F.G. HOCHBERG, 2005. — The "Mimic Octopus" (*Thaumoctopus mimicus* n. gen. et sp.), a new octopus from the Indo-West Pacific. — Moll. Res. 25(2): 57-70.
- * STRUGNELL, J. et al., 2005. — Molecular phylogeny of coleoid cephalopods using a multigene approach; the effect of data partitioning on resolving phylogenies in a Bayesian framework. — Molecular Phylogenetics and evolution 37(2): 426-441.
- * VOIGHT, J.R., 2005. — Hydrothermal vent octopuses of *Vulcanoctopus hydrothermalis*, feed on bathypelagic amphipods of *Halice hesmonektes*. — J. Mar. Biol. Ass. U.K. 85(4): 985-988.
- * WADA, T. et al., 2005. — Alternative Male Mating Behaviors Dependent on Relative Body Size in Captive Oval Squid *Sepio- teuthis lessoniana* (Loliginidae). — Zool. Sci. 22(6): 645-651.
- * See also under Polyplacophora (Knebelberger et al.).

FOSSILS / FOSSIELEN

CEPHALOPODA

- * AMÉDRO, F. & F. ROBASYNSKI, 2005. — Towards a correlation by ammonites of the Albian sequences of North-Pacific Province with those of European and Arctic provinces in the Boreal realm: zonation, eustasy and palaeobiogeography. [in French with English abstract] — Geobios 38(5): 585-607.
- * ARKADIEV, V.V. & T.N. BOGDANOVA, 2005. — Genus *Delphinella* (Ammonoidea) of the Crimean Mountains. — Paleont. J. 39(5): 487-497.
- * BERT, D., 2005. — *Gregoryceras* Spath, 1924. Peltoceratinae (Ammonitina). — Minéraux & Fossiles No. 342: 35-44.
- * BOGDANOVA, T.N. & V.V. ARKADIEV, 2005. — Revision of species of the ammonite genus *Pseudosubplanites* from the Berriasian of the Crimean mountains. — Cretaceous Res. 26(3): 488-506.
- * BULOT, L.G., W.J. KENNEDY, E. JAILLARD & F. ROBERT, 2005. — Late Middle-early Late Albian ammonites from Ecuador. — Cretaceous Res. 26(3): 450-459.
- * EHIRO, M. & A. MISAKI, 2005. — Middle Permian ammonoids from the Kamiyasse-Imo district in the Southern Kitakami Massif, Northeast Japan. — Paleont. Res. 9(1): 1-14.
- * EVANS, D.H., 2005. — The Lower and Middle Ordovician cephalopod faunas of England and Wales. — Monograph of the Palaeontographical Soc. London, Vol. 158, publ. 623: 1-81.
- * JANA, S.K., S. BARDHAN & K. HALDER, 2005. — Eucycloceratin ammonites from the Callovian Chari Formation, Kutch, India. — Palaeontology 48(4): 883-924.
- * KENNEDY, W.J., W.A., COBBAN, J.M. HANCOCK & A.S. GALE, 2005. — Upper Albian and Lower Cenomanian ammonites from the Main Street Limestone, Grayson Marl and Del Rio Clay in northeast Texas. — Cretaceous Res. 26(3): 349-428.
- * KIRCHGASSER, W., 2005. — On The Trail Of Devonian Goniatite Cephalopods in New York State. — Am. Palaeontologist 13(2): 22-25.




The various higher level cephalopod groups. - Molecular Phylogenetics and Evolution 37(20): 427.

- * KLUG, CHR., G. SCHWEICHERT, G. DIETL & D. FUCHS, 2005. — Coleoid beaks from the Nusplingen Lithographic Limestone (Upper Kimmeridgian, SW Germany). — Lethaia 38(3): 173-192.
- * KULLMANN, J., C. LLOMPART & A. BOLET, 2005. — *Lusitanoceras* sp. (Ammonoidea, Goniatitida) en el Carbonífero de Menorca (Baleares). — Batalleria No.12: 135-140.
- * LEONOVA, T.B., R.V. KUTYGIN & O.P. SHILOVSKY, 2005. — New Data on the Composition and Evolution of the Permian Superfamily Popanocerataceae (Ammonoidea). — Paleont. J. 39(5): 476-486.
- * NIKOLAEVA, S.V. & B.I. BOGOSLOVSKY, 2005. — On the Occurrence of Famennian Ammonoids in the Northern Caucasus. — Paleont. J. 39(5): 465-475.
- * POZZI, E., 2005. — Un étage du Jurassique le Sinémurien, 3^{ème} partie: Les ammonites. — Minéraux & Fossiles No. 344: 27-39.
- * SEYED-EMAMI, K., F.T. FÜRSICH, M. WILMSEN, G. SCHAIRER & M.R. MAJIDIFARD, 2005. — Toarcian and Aalenian (Jurassic) ammonites from the Shemshak Formation of the Jajarm area (eastern Alborz, Iran). — Paläontol. Zeitschrift 79(3): 349-369.

OTHER FOSSILS

- * FRÝDA, J. & J.R. FARRELL, 2005. — Systematic position of two Early Devonian sinistral heterostrophic gastropods from the Garra Limestone, New South Wales. — Alcheringa 29(2): 229-240.
- * KLUG, CHR., H. HAGDORN & M. MONTE-NARI, 2005. — Phosphatized soft-issue in Triassic bivalves. — Palaeontology 48(4): 833-852.
- * KOMATSU, T. & H. MAEDA, 2005. — Stratigraphy and fossil bivalve assemblages of the mid-Cretaceous Goshoura Group, southwest Japan. — Paleont. Res. 9(2): 119-142.
- * KOWALKE, T. & B. REICHENBACHER, 2005. — Early Miocene (Ottangian) Mollusca of the Western Paratethys - ontogenetic strategies and palaeo-environments. [avec un résumé Français] — Geobios 38(5): 609-635.
- * MARQUET, R., 2004. — Ecology and evolution of Pliocene bivalves from the Antwerp Basin. — Bull. Inst. Royal Sci. Nat. Belgique vol. 74(suppl.): 205-212.
- * MARQUET, R., 2005. — The Neogene Bivalvia (Heterodonta and Anomalodesmata) and Scaphopoda from Kallo and Doel (Oost-Vlaanderen, Belgium). — Palaeontos No: 6: 1-142.
- * NÜTZEL, A. & PAN H.-Z., 2005. — Late Paleozoic evolution of the Caenogastropoda: Larval shell morphology and implications for the Permian/Triassic mass extinction event. — J. Paleont. 79(6): 1175-1188.
- * ONOUE, T. & H. TANAKA, 2005. — Late Triassic bivalves from Sambosan accretionary complex, southwest Japan, and their biogeographic implications. + Paleont. Res. 9(1): 15-25.
- * SCHATZ, H., 2005. — Taxonomie, Paläoökologie und biostratigraphische Anwendung der Daonellen aus der Mitteltrias Europas.

- [with English abstract; avec résumé Français] — Schweizerische Paläontologische Abhandlungen Vol. 125: 1-179.
- * SCHNETLER, K.I., 2005. — The Mollusca from the stratotype of the Gram Formation (Late Miocene, Denmark). — *Palaeontol. No. 7*: 62-189.
- * STILWELL, J., 2005. — A rare, late Paleocene molluscan faunule from the Kings Park Formation, Perth Basin, Western Australia. — *Alcheringa* 29(2): 331-340.
- * VERMEIJ, G.J., 2005. — One-way traffic in the western Atlantic: causes and consequences of Miocene to early Pleistocene molluscan invasions in Florida and Caribbean. — *Paleobiology* 31(4): 624-642.
- * See also under Polyplacophora; Gastropoda: Aporrhaidae, Bursidae, Cassidae, Nassariidae, Ranellidae, Strombidae, Srtuthiolaridae, Tonnidae; Bivalvia: Cardiidae, Ostreidae, Pectinidae, Veneridae.
- FIELDTRIPS / VELDWERK**
- * RUTHERFORD, M., 2005. — Molluscs in Trinidad and Tobago. — *Mollusc World* No. 8: 10-13.
- * STEINEGGER, E., 2005. — Perú y sus moluscos: Una nueva experiencia. — *Buttlelet Assoc. Catalana Malac.* 7(6): 42-52.
- MISCELLANEOUS / VARIA**
- * DELONGUEVILLE, CHR. & R. SAILLET, 2005. — *Anarchichas lupus* Linnaeus, 1758: prédateur d'invertébrés benthiques. Examen malacologique du contenu gastro-intestinal d'individus pêchés au Nord-Est de l'Islande. [with English abstract] — *Novapex / Société* 6(3): 67-72.
- * DUCHAMPS, R., 2005. — Nécrologie: Richard A. Van Belle. Oostende 09-06-1926 – Sint-Niklaas 23-02-2005. — *Novapex / Société* 6(3): 93-94.
- * KURTZ, I., 2005. — Kleine Schnecken und Muscheln – einen Blick wert. — *Club Conchylia Informationen* 37(1-2): 35-39.
- * MOTHS, H. & D. SCHUMACHER, 2004. — Über fossile Perlen aus marinen Sedimenten des Miozän und des Maastricht sowie Süßwasserperlen aus der Lüneburger Heide. [with English abstract] — *Jb. Naturw. Verein Fstm. Lbg.* Vol. 43: 231-238.
- * PANOVA, T.D., 2005. — Cowrie Shells in Archeological Finds of Moscow Kremlin. [In Russian] — *Priroda* 2005(6): 49-51.
- SCHIFKO, G., 2005. — Zoologische Anmerkungen zu zwei minoischen Siegelabdrücken mit einem Tritonshorn (Gattung *Charonia*) als Motiv. — *Ann. Nat. Hist. Mus. Wien* No. 106B: 27-33
- * SCHULTZ, H., 2005. — Interaktionen zwischen Mollusken und Seeigeln. — *Club Conchylia Informationen* 37(1-2): 41-48.



on
Reunion Island. - *Club Conch. Inf.* 37(1-2): 43.