Notes on recent and fossil Neritidae 6. Nerita gliberti, new name for Nerita morio Dujardin, 1837, non Nerita morio (Sowerby, 1832)¹

H.K. MIENIS

Department of Zoology, Hebrew University of Jerusalem, Israel

A review of some Neritidae from the Miocene of France revealed that *Nerita morio* Dujardin, 1837, is in need of a new name.

Nerita morio was described by Dujardin (1837: 280) from the Pontilevian of the Loire Basin. Is was excellently redescribed and figured by Glibert (1949: 81, pl. 4 figs. 11a-c). However, the name N. morio Dujardin, 1837, is a junior homonym of Nerita morio (Sowerby, 1832). Although described by Sowerby (1832: 201) as a species of Neritina, it is in reality a true Nerita with a very restricted distribution (Ducie and Easter Islands).

Ivolas & Peyrot (1900: 175) mentioned *N. morio* Dujardin s.n. *Nerita sulcosa* Grateloup, 1840, but that is a misidentification with a related but distinct species from the Bordeaux Basin.

Since no valid name seems to be available, I here propose the following name in honour of Dr. M. Glibert (Brussels):

Nerita gliberti nom. nov.

Nerita morio Dujardin, 1837, Mém. Soc. géol. Fr. 2: 280 (non Neritina morio Sowerby, 1832, Proc. zool. Soc. Lond. 2: 201,= Nerita morio).

¹ No. 5, vide Argamon, Israel J. Malac. 4 (2-4):45-46, 1974.

- Nerita (Pila) morio, Dollfus & Dautzenberg, 1886, Feuille jeun. Nat. 192: 141.
- Nerita sulcosa, Ivolas & Peyrot, 1900, Act. Soc. linn. Bordeaux 55: 175.
- Nerita (Pila) morio, Glibert, 1949, Mém. Inst. r. Sci. nat. Belg. (2) 30: 81, pl. 4, figs. 11a-c.
- Nerita (Ritena) morio, Glibert, 1962, Mém. Inst. r. Sci. nat. Belg. (2) 68: 99.

Nerita gliberti is known from the Middle Miocene (Pontilevian) of the Loire Basin: Pontlevoy, Louans, Bossée, Paulmy and Ferrière-larçon.