

**Jouannetia Des Moulins, 1828 (Bivalvia: Pholadidae) from Costa Rica**

Th. C. M. KEMPERMAN

Systematic Zoology Section, Population Biology Department, Rijksuniversiteit Leiden,  
c/o Rijksmuseum van Natuurlijke Historie, P.O. Box 9517, 2300 RA Leiden, The Netherlands

*Jouannetia pectinata* and *Jouannetia duchassaingi* have been collected in Costa Rica, the latter in large numbers. Some specimens of *J. duchassaingi* had a hole drilled by a predator.

Key words: Bivalvia, Pholadidae, *Jouannetia*, Costa Rica. Pacific.

During a stay in Costa Rica from October-December 1982, a visit was paid to 20 localities on the Pacific coast. Only on Playa Naranjo in the National Park Santa Rosa, two species of *Jouannetia* were recorded. A beach-worn right valve was found of *Jouannetia (Pholadopsis) pectinata* (Conrad, 1849). This species has been reported before from Costa Rica by Turner (1955: 138). In addition 39 right and 12 left valves of *Jouannetia (Jouannetia) duchassaingi* Fisher, 1862, were collected (fig. 1). Most specimens, bar four, were beach-worn. This species was only known from its holotype-valve, collected in Panama, and three valves from Manta, Ecuador (Olsson, 1961: 450). Nothing is known about the biology of this species, but as far as is known, all *Jouannetia* are rock and coral-borers (Turner, 1955: 134). However, in five valves we found holes drilled by predatory gastropods. Since predators must have been able to reach the living bivalve, this might be indicative for a boring habit of *Jouannetia duchassaingi* in a softer substratum like clay or wood. In that case erosion might accidentally expose the valves, or the shell may grow beyond its substratum.

All material is in the Zoologisch Museum, Amsterdam.




Fig. 1. *Jouannetia duchassaingi*, right valve, both inside and outside, 45.1 × 37.0 mm. Photos E. Gittenberger (Leiden).

## REFERENCES

- OLSSON, A.A., 1961. Mollusks of the tropical eastern Pacific: 1-547. Ithaca, N.Y.  
TURNER, R.D., 1955. The family Pholadidae in the western Atlantic and eastern Pacific. Part II, Martesiinae, Jouannetiinae, Xylophaginae. — *Johnsonia* 3 (34): 65-160.