

Note on the publications of Edmond Saurin (1904-1977) on Recent Mollusca; with a list of all his new pyramidellids (Gastropoda, Pyramidellidae)

L.J. (LEO) VAN GEMERT

Couwenhoven 5519, NL-3703EV Zeist, The Netherlands; leo.van.gemert@planet.nl

Edmond Saurin (1904-1977) mainly published on geology and archeology, approximately 130 and 50 papers, respectively. Only eight malacological publications on Recent Mollusca are known from him. Two papers concern terrestrial Mollusca. Three articles are on marine Gastropoda and Bivalvia of the Paracel Islands (South China Sea). Three other publications on Recent Mollusca are important for the taxonomy of tropical Pyramidellidae. A total of 222 new pyramidellids has been described by Saurin. A complete list, with some annotations, of these new species is given. A list of his eponyms concerning Recent Mollusca is given too.

Key words: Saurin, Gastropoda, Pyramidellidae, Paracel Islands.

INTRODUCTION

Edmond Saurin was born 25 November 1904 in Castellane, a village in the south of France. During his youth he became interested in natural history and archeology. For this reason he was advised to study geology at the University of Lyon. Geology was more promising in finding a job, and the teaching of archeology was at that time poorly organized. He was also a talented painter and later in his life he, as numismatist, gathered an important collection of ancient money. In 1928 he started to work as a geologist in Indochina. Due to his sickness he returned in 1965 to France, where he died on 29 November 1977. His life and works are described by Fontaine (1978, 1983). The information above has been derived from the second publication.

PUBLICATIONS OF SAURIN ON RECENT MOLLUSCA

Saurin mainly published on geology and archeology, approximately 130 and 50 papers, respectively (Fontaine, 1983). Fontaine (1978) gives a survey of his geological activities and publications, including the ones on fossil Mollusca, and Fontaine (1983) describes his archeological activities and gives a list of his articles in this field.

Only eight malacological publications on Recent Mollusca are known from Saurin, mainly published in the relatively short period of 1958 to 1962. His publications on fossil Mollusca are not considered here. He started with two publications on terrestrial molluscs (Saurin, 1953 & 1958). He described one new genus and nine new species in the first publication and one new species in the second one. The latter is based on molluscs collected on the Paracel Islands, located in the middle of the South China Sea. In total four articles concern the terrestrial and marine malacofauna of the Paracel Islands (Saurin, 1958, 1960, 1961 & 1962b). Only a few terrestrial species are listed (Saurin, 1958), but approximately 440 marine gastropods and bivalves are recorded by him (Saurin, 1960, 1961 & 1962b).

Three of Saurin's publications on Recent Mollusca are important for the taxonomy of tropical Pyramidellidae. According to Corgan & van Aartsen (1998) eight subfamilies, four genus-group taxa, i.e. four subgenera, and 255 species were considered new by Saurin. However, I could only find a total of 222 new pyramidellids having been described and figured (drawings and photographs) by Saurin (1958, 1959, 1962a). This number is also different from the number of 210 given by Bouchet (1999). In the latter publication Bouchet describes his quest for the types of Saurin. He

found the greater part of them in the attic of the home of the widow of Saurin in 1979. Indeed, from a letter of Saurin to van Benthem Jutting it is clear that Saurin kept his collected mollusks and other items in France, which he visited every year during his stay in Asia.

LIST OF PYRAMIDELLID TAXA INTRODUCED BY SAURIN

A complete list of his new pyramidellids, with some comments or annotations, is given in table 1. For each species the publication in which it was described as new is given, with page, plate and figure number(s). It appears that a few new species are figured in more than one article. The annotations concern Saurin's new species, in total four, to be synonymous with other species according to himself (Saurin, 1962a), his three changes in the names, related to the subgenus, and the recording of his new species in later publications of Saurin (including 1961 & 1970). The Saurin & Fontaine publication of 1970 concerns fossil molluscs. The six replacement names given by Corgan & van Aartsen (1999) are also listed in the Table.

EPONYMS CONCERNING RECENT MOLLUSCA

The first eponym based on Recent Mollusca was published by van Benthem Jutting (1962), i.e. *Diaphora saurini* and the second one, *Odostomia saurini*, in 1998 by Corgan & van Aartsen. Later ones are *Garnieria saurini* by Nordsieck (2002), *Chrysallida saurini* and *Polemicella saurini* by Robba et al. (2004) and very recently *Bacteridiella saurini* by Robba (2013). An eponym based on a fossil mollusk is *Myophorella saurini* Hayami, 1972, based on a misidentification of *Trigonia striata* Miller, 1819 by Saurin (1935). This is just an example of an eponym of a fossil mollusk; non-malacological eponyms are also not considered here.

ACKNOWLEDGEMENTS

Many years ago Rob Moolenbeek attended me, among many other publications, on Saurin's pyramidellid publications, for which I am still grateful. Thanks also to the library of Artis (Amsterdam) for the copy of a letter of Saurin to van Benthem Jutting.

REFERENCES

- BENTHEM JUTTING, W.S.S. VAN, 1962. Coquilles terrestres nouvelles de quelques collines calcaires du Cambodge et du Sud Vietnam. – *Journal de Conchyliologie* 102: 3-15.
- BOUCHET, P., 1999. "Chronique du 55". – *Xenophora* 86: 15-16, 25-26.
- CORGAN, J.X. & AARTSEN, J.J. VAN, 1998. Saurin's pyramidellacean gastropod names. – *Bacteria* 62 (1/2): 1-5.
- FONTAINE, H., 1978. Edmond Saurin (1904-1977) ancien chef du Service Géologique de l'Indochine. Notes biographiques et liste de travaux présentés. Echange France-Asie: 1-12 [Paris; not seen].
- FONTAINE, H., 1983 [1980]. Edmond Saurin 1904-1977. – *Asian Perspectives* 23 (1): 1-8.
- HAYAMI, I., 1972. Lower Jurassic Bivalvia from the environs of Saigon. – *Geology and Paleontology of Southeast Asia* 10: 179-230, pls 33-38.
- NORDSIECK, H., 2002. Revision of the Garnieriinae (Gastropoda: Stylommatophora: Clausiliidae), with descriptions of new taxa. – *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* 640: 1-23.
- ROBBA, E., 2013. Tertiary and Quarternary fossil pyramidelloidean gastropods of Indonesia. – *Scripta Geologica* 144: 1-191.
- ROBBA, E., DI GERONIMO, I., CHAIMANEE, N., NEGRI, M.P., & SANFILIPPO, R., 2004 [2003]. Holocene and Recent shallow soft-bottom mollusks from the northern Gulf of Thailand area: Scaphopoda, Gastropoda, additions to Bivalvia. – *La Conchiglia* 35 (Supplement to no. 309): 1-289.
- SAURIN, E., 1935. Etudes géologiques sur l'Indochine de Sud-Est (Sud-Annam, Cochincine, Cambodge oriental). – *Bulletin du Service Géologique de l'Indochine* 22 (1): 160, pl. 13, figs 1-4.
- SAURIN, E., 1953. Coquilles nouvelles de l'Indochine. – *Journal de Conchyliologie* 93: 113-120, pl. 4.
- SAURIN, E., 1958. Faune malacologique terrestre des îles Paracels. – *Journal de Conchyliologie* 98: 69-76, pl. 1.
- SAURIN, E., 1958. Pyramidellidae of Pho-Hai (Sud Viêt-Nam). – *Annales de la Faculté des Sciences Université de Saigon*: 63-86, pls 1-4.
- SAURIN, E., 1959. Pyramidellidae de Nha-Trang (Viêt-Nam). – *Annales de la Faculté des Sciences Université de Saigon*: 222-283, pls A, 1-9.
- SAURIN, E., 1960. Gastéropodes marins des îles Paracels - I. – *Annales de la Faculté des Sciences Université de Saigon*: 195-216.
- SAURIN, E., 1961. Gastéropodes marins des îles Paracels - II. – *Annales de la Faculté des Sciences Université de Saigon*: 177-198.
- SAURIN, E., 1962a [1961]. Pyramidellidae du Golfe de Thaïlande. – *Annales de la Faculté des Sciences Université de Saigon*: 231-266, pls 1-5.
- SAURIN, E., 1962b. Lamellibranches des îles Paracels. – *Annales de la Faculté des Sciences Université de Saigon*: 435-446.
- SAURIN, E. & FONTAINE, H., 1970. Couche coquillière dans le sous-sol de Hué (Viêt-nam). – *Compte Rendu Sommaire des Séances de la Société Géologique de France*: 153-154.

(Following four pages)

Table 1. Alphabetical list of all 222 Saurin's new species in the family Pyramidellidae. Numbers in the third to fifth column refer to page number, plate number and figure number(s) respectively.

Species	Genus (Subgenus)	Saurin, 1958	Saurin, 1959	Saurin, 1962	Comments
<i>adolphi</i>	<i>Odostomia</i> (<i>Megastomia</i>)		235; III, 6		
<i>ailhaudi</i>	<i>Chemnitzia</i>		262; VI, 23	256	
<i>alacer</i>	<i>Pyrgiscus</i>		269; VIII, 21		
<i>alphonsi</i>	<i>Besla</i>		245; A, 5 & IV, 15		
<i>amabilis</i>	<i>Pyrgulina</i>		250; IV, 17	244	
<i>ambigua</i>	<i>Chemnitzia</i>			255; IV, 15	nom. nov. <i>Turbonilla normalis</i> Corgan & van Aartsen, 1998
<i>ampliata</i>	<i>Odostomia</i> (<i>Megastomia</i>)			238; II, 11	
<i>ampulla</i>	<i>Leucotina</i>			252; IV, 4	
<i>anacra</i>	<i>Pyrgulina</i>		250; IV, 23		
<i>angusta</i>	<i>Ebalina</i>		275; IX, 14	232	synonym of <i>Ebalina vixornata</i> de Folin; Saurin (1962)
<i>annae</i>	<i>Besla</i>		246; A, 4		
<i>annamitica</i>	<i>Chemnitzia</i>		262; VII, 16 & VIII, 2	257	
<i>arenarum</i>	<i>Besla</i>		244; A, 1 & IV, 7		
<i>arrighii</i>	<i>Chemnitzia</i>		264; VI, 12		
<i>asmundina</i>	<i>Pyrgiscilla</i>		273; IX, 12		
<i>atrisaxi</i>	<i>Odostomia</i> (<i>Megastomia</i>)		238; III, 18		
<i>augusti</i>	<i>Besla</i>		244; A, 7 & IV, 14		
<i>babellina</i>	<i>Egilina</i> (<i>Egilina</i>)	75; III, 1-3	255	247	<i>Egilina babellina</i> ; Saurin (1959, 1962)
<i>bancoensis</i>	<i>Cossmannica</i>		227; I, 5	234; II, 3	
<i>baptistini</i>	<i>Salassia</i>		241; III, 22		
<i>barthelemyi</i>	<i>Turbonilla</i> (<i>Turbonilla</i>)	79; IV, 2-3			
<i>basicincta</i>	<i>Pyrgiscilla</i>		273; IX, 7	259	
<i>baygiongina</i>	<i>Syrnola</i>		229; I, 17	234	
<i>behainei</i>	<i>Cossmannica</i>		228; I, 10		
<i>belsantii</i>	<i>Asmunda</i>		266; VIII, 3		
<i>biformis</i>	<i>Odostomia</i> (<i>Brachystomia</i>)			237; I, 5	
<i>binhdinhensis</i>	<i>Odostomia</i> (<i>Megastomia</i>)	68; I, 11		239	
<i>bonardi</i>	<i>Puposyrnola</i>		231; II, 14		
<i>bonellii</i>	<i>Chemnitzia</i>		263; VII, 9	257	
<i>buriti</i>	<i>Pyrgulina</i>			242; III, 1	
<i>butoli</i>	<i>Pyrgulina</i>			246; III, 5	
<i>calendalis</i>	<i>Pyrgulina</i>		247; IV, 19		
<i>callosa</i>	<i>Vagna</i>		228; I, 13		
<i>cambodgiensis</i>	<i>Pyrgulina</i>			244; II, 15-16	
<i>canaensis</i>	<i>Besla</i>		246; IV, 13		
<i>cani</i>	<i>Syrnola</i>		229; I, 16		
<i>castleraghensis</i>	<i>Chrysallida</i>		253; V, 27		
<i>cathaysiae</i>	<i>Tiberia</i>		226; I, 3	233	
<i>catinati</i>	<i>Cossmannica</i>		227; I, 9	234	listed in Saurin (1961)
<i>caudana</i>	<i>Odostomia</i> (<i>Megastomia</i>)		238; III, 19	239	
<i>ceciriana</i>	<i>Babella</i>		255; A, 12 & VI, 2		
<i>celestae</i>	<i>Syrnola</i>		230; II, 3-4		
<i>chamorum</i>	<i>Odostomia</i> (<i>Odostomia</i>)	67; I, 6			
<i>champaensis</i>	<i>Cossmannica</i> (<i>Cossmannica</i>)	66; I, 1			
<i>charezieuxi</i>	<i>Chemnitzia</i>		264; VI, 15		
<i>charneri</i>	<i>Odostomia</i> (<i>Megastomia</i>)		237; III, 15		
<i>chetelati</i>	<i>Chrysallida</i>			247; I, 19 & III, 7	
<i>cheveyi</i>	<i>Pyrgulina</i>		248; IV, 18	243	
<i>chuttina</i>	<i>Asmunda</i>		266; VIII, 11		
<i>clara</i>	<i>Asmunda</i>		266; VIII, 7		
<i>contracta</i>	<i>Elusa</i>		233; II, 16		
<i>corona</i>	<i>Miralda</i>		257; V, 16		
<i>crassicostata</i>	<i>Babella</i>	77; III, 9			
<i>crassus</i>	<i>Pyrgiscus</i>		267; VIII, 15-16		
<i>cuabeina</i>	<i>Costosyrnola</i>		232; II, 15		
<i>culaoniana</i>	<i>Chrysallida</i>		254; V, 24	245	
<i>culaopagi</i>	<i>Costosyrnola</i>		233; II, 13	236	
<i>cylindrica</i>	<i>Babella</i>	77; III, 6-7			
<i>cylindrica</i>	<i>Pyrgiscilla</i>		271; VII, 22		
<i>dailanhensis</i>	<i>Salassia</i>		241; III, 25		

Species	Genus (Subgenus)	Saurin, 1958	Saurin, 1959	Saurin, 1962	Comments
<i>danieli</i>	<i>Besla</i>		244; A, 9 & IV, 12		
<i>dawydoffi</i>	<i>Pyrgiscilla</i>		270; IX, 6		
<i>decouxii</i>	<i>Odostomia</i> (<i>Odostomia</i>)		234; III, 4	237	
<i>delicatula</i>	<i>Kleinella</i>			252; III, 20	
<i>dextra</i>	<i>Turbonilla</i>		259; VI, 13		
<i>difficilis</i>	<i>Pyrgulina</i> (<i>Standeniella</i>)	71; II, 1-2			
<i>discreta</i>	<i>Cossmannica</i>		227; I, 11		
<i>dominicae</i>	<i>Pyrgulina</i>		250; V, 11-12		
<i>dongbaensis</i>	<i>Turbonilla</i>		259; VI, 11		
<i>dongkhanhi</i>	<i>Pyrgiscilla</i>		270; VIII, 18		
<i>dozouli</i>	<i>Pyrgulina</i>		249; V, 3		
<i>dunkeriformis</i>	<i>Chemnitzia</i>		261; VI, 25	256	
<i>dussaulti</i>	<i>Cingulina</i>			261; V, 12-13	
<i>edentata</i>	<i>Odostomia</i> (<i>Oda</i>)		239; II, 6	240	
<i>elata</i>	<i>Odostomia</i> (<i>Megastomia</i>)	68; I, 9		239	nom. nov. <i>Odostomia saurini</i> Corgan & van Aartsen, 1998
<i>eugeniae</i>	<i>Chemnitzia</i>		262; VI, 19		
<i>excavata</i>	<i>Elodiamea</i>			240; II, 14	
<i>fannyae</i>	<i>Pyrgulina</i> (<i>Linopyrga</i>)		252; V, 19 & 21		
<i>feraudi</i>	<i>Pyrgiscilla</i>		271; IX, 1		
<i>feriarum</i>	<i>Pyrgulina</i> (<i>Linopyrga</i>)		251; V, 14		
<i>filiformis</i>	<i>Bacteridiella</i>		275; IX, 18-19		
<i>flexuosus</i>	<i>Careliopsis</i>			260; IV, 9	
<i>francisciae</i>	<i>Miralda</i>	78; III, 17-18		250	
<i>fromageti</i>	<i>Styloptygma</i>		232; II, 5	236	
<i>funiculata</i>	<i>Babella</i>			249; III, 10	
<i>gabriellae</i>	<i>Besla</i>		243; IV, 8		
<i>galloisi</i>	<i>Miralda</i>		256; V, 13		
<i>garcerii</i>	<i>Odostomia</i> (<i>Odostomia</i>)		234; III, 2	237	
<i>gautieri</i>	<i>Besla</i>		244; A, 3 & IV, 9		
<i>gemmulata</i>	<i>Chemnitzia</i>		264; VI, 16		
<i>genouillyi</i>	<i>Chrysallida</i>			246; III, 4	
<i>geraudiei</i>	<i>Chemnitzia</i>		262; VII, 1	256; IV, 13	
<i>gestroides</i>	<i>Odostomia</i> (<i>Megastomia</i>)	69; I, 10	239; III, 20		<i>Odostomia</i> (<i>Brachystomia</i>) <i>gestroides</i> ; Saurin (1959)
<i>gigantea</i>	<i>Egilina</i> (<i>Egilina</i>)	75; II, 12			
<i>gradata</i>	<i>Costosyrnola</i>			236; II, 6	
<i>graffeuilli</i>	<i>Odostomella</i>		240; IV, 1		
<i>grimaudi</i>	<i>Tiberia</i>		225; I, 1	232	
<i>hastula</i>	<i>Babella</i>			249; III, 9	
<i>hatienensis</i>	<i>Pandorella</i>			251; III, 18-19	
<i>henriettae</i>	<i>Besla</i>		245; A, 8 & IV, 8	242	
<i>hians</i>	<i>Odetta</i>			253; I, 16 & IV, 5-6	
<i>honis</i>	<i>Odostomia</i> (<i>Odostomia</i>)		235; III, 5	237	
<i>honmungskensis</i>	<i>Pyrgulina</i>		251; IV, 21		
<i>honnorati</i>	<i>Chrysallida</i>		254; A, 6		
<i>inaequalis</i>	<i>Cingulina</i>	83; III, 15-16		261	
<i>inaequistriata</i>	<i>Pyrgiscilla</i>		272; IX, 5		
<i>indosinica</i>	<i>Vagna</i>		228; I, 8		
<i>infantilis</i>	<i>Pyrgiscus</i> (<i>Pyrgiscus</i>)	81; IV, 13-14			
<i>infrsulcata</i>	<i>Odostomia</i> (<i>Jordanula</i>)		240; III, 26		nom. nov. <i>Odostomia</i> (<i>Jordaniella</i>) <i>sulcatella</i> Corgan & van Aartsen, 1998
<i>integra</i>	<i>Chemnitzia</i>		260; VII, 14	256	
<i>joae</i>	<i>Besla</i>			241; I, 7	
<i>jocosior</i>	<i>Oscilla</i>		258; VI, 7		
<i>josephi</i>	<i>Chemnitzia</i>		263; VI, 6		
<i>josettae</i>	<i>Pyrgolidium</i>		267; VIII, 4		
<i>julii</i>	<i>Actaeopyramis</i>		257; V, 25		
<i>kampotensis</i>	<i>Pyrgulina</i>			243; III, 6	
<i>kepengensis</i>	<i>Pyrgulina</i>			245; III, 3	
<i>khanhoana</i>	<i>Odostomia</i> (<i>Odostomia</i>)		235; III, 3	237	

Species	Genus (Subgenus)	Saurin, 1958	Saurin, 1959	Saurin, 1962	Comments
<i>khmeriana</i>	<i>Numaegilina</i>			248; III, 14	
<i>krempti</i>	<i>Pyrgulina</i>		249; V, 8	243	
<i>lagrandieri</i>	<i>Pyrgulina</i>		249; IV, 27		
<i>langae</i>	<i>Chemnitzia</i>		261; VI, 22 & VIII, 1	256	
<i>lerichei</i>	<i>Chemnitzia</i>		261; VI, 14	256	
<i>levamisii</i>	<i>Pyrgulina</i>		247; A, 11 & IV, 24-25		
<i>libidinosa</i>	<i>Costosyrnola</i>		233; II, 18		
<i>lineata</i>	<i>Pyrgulina</i> (<i>Linopyrga</i>)		251; V, 20		listed in Saurin (1961)
<i>macella</i>	<i>Syrnola</i>			235; I, 3 & II, 7	
<i>magnumos</i>	<i>Odostomia</i> (<i>Heida</i>)			239; II, 12	
<i>marnayae</i>	<i>Turbonilla</i>		260; VI, 10	255	
<i>martinae</i>	<i>Odostomia</i> (<i>Megastomia</i>)		236; III, 12	238	
<i>massui</i>	<i>Pyrgiscilla</i>		271; IX, 2		
<i>megembryon</i>	<i>Odostomia</i> (<i>Jordanula</i>)	70; I, 7			
<i>metayeri</i>	<i>Odostomia</i> (<i>Megastomia</i>)		236; III, 13	238	listed in Saurin (1961)
<i>micrembryon</i>	<i>Puposyrnola</i>		231; II, 9		
<i>mieuina</i>	<i>Besla</i>		245; IV, 11		
<i>mirandus</i>	<i>Pyrgiscus</i>		269; VIII, 6		
<i>monicae</i>	<i>Pyrgulina</i> (<i>Parthenina</i>)	72; II, 6			
<i>montbruni</i>	<i>Pyrgulina</i>		246; IV, 22	242	listed in Saurin (1961) & Saurin & Fontaine (1970)
<i>muinaiensis</i>	<i>Spiralinella</i>			242; I, 15	
<i>muinamensis</i>	<i>Pyrgulina</i>		247; IV, 29		
<i>nagarinus</i>	<i>Pyrgiscus</i>		268; VIII, 13		
<i>neglecta</i>	<i>Syrnola</i>		230; II, 11		
<i>ngani</i>	<i>Tiberia</i>		226; I, 2	232; II, 1	
<i>nhatrangensis</i>	<i>Odostomia</i> (<i>Megastomia</i>)		239; III, 17		
<i>nigraerupis</i>	<i>Pyrgulina</i>		250; V, 10		
<i>noviportus</i>	<i>Pyrgulina</i>			244; I, 14	
<i>obliqua</i>	<i>Chemnitzia</i>		261; VI, 20-21	256	listed in Saurin (1961); nom. nov. <i>Turbonilla inclinella</i> Corgan & van Aartsen, 1998
<i>obliquissima</i>	<i>Numaegilina</i>		255; VI, 1	248	
<i>obtusantis</i>	<i>Oscilla</i>			254; I, 17	
<i>ongcopensis</i>	<i>Oscilla</i>			254; IV, 8	
<i>oscillaeformis</i>	<i>Miralda</i>			250; III, 16	
<i>ovata</i>	<i>Tiberia</i>		226; I, 6-7		
<i>pellucida</i>	<i>Pyrgiscilla</i>		272; VIII, 8		
<i>pernettae</i>	<i>Odostomia</i> (<i>Megastomia</i>)		238; III, 21		
<i>phanthietina</i>	<i>Chrysallida</i> (<i>Chrysallida</i>)	73; II, 9-11	254	246	<i>Chrysallida phanthietina</i> ; Saurin (1959, 1962)
<i>phohaiensis</i>	<i>Pyrgulina</i> (<i>Pyrgulina</i>)	73; II, 4-5		243	
<i>phuue</i>	<i>Chemnitzia</i> (<i>Nisiturreis</i>)		265; VII, 10		
<i>piscatorium</i>	<i>Polemicella</i>		243; IV, 5		
<i>praecostulata</i>	<i>Syrnola</i>		230; I, 18	234	
<i>prava</i>	<i>Odostomia</i> (<i>Cyclodostomia</i>)			240; I, 4	
<i>pretiosor</i>	<i>Miralda</i>			250; III, 21	
<i>primaliciae</i>	<i>Miralda</i>			251; III, 17	
<i>primitractus</i>	<i>Pyrgulina</i> (<i>Linopyrga</i>)		252; IV, 26	244	
<i>pupina</i>	<i>Pyrgulina</i> (<i>Linopyrga</i>)		252; V, 6		
<i>pura</i>	<i>Pyrgulina</i> (<i>Partulida</i>)			246; I, 10 & III, 8	
<i>purpurea</i>	<i>Odostomella</i>		241; III, 23	232	synonym of <i>Elodiamea gliiriella</i> Melvill & Standen; Saurin (1962)
<i>puymaneli</i>	<i>Costosyrnola</i>		233; II, 12	236	
<i>pyrgoidella</i>	<i>Eulimella</i>		274; IX, 15		
<i>quaelibet</i>	<i>Syrnola</i>		229; I, 15	234	
<i>quangae</i>	<i>Pyrgiscus</i>		268; VIII, 9		
<i>ranae</i>	<i>Besla</i>			242; I, 6 & II, 10	
<i>reamensis</i>	<i>Besla</i>			241; I, 18 & II, 9	
<i>reginae</i>	<i>Leucotina</i>		258; V, 26		
<i>regis</i>	<i>Chemnitzia</i>		264; VII, 12	258	
<i>renatae</i>	<i>Pyrgiscilla</i>		270; VIII, 19	260	listed in Saurin (1961)
<i>revisa</i>	<i>Besla</i>		245; A, 2		

Species	Genus (Subgenus)	Saurin, 1958	Saurin, 1959	Saurin, 1962	Comments
<i>rolingiana</i>	<i>Turbonilla</i>			254; IV, 10	
<i>romeasaina</i>	<i>Turbonilla</i>			255; IV, 11-12	legenda pl. IV <i>T. romeasiana</i> ; <i>romeasaina</i> is error
<i>rugosa</i>	<i>Cingulina</i>		274; IX, 10		
<i>secta</i>	<i>Turbonilla</i> (<i>Asmunda</i>)	81; IV, 8		258	
<i>secunda</i>	<i>Elusa</i>		233; II, 17		
<i>semicostata</i>	<i>Tiberia</i>			233; II, 4	
<i>semistriata</i>	<i>Pyrgiscilla</i>			259; I, 13 & V, 7	
<i>serenei</i>	<i>Odostomia</i> (<i>Megastomia</i>)		236; III, 8		
<i>siamensis</i>	<i>Pyrgiscilla</i>			259; fig. in text	
<i>silvii</i>	<i>Asmunda</i>		266; VII, 7		
<i>sinus</i>	<i>Pyrgulina</i> (<i>Linopyrga</i>)		253; V, 22		
<i>sphaerica</i>	<i>Odostomia</i> (<i>Oda</i>)		240; II, 7		
<i>subcostata</i>	<i>Odostomia</i> (<i>Megastomia</i>)		237; III, 14		
<i>subdelia</i>	<i>Turbonilla</i>		260; V, 23		
<i>sublaevis</i>	<i>Careliopsis</i>	82; IV, 15-16			
<i>superba</i>	<i>Mumiola</i>		254; V, 15	232	synonym of <i>Mumiola megacheilos</i> de Folin; Saurin (1962)
<i>supramarginata</i>	<i>Odostomia</i> (<i>Megastomia</i>)		237; III, 9	238	
<i>suzettae</i>	<i>Miralda</i>		257; V, 18		
<i>tabulae</i>	<i>Pyrgiscilla</i>			260; V, 8	
<i>tani</i>	<i>Trabecula</i>		253; A, 10		
<i>tenuis</i>	<i>Egilina</i>			247; I, 11 & III, 11	
<i>thachi</i>	<i>Chemnitzia</i>		263; VII, 6		
<i>thaii</i>	<i>Tiberia</i>		226; I, 4	233	
<i>thuanae</i>	<i>Pyrgiscilla</i>		271; IX, 4	259	
<i>timida</i>	<i>Costosyrnola</i>			236; II, 5	
<i>torquatum</i>	<i>Anisocycla</i>			262; V, 14-15	
<i>tracta</i>	<i>Puposyrnola</i>		232; II, 10	235	
<i>transiens</i>	<i>Odostomia</i> (<i>Siogamaia</i>)		240; III, 11		nom. nov. <i>Siogamia namensis</i> Corgan & van Aartsen, 1998
<i>treina</i>	<i>Odostomia</i> (<i>Brachystoma</i>)		239; III, 10		
<i>trifuniculata</i>	<i>Tragula</i>			258; I, 18 & V, 11	
<i>trinquieri</i>	<i>Chemnitzia</i>		265; VII, 4		
<i>trochiformis</i>	<i>Pyrgulina</i>		249; V, 2	244	
<i>truncata</i>	<i>Cingulina</i>		274; IX, 11		
<i>tumida</i>	<i>Chemnitzia</i> (<i>Nisiturris</i>)		265; VII, 3		nom. nov. <i>Turbonilla</i> (<i>Nisiturris</i>) <i>tumidula</i> Corgan & van Aartsen, 1998
<i>tuytrieuensis</i>	<i>Besla</i>		243; IV, 4		
<i>unifilosa</i>	<i>Odostomia</i> (<i>Megastomia</i>)			239; II, 8	
<i>unilirata</i>	<i>Tragula</i>		267; VIII, 10		
<i>vanae</i>	<i>Chemnitzia</i>		262; VII, 2	257	
<i>vannieri</i>	<i>Pyrgiscus</i>		267; VIII, 14		
<i>varellensis</i>	<i>Ebalina</i>		275; IX, 16		
<i>vietnamica</i>	<i>Syrnola</i>		230; II, 2	232	synonym of <i>Syrnola elegans</i> A. Adams; Saurin (1962)
<i>ventricosa</i>	<i>Egilina</i> (<i>Numaegilina</i>)	76; II, 13-14			
<i>vienae</i>	<i>Puposyrnola</i>		231; II, 8	235	
<i>vinhi</i>	<i>Turbonilla</i>		260; VI, 24	254	
<i>yersini</i>	<i>Pyrgulina</i>		248; V, 4		
<i>yvonnae</i>	<i>Pyrgiscilla</i>		272; IX, 20		